BRITISH GEOLOGICAL SURVEY

Ascension Island

Observatory
Monthly
Magnetic

BulletinDecember 2015

15/12/AS











ASCENSION ISLAND OBSERVATORY MAGNETIC DATA

1. Introduction

Ascension Island observatory was installed by the British Geological Survey (BGS) with financial support from a consortium of oil companies and became operational in September 1992.

This bulletin is published to provide rapid access to the provisional geomagnetic observatory results. The information is freely available for personal, academic, educational and non-commercial research or use. Magnetic observatory data are presented as a series of plots of one-minute, hourly and daily values, followed by tabulations of monthly values. The operation of the observatory and presentation of data are described in the rest of this section.

Enquiries about the data should be addressed to:

Geomagnetism Team
Earth Hazards and Systems
British Geological Survey
Murchison House, West Mains Road
Edinburgh EH9 3LA
Scotland, UK

Tel: +44 (0) 131 667 1000 Fax: +44 (0) 131 668 2683 E-mail: enquiries@bgs.ac.uk Internet: www.geomag.bgs.ac.uk

2. Position

Ascension Island Observatory, one of the geomagnetic observatories maintained and operated by BGS, is situated on a site adjacent to the Cable and Wireless Earth Station on Donkey Plain. The observatory co-ordinates are:

 Geographic:
 7° 56′ 58"S
 345° 37′27"E

 Geomagnetic:
 2° 48′ 32"S
 057° 31′ 48"E

 Height above mean sea level:
 177 m

The geographical coordinates are measured by a handheld GPS device, which uses WGS84 as the reference coordinate system. The height above MSL is determined from the best available contour maps. The geomagnetic co-ordinates approximations, calculated using the 12th generation International Geomagnetic Reference Field (IGRF) at epoch 2015.5. On-line access to models (including IGRF), charts and navigational data are available at

http://www.geomag.bgs.ac.uk/data_service/models_compass/home

3. The Observatory Operation

3.1 GDAS

The observatory operates under the control of the Geomagnetic Data Acquisition System (GDAS), which was developed by BGS staff, installed and became operational in August 2002. The data acquisition software, running on QNX operated computers, controls the data logging and the communications.

There are two sets of sensors used for making magnetic measurements. A tri-axial linear-core fluxgate magnetometer, manufactured by the Danish Meteorological Institute, is used to measure the variations in the horizontal (*H*) and vertical (*Z*) components of the field. The third sensor is oriented perpendicular to these, and measures variations, which are proportional to the changes in declination (*D*). Measurements are made at a rate of 1 Hz

In addition to the fluxgate sensors there is a proton precession magnetometer (PPM) making measurements of the absolute total field intensity (F) at a rate of 0.1Hz.

The raw unfiltered data are retrieved automatically via Internet connections to the BGS office in Edinburgh in near real-time. The fluxgate data are filtered to produce one-minute values using a 61-point cosine filter and the total field intensity samples are filtered using a 7-point cosine filter. The one-minute values provide input for various data products, available on-line at

www.geomag.bgs.ac.uk/data service/home

3.2 Absolute Observations

The GDAS fluxgate magnetometers accurately measure variations in the components of the geomagnetic field, but not the absolute magnitudes. Two sets of absolute measurements of the field are made manually once per month. A fluxgate sensor mounted on a theodolite is used to determine D and inclination (I); the GDAS PPM measurements, with a site difference correction applied, are used for F. The absolute observations are used in conjunction with **GDAS** variometer the measurements to produce a continuous record of the absolute values of the geomagnetic field elements as if they had been measured at the observatory reference pillar.

4. Observatory Results

The data presented in the bulletin are in the form of plots and tabulations described in the following sections.

4.1 Absolute Observations

The absolute observation measurements made during the month are tabulated. Also included are the corresponding baseline values, which are the differences between the absolute measurements and the variometer measurements of D, H and Z (in the sense absolute–variometer). These are also plotted (markers) along with the derived preliminary daily baseline values (line) throughout the year. Daily mean differences between the measured absolute F and the F computed from the baseline corrected H and Z values are plotted in the fourth panel (in the sense measured–derived). The bottom panel shows the daily mean temperature in the fluxgate chamber.

4.2 Summary magnetograms

Small-scale magnetograms are plotted which allow the month's data to be viewed at a glance. They are plotted 16 days to a page and show the one-minute variations in D, H and Z. The scales are shown on the right-hand side of the page. On disturbed days the scales are multiplied by a factor, which is indicated above the panel for that day. The variations are centred on the monthly mean value, shown on the left side of the page.

4.3 Magnetograms

The daily magnetograms are plotted using oneminute values of D, H and Z from the fluxgate sensors, with any gaps filled using back-up data. The magnetograms are plotted to a variable scale; scale bars are shown to the right of each plot. The absolute level (the monthly mean value) is indicated on the left side of the plots.

4.4 Hourly Mean Value Plots

Hourly mean values of D, H and Z for the past 12 months are plotted in 27-day segments corresponding to the Bartels solar rotation number. Magnetic disturbances associated with active regions and/or coronal holes on the Sun may recur after 27 days: the same is true for geomagnetically

quiet intervals. Plotting the data in this way highlights this recurrence. Diurnal variations are also clear in these plots and the amplitude changes throughout the year highlight the seasonal changes. Longer term secular variation is also illustrated.

4.5 Daily and Monthly Mean Values

Daily mean values of D, H, Z and F are plotted throughout the year. In addition, a table of monthly mean values of all the geomagnetic elements is provided. These values depend on accurate specification of the fluxgate sensor baselines. It is anticipated that these provisional values will not be altered by more than a few nT or tenths of arcminutes before being made definitive at the end of the year.

5. Conditions of Use

The data presented in this bulletin are provided for personal, academic, educational, non-commercial research or other non-commercial use and are not for sale or distribution to third parties without written permission from BGS.


Reproduction of any part of this bulletin should be accompanied by the statement: 'Reproduced with the permission of the British Geological Survey ©NERC. All rights Reserved'. Publications making use of the data should include an acknowledgment statement of the form: 'The results presented in this paper rely on the data collected at Ascension Island magnetic observatory, operated by the British Geological Survey.'


Commercial users can contact the geomagnetism team for information on the range of applications and services offered. Full contact details are available at www.geomag.bgs.ac.uk/contactus/staff


ASCENSION ISLAND OBSERVATORY


ABSOLUTE OBSERVATIONS


		Declination			Inclination		Total Field		Horizontal Intensity		Vertical Intensity		
Date	Day Number	Time (UT)	Absolute (°)	Baseline (°)	Time (UT)	Absolute (°)	Site difference (nT)	Absolute corrected (nT)	Absolute (nT)	Baseline (nT)	Absolute (nT)	Baseline (nT)	Observer
04-Dec-15	338	17:07	-15.1756	-15.7867	17:17	-43.7764	88.0	28599.2	20649.9	21338.2	-19786.2	-19042.3	GA
04-Dec-15	338	17:25	-15.2078	-15.8150	17:34	-43.7696	88.0	28599.5	20652.5	21340.6	-19784.0	-19039.9	GA
20-Dec-15	354	10:15	-15.2369	-15.7983	10:24	-43.8107	88.0	28606.5	20643.3	21337.9	-19803.6	-19042.7	GA
20-Dec-15	354	10:30	-15.2372	-15.7983	10:38	-43.8119	88.0	28606.8	20643.1	21337.9	-19804.3	-19042.7	GA
30-Dec-15	364	17:28	-15.1997	-15.8050	17:38	-43.7827	88.0	28605.8	20652.5	21337.3	-19793.1	-19043.2	GA
30-Dec-15	364	17:45	-15.1919	-15.8000	17:53	-43.7844	88.0	28604.2	20650.7	21337.3	-19792.5	-19043.2	GA





































































































Ascension Island Observatory: Declination (degrees)




Ascension Island Observatory: Horizontal Intensity fhTŁ



Ascension Island Observatory: Vertical Intensity (nT)





Monthly Mean Values for Ascension Island Observatory 2015

Month	D	H	I	X	Y	Z	F
January	-15° 21.9′	20677 nT	-43° 35.5′	19938 nT	-5478 nT	-19685 nT	28549 nT
February	-15° 20.1′	20678 nT	-43° 35.9′	19942 nT	-5469 nT	-19690 nT	28553 nT
March	-15° 20.4′	20660 nT	-43° 38.0′	19924 nT	-5465 nT	-19698 nT	28545 nT
April	-15° 19.6′	20664 nT	-43° 38.3′	19929 nT	-5462 nT	-19704 nT	28553 nT
May	-15° 18.7′	20664 nT	-43° 39.1′	19930 nT	-5457 nT	-19714 nT	28559 nT
June	-15° 18.1′	20654 nT	-43° 41.1′	19921 nT	-5450 nT	-19726 nT	28560 nT
July	-15° 17.4′	20651 nT	-43° 42.2′	19920 nT	-5446 nT	-19736 nT	28565 nT
August	-15° 16.8′	20643 nT	-43° 43.8′	19913 nT	-5440 nT	-19748 nT	28567 nT
September	-15° 15.7′	20641 nT	-43° 44.9′	19913 nT	-5433 nT	-19758 nT	28573 nT
October	-15° 14.7′	20638 nT	-43° 45.6′	19912 nT	-5427 nT	-19764 nT	28575 nT
November	-15° 13.9′	20644 nT	-43° 46.3′	19919 nT	-5424 nT	-19777 nT	28589 nT
December	-15° 13.7′	20633 nT	-43° 48.5′	19908 nT	-5420 nT	-19792 nT	28591 nT

<u>Note</u>

i. The values shown here are provisional.