

Article (refereed) - postprint

Bradley, C.; Bowes, M.J.; Brils, J.; Friedrich, J.; Gault, J.; Groom, S.; Hein, T.; Heining, P.; Michalopoulos, P.; Panin, N.; Schultz, M.; Stanica, A.; Andrei, I.; Tyler, A.; Umgiesser, G. 2018. **Advancing integrated research on European river–sea systems: the DANUBIUS-RI project.** *International Journal of Water Resources Development*, 34 (6). 888-899.

© 2017 Informa UK Limited, trading as Taylor & Francis Group

This version available <http://nora.nerc.ac.uk/519289/>

NERC has developed NORA to enable users to access research outputs wholly or partially funded by NERC. Copyright and other rights for material on this site are retained by the rights owners. Users should read the terms and conditions of use of this material at <http://nora.nerc.ac.uk/policies.html#access>

This is an Accepted Manuscript of an article published by Taylor & Francis in *International Journal of Water Resources Development* on 21/11/2017, available online:
<https://doi.org/10.1080/07900627.2017.1399107>

There may be differences between the Accepted Manuscript and the final publisher's version. You are advised to consult the publisher's version if you wish to cite from this article.

Contact CEH NORA team at
noraceh@ceh.ac.uk

Advancing integrated research on European River – Sea systems: the DANUBIUS-RI project

European research at the interface between terrestrial, riverine, estuarine and marine environments is frequently constrained by significant disciplinary and geographical boundaries. This article outlines an international initiative, DANUBIUS-RI which aims to address these problems by facilitating biogeochemical monitoring and inter-disciplinary research on river-sea systems. The scope of the project spans the environmental, social and economic sciences and was accepted onto the European Strategy Forum on Research Infrastructures roadmap in 2016. When operational, DANUBIUS-RI will offer researchers access to facilities and to European River–Sea systems, providing a platform for multi-disciplinary research and training.

Keywords: Research infrastructure; Environmental Research; River-Sea systems

Introduction

In this commentary, we summarize the vision for a pan-European Research Infrastructure (RI), DANUBIUS-RI, to address wide-ranging research and societal challenges that confront European River – Sea systems. The RI will comprise ‘facilities, resources and services used by the science community to conduct research’ (ESFRI, 2016). It seeks to link freshwater and marine research by advancing the study of rivers and their wider landscapes, transitional areas (deltas / estuaries / coasts) and seas as a single entity. In so doing, the aim is to reduce the constraints on inter-disciplinary research which have hitherto hindered attempts to develop holistic approaches to the study and management of River Sea systems. The consequences have included a geographically and academically-fragmented approach to freshwater and marine research which have wide-ranging societal implications. This is evident in the current European regulatory regime where the Water Framework Directive (WFD – 2000/60/EC) covers rivers and coastal zones while marine waters are subject to directives on the Marine Strategy Framework (MSFD – 2008/56/EC) and Maritime Spatial Planning (MSP) (2014/89/EU). The difficulties posed by the disjunct in regulatory structures

are compounded by the multi-dimensional, diverse and dynamic process drivers, both natural and anthropogenic, that govern River Sea systems, the study of which requires new approaches to cross-disciplinary research spanning the freshwater and marine sciences.

DANUBIUS-RI was conceived at a meeting on the Danube Delta which advocated greater integration between research on the Danube River, Delta and Black Sea.

Notwithstanding the scale and complexity of the Danube River Basin and Black Sea (a catchment spanning 19 countries; a wetland Biosphere Reserve; a semi-enclosed sea impacted by riverine nutrient inputs), it was recognised that these problems are common across Europe and globally. While the title, DANUBIUS¹, reflects the initiative's history, in this article we highlight its wider compass by exploring the key challenges currently confronting River Sea systems which motivated the project and outline the proposed structure of the RI. Despite the focus here on water resources, it is intended that the RI will have a wider scope across the environmental sciences, with the overarching aim of enhancing interdisciplinary research, and management, across the freshwater – marine continuum.

The Scientific Challenge

Rivers, lakes, deltas, estuaries, coastal wetlands and coastal seas are the dynamic product of interacting environmental processes. Their management presents significant challenges: both in understanding 'natural' environmental dynamics, and in quantifying the magnitude and consequences of anthropogenic impacts. Physically, their boundaries extend from the '*aqua incognita*', or 'unknown waters', of the catchment headwaters (Bishop et al. 2008) to coastal seas which rely upon riverine nutrient and sediment fluxes to maintain fisheries, provide flood protection and sustain deltas. Freshwater and marine systems face multiple pressures

¹ From the Sanskrit for fluid and the Proto-Indo-European term for river: *dānu*

from natural (climate forcing; invasive species) and anthropogenic drivers (urbanization, hydro- and wind-power generation, and shipping / navigation) at scales ranging from local to regional and global (Omerod et al. 2010). These pressures are ubiquitous. They interact in various ways and contribute to problems including eutrophication, hypoxia, pollution, loss of biodiversity, and habitat depletion, with far-reaching implications for ecosystem services (Hering et al. 2014). In future, these pressures are likely to increase with consequences from catchment – to coast – to sea that have yet to be fully quantified. For example, coastal deltas and estuaries may be at ‘tipping points’ as they evolve from their ‘natural’, early Holocene, state, to a heavily modified, Anthropocene, state. The concern is that at some point these systems may ‘collapse’ due to rising sea levels, land subsidence and changing river flow and sediment regimes (Renaud et al. 2014). The difficulty is that in many cases our knowledge of environmental functioning is insufficient to: i. determine environmental resilience; ii. identify ‘trajectories of change’; or iii. identify how these systems may be managed to ensure equitable use of resources and safeguard the ecosystem services they provide.

In many cases, societal responses to the challenges confronting River – Sea systems have been fragmentary and constrained by disciplinary and geopolitical boundaries. The challenges are compounded by the uncertainties of environmental functioning, particularly at disciplinary interfaces: longitudinally (freshwater to marine), laterally (catchment to river; coast to sea), and vertically (surface to groundwater). Here we illustrate the problems of current approaches by first considering the situation with respect to catchment management, before examining the implications for freshwater-marine transitional zones and shallow seas downstream.

Globally river catchments are experiencing ongoing changes in catchment water balance, with anthropogenically-driven climate change modifying the partitioning of rainfall between individual catchment water stores and fluxes (Overeem et al. 2013). In some

catchments, higher temperatures have contributed to increases in rainfall quantity and intensity, while elsewhere elevation dependent warming has led to reduced snowfall and streamflow (Berghuijs et al. 2014). These effects have been exacerbated by increased evapotranspiration, groundwater and river abstraction, and river engineering which have heavily modified riverflow regimes (Nilsson et al. 2005). In many cases, however, river and catchment management has followed an overly sectoral approach with limited integration and a lack of holistic focus. The consequences are evident in large international river basins such as the Danube River Basin where there are problems in reconciling competing requirements of flood management and navigation with conserving or restoring geomorphological and ecological diversity (Habersack, et al. 2016; Hein et al. 2016). These concerns are compounded by poor water quality arising from inadequately treated waste-water, urban runoff and agricultural effluent (Chapman et al. 2016). Here, there is an urgent need for chemical and effect-based monitoring tools to inform new models of exposure and risk assessment. Ultimately though, the success of this work depends upon holistic, basin-wide, approaches to catchment management and governance to resolve competing management priorities through the basin.

The problems are cumulative with implications downstream: in the freshwater – marine transition zone, in transitional estuarine environments and shallow seas. Transitional and marine systems have been impacted globally by reductions in catchment sediment fluxes as a result of river regulation (Paola et al. 2011). Deltas, estuaries and coastal seas are further affected by increases in relative sea level and temperature, by changes in salinity, acidification and de-oxygenation that impact marine pelagic and shallow benthic ecosystems. Potential effects are magnified by the changing quantity and quality of freshwater inputs to marine areas, by algal blooms and eutrophication, and by the bioaccumulation of environmental pollutants in food webs. For most catchments, shallow seas represent the

ultimate fate of emerging pollutants with consequences for public and environmental health that have yet to be fully quantified. At the same time, there are potential impacts from oil and gas extraction, the development of renewable energy (wind farms; tidal barrages) and uncertainties over the consequences of new initiatives, for example, relating to methane hydrates (Ruppell, 2011). Given the increasing global population, with particularly marked increases in coastal populations, there is an urgent need to ensure sustainable food production by integrating fisheries and aquaculture research with environmental, social and economic research (JPI-Oceans, 2015). This requires improved understanding of processes and fluxes that link freshwater and marine systems.

From a wider perspective, many of the 'Planetary Boundaries' such climate change, changes in phosphorus and nitrogen cycling, global freshwater use, land-use, loss of biodiversity, chemical pollution and ocean acidification require a more holistic approach to research and management (Rockstrom, et al. 2009). Some river basins have effectively become 'closed' with insufficient water available to satisfy anthropogenic demand or sustain 'natural' ecosystems. Water is critical in determining the resilience of socio-ecological systems, with emerging challenges over increasing food and biofuel production, highlighting the importance of environmental stewardship in protecting ecosystem function. In response, the case for a new paradigm of water governance has been advanced that accounts for the many faceted uses of water and interactions at different scales (Rockström et al. 2014; Steffen et al. 2015). This requires new and innovative approaches from the research community to identify sustainable solutions to seemingly intractable problems.

Integrated management of River Sea systems is challenging given their multi-disciplinary nature, the difficulty in defining their physical boundaries and in attributing cause-and-effect. These systems are potentially characterized by significant instability and their response to current and future pressures are, to a certain extent, unpredictable; yet they

perform key ecosystem services which are vital in achieving the sustainable development goals (Green et al. 2015). Hence River – Sea management should be regulated by three interlinked principles: i. being well-informed and based on in-depth system understanding; ii. conforming to the accepted ideals of adaptive management; and iii. following a participatory approach (Brils et al. 2014). Ultimately this requires environmental research that has societal relevance and which spans traditional disciplinary and geographical boundaries.

The rationale for a new and more holistic approach to River Sea systems can be illustrated by considering the consequences of river and catchment management for sediment and nutrient fluxes. Most rivers now show evidence of reduced sediment discharge as a result of river regulation and reservoir sedimentation which have significant implications for coastal and marine systems (Milliman and Farnsworth, 2013). In southern Europe, deltas and coasts are potentially vulnerable to changes in sediment supply, variations in discharge, local river / coastal engineering works, and changing sea level to the extent they may shortly enter a ‘destruction’ phase following a period of sustained progradation (Anthony et al. 2014). In northern Europe, these problems are compounded by the pressures to maintain (and deepen) navigable channels in the Rhine and Elbe, and continuing to protect against coastal flooding and storm surges. These problems are compounded by the effects of changing nutrient loads, such as the drawdown of silica by phytoplankton in reservoirs, which is contributing to changes in the ecosystem of the northwest Black Sea (Humborg et al. 1997) and may affect hypoxia or anoxia in shallow seas.

Given these widespread, and inter-related, problems, the following scientific challenges have been identified, relating to:

System Characterisation: Quantifying and modelling hydrodynamic processes, ecosystem assessment and function.

Environmental Change: Applying advances in in-situ and earth observation science; understanding extreme events within a wider assessment of environmental hazards and risks.

Adaptive and sustainable management: advancing inter-disciplinary and holistic approaches to manage European River Sea systems.

DANUBIUS-RI: the architecture of the Research Infrastructure

DANUBIUS-RI aims to address these challenges, by providing a platform for the integrated study of River-Sea systems. The RI seeks to advance enhanced process understanding of: i. environmental system dynamics; ii. the impact of multiple catchment and marine pressures on system function; iii. the consequences of human activities as drivers; and hence, iv. safeguard the ecosystem functions and services provided by River Sea systems. The RI seeks to quantify environmental system dynamics across disciplinary boundaries and enhance environmental management across freshwater and marine systems. Significantly, recent developments in analytical and observation technology, from space-borne to *in-situ* monitoring, and more advanced modelling capabilities, provide new opportunities to monitor River Sea systems at the entire basin scale and in real-time. There are challenges, however, in developing and applying new technologies, for example, quality control to ensure comparability and consistency in environmental monitoring and in analytical procedures. This requires greater collaboration in developing (and using) available observational, analytical, modelling and data management facilities. The RI aims to provide a platform to achieve this integrate this knowledge and understanding to help address these problems.

The infrastructure is envisaged as a pan-European distributed research infrastructure dedicated to research in the freshwater and marine sciences. In its present form, the RI extends across ten European countries supported by institutions in a further eight countries. Physically the RI will comprise a ‘Hub’, ‘Nodes’ and ‘Supersites’ distributed across Europe

(Figure 1). The ‘Nodes’ will be facilities, some ‘virtual’ in nature, offering observational, analytical and modelling capabilities across the biological, physical and social sciences. The intention will be to identify and apply monitoring, analytical, and modelling best practice, to provide a step-change in research spanning River Sea systems:

The **Observation Node**, to be coordinated by the Plymouth Marine Laboratory (PML) in the UK, will build upon PML’s experience in developing and testing algorithms to retrieve water constituents using data from remote sensing platforms and wider community developments of *in-situ* sensing technologies. The node will recommend procedures for standardization of instrumented buoys across sites associated with the RI and advise on the telemetry required to enable real-time data capture.

The **Analysis Node**, led by Bundesanstalt für Gewässerkunde (BfG), Germany, will work to ensure consistency in analytical techniques through standardized protocols for field sampling and laboratory analyses of key environmental determinants. Quality Control standards will be developed to ensure comparability between data collected in different environments. While the Node will be the designated ‘lead laboratory’, ‘satellite laboratories’ will provide additional services and expertise in key areas: both geographically and with respect to different suites of analytical analysis.

The **Modelling Node**, coordinated by ISMAR-CNR, Italy, will draw upon the enhanced environmental data availability to develop transferable modelling tools to simulate specific processes, interpolate between observation points, and investigate model scenarios. Appropriate numerical modelling tools are key pre-requisites in identifying sustainable solutions to environmental problems spanning River Sea systems and their transitional environments and this work will build upon ISMAR-CNR’s expertise in hydrodynamic and biogeochemical modelling, including oil spill scenarios.

The **Impact Node**, to be developed by Deltares, The Netherlands, aims to integrate technical knowledge on River Sea systems with developments in environmental governance and policy making. The node will develop and test concepts, methods and instruments to identify innovative and sustainable solutions, for example, using a ‘decision theatre’ to enhance spatial planning across the River – Sea continuum and consider how to address uncertainties in the decision-making process.

The RI will also comprise ‘Supersites’ situated across Europe (Fig. 1) dedicated to observation, research, and modelling across the River – Sea continuum. These environmental field observatories will encompass environments ranging from relatively pristine sites (such as the **Danube Delta, Romania**) to areas significantly impacted by anthropogenic processes (**the Thames Estuary, UK; the Elbe, Germany**). Freshwater supersites include **Szigetkoz** on the Danube floodplain in Hungary which will characterise surface-water – groundwater interactions in reaches impacted by river engineering works, and **Lake Lunz and the Upper Danube** catchment in Austria. The latter offers an Alpine focus with long-term observation sites, including floodplain reaches and impounded sections along the Upper Danube, to study carbon cycling and ecosystem response to climate change and attribute ‘cause-and effect’ in the context of multiple pressures on freshwater environments. Finally, the **Ebro Delta** (Spain), **Nestos** (Greece) and the **Po Delta / Venice Lagoon** (Italy) offer transitional field-sites impacted by climate change, rising sea level and changing catchment land use.

In addition to the nodes and Supersites, the RI will include a **Technology Transfer Office** at University College Cork, Ireland, to enhance technology transfer and commercialization of Intellectual Property (IP). It is intended that this will create an enabling environment for collaboration between industry and researchers and will help in identifying and exploiting any IP generated. There will also be a **Data Centre**, in Bucharest, Romania that will draw upon existing European e-infrastructures to provide data access and ensure

data inter-operability. A distributed data archiving infrastructure will be developed to foster sharing of data and computer resources at different levels: from data acquisition, to data processing and storage, through to data access by end-users.

The overall vision of DANUBIUS-RI is that the Nodes will ensure disciplinary rigour whilst benefitting from the potential for inter-disciplinarity provided by the Supersites. The **Hub** of the RI, to be situated in the Danube Delta, Romania, will have primary responsibility for coordinating the institutional partners and exploring opportunities for wider international collaboration.

DANUBIUS-RI was accepted onto the European Strategy Forum on Research Infrastructures (ESFRI) roadmap in 2016. The initiative is currently (2017) in its implementation phase and plans detailing the architecture and funding model(s) for the RI are being developed. Ultimately the hope is that by enhancing our ability to undertake integrated, cross-disciplinary, environmental research, management and education on European Rivers and Seas, DANUBIUS-RI will assist in developing new scientific approaches to cross-disciplinary research spanning the freshwater and marine sciences.

Discussion

The success of DANUBIUS-RI will to a large extent depend upon the degree to which inter-disciplinary research questions of key societal importance are addressed, with support from national funding agencies. It is important also that the RI fosters cross-disciplinary research and breaks down the traditional, disciplinary, barriers to environmental research and management. Here a common language, or ontology, will need to be developed to ensure research questions are framed appropriately, with data (field, analytical, model) and environmental samples collected and archived according to agreed protocols to ensure disciplinary rigour. Hence stakeholder engagement is vital in ensuring that the architecture of

the RI satisfies user community needs and has sufficient flexibility to respond to future pressures.

For European River – Sea systems, DANUBIUS-RI will provide opportunities for the research community to work with catchment and river managers in advancing new and transferable solutions to emerging environmental problems. Europe has considerable experience in this area, evidenced by past actions in response to poor water quality, and developments in integrated water resources management, adaptive management and ecosystem-based approaches for conservation and restoration (Falkenmark, 2017). However, while the WFD and MSFD provide the legal framework to protect water bodies, advocating management approaches focussed on the drainage basin, increasingly a drainage basin focus in itself may be insufficient to resolve wider environmental problems. ‘Wicked’ problems of this scale and complexity require novel approaches to understand, quantify, and manage, including a sustainable platform for communication between the research and user communities to ensure opportunities for knowledge transfer and knowledge exchange are utilised wherever possible.

These broad goals must be supported by sound science. Here the situation is further complicated by the nature of the River - Sea continuum which is characterized by process discontinuities at different scales through fluvial to marine systems (Bentley Sr et al. 2016). Globally River - Sea systems are increasingly important, both with respect to conventional hydrocarbon exploitation and production, and to explore the full potential of emerging development in renewable energy including offshore wind farms, tidal energy (barrages and turbines and wave energy converters) and aquaculture (Buck et al. 2004). At a time of extensive human modification of freshwater and marine systems it is essential that the full potential benefits accruing from cross-disciplinary projects are realized. This presents significant challenges in which adaptive management requires an accommodation between

potentially multiple users as well as recognition of the significance of autogenic process response at different spatial and temporal scales. The latter describes the extent to which River - Sea systems self-regulate as they evolve over time, although there are uncertainties with regard to their resilience, for example, over their capacity to assimilate material fluxes (e.g. nutrients, carbon, emerging pollutants, sediment) given ongoing, widespread environmental change.

Notwithstanding these challenges, there are considerable benefits in ‘working with nature’ to support the natural capacity to deliver key ecosystem services. Examples include developing concepts in natural flood management and green engineering, which can replace traditional ‘hard’ engineering approaches to catchment, river and coastal management. These changes in approach have been likened to a paradigm change (e.g. Petts et al. 2006), but there are considerable practical problems in using these innovative approaches to advance the basis for integrated water resource management. These include the difficulties in reconciling competing demands for water, in sustaining the complexity of freshwater and marine habitats, and quantifying the inter-relationships between biotic and abiotic processes. The problems are further complicated by the potential for non-stationarity in process-response (Milly et al. 2015), by increases in human-mediated changes in water storage and flux (Konar et al. 2016), and by the pressing need to focus more on identifying solutions to environmental problems (Pahl-Wostl, et al. 2013).

For a number of reasons this is a timely opportunity to develop an interdisciplinary pan-European RI on River – Sea systems. Given the global context of pandemic water problems, and the need to identify solutions, Pahl-Wostl et al. (2013) advocated the setting of ‘global water testbeds’ for interdisciplinary research, in which integrated methodologies can be developed to enhance interdisciplinary and transdisciplinary knowledge and build upon new and emerging ideas in the environmental sciences. These include: advances in Earth

Observation that build upon the European Commission and the European Space Agency's Copernicus Programme; increasing capabilities in in-situ monitoring technologies (e.g. Blean et al. 2016); recent developments in citizen science (Bonney et al. 2014); and the developing potential for near-real time processing and management of Big Data. These advances provide opportunities to model River - Sea systems at spatial and temporal scales that were previously unrealistic given, for example, that our ability to develop complex hydrological models has been constrained by limitations in data availability (Gleick et al. 2013). The challenge for the future lies at the intersection of the pure and applied sciences, in ensuring appropriate quality assurance and control of the new data, in practical applications of our improved scientific understanding, and developing cross-disciplinary communication. The ultimate challenge is then in applying these new techniques to provide sustainable solutions to new and emerging environmental problems.


Conclusions

Globally Rivers and Seas are confronted by a suite of environmental problems: the dynamics of the water cycle have been increasingly affected by human activities, with effects that in some cases are being compounded by ongoing changes in climate and land use. The scale of these problems is such as to require a stronger inter-disciplinary focus, to develop and apply new ways to integrate environmental research and stakeholder communities. In this article we introduce a pan-European distributed research infrastructure, DANUBIUS-RI, which seeks to address this need at the freshwater – marine interface. The proposal envisages **nodes**, focussing on **observation, modelling, analysis, and impact**, with **Supersites** in 8 countries, a **Technology Transfer Office** a **Data Centre** and **Hub**. Further development of the proposal provides opportunities for community engagement to ensure that the RI provides the facilities required to strengthen trans-disciplinary research on European River – Sea systems.

Acknowledgements.

The development of DANUBIUS-RI has been funded by the Romanian National Authority for Scientific Research (projects PN 09410307/2010, 7S/2013 & PN3-DANUBIUS-Management/2016) and the EU FP7 ('DANCERS' (DANube macroregion: Capacity building and Excellence in River Systems (contract no. 603805)). The authors are also grateful for H2020 preparatory phase funding for 'DANUBIUS-PP' (contract no. 739562). TH received support from AQUACROSS (Knowledge, Assessment & Management for AQUATIC Biodiversity and Ecosystem Services across EU policies (contract no. 642317).

Figure 1. DANUBIUS-RI: the distribution of facilities across Europe giving the location of the Hub (Romania), Nodes, Supersites and institutions supporting the development of the infrastructure.



References

- Anthony, E.J., Marriner, N. & Morhange. (2014). Human influence and the changing geomorphology of Mediterranean deltas and coasts over the last 6000 years: from progradation to destruction phase. *Earth Science Reviews*, 139, 336-361.
- Bentley Sr, S.J., Blum, M.D., Maloney, J., Pond, L., & Paulsell, R. (2016). The Mississippi River source-to-sink system: Perspectives on tectonic, climatic, and anthropogenic influences, Miocene to Anthropocene. *Earth Science Reviews*, 153, 139-174.
- Berghuijs, W.R., Woods, R.A., & Hrachowitz, M. (2014). A precipitation shift from snow towards rain leads to a decrease in streamflow. *Nature Climate Change* 4, 583-587.
- Bishop, K., Buffam, M., Erlandsson, M., Fölster, J., Laudon, H., Seibert, J., & Temnerud, J. (2008). Aqua Incognita: the unknown headwaters. *Hydrological Processes* 22, 1239-1242.
- Blaen, P.J., Khamis, K., Lloyd, E.M., Bradley, C., Hannah, D. & Krause, S. (2016). Real-time monitoring of nutrients and dissolved organic matter in rivers: capturing event dynamics, technological opportunities and future directions. *Science of the Total Environment* 569-570, 647-660.
- Bonney, R., Shirk, J., Phillips, T.B., Wiggins, A., Ballard, H.L., Miller-Rushing, A.J., & Parrish, J.K. (2014). Next steps for Citizen Science. *Science* 343, 1436-1437.
- Brils, J., Brack, W., Müller-Gragherr, D., Negrel, P., & Vermaat, J. (Eds). (2014). *Risk-informed management of European River Basins*. Springer. 395pp.
- Buck, B.H., Krause, G., & Rosenthal, H. (2004). Extensive open ocean aquaculture development within wind farms in Germany: the prospect of offshore co-management and legal constraints. *Ocean & Coastal Management* 47, 95-122.
- Chapman, D.V., Bradley, C., Gettel, G.M., Hatvani, I.G., Hein, T., Kovacs, J., Liska, I., Oliver, D.M., Tanos, P., Trásy, B., & Vábíró, G. (2016). Developments in water quality monitoring and management in large river catchments using the Danube River as an example. *Environmental Science & Policy*. 64, 141-154.
- ESFRI. (2016). *ESFRI – Strategy report on Research Infrastructures*. ISBN: 978-0-9574402-4-1
- Falkenmark, M. (2017). Water and human livelihood resilience: a regional-to-global outlook. *International Journal of Water Resources Development* 33 (2), 181-197.
- Gleick, P.H., Cooley, H., Famiglietti, J.S., Lettenmaier, D.P., Oki, T., Vörösmarty, C.J. & Wood, E.F. (2013). Improved understanding of the Global Hydrologic Cycle. Observation and analysis of the climate system: the Global Water Cycle. In: *Climate*

- Science for Serving Society: Research, Modeling and Prediction Priorities*. Asrar, G.R. & Hurrell, J.W. (Eds). Springer Science pp. 151-184.
- Green, P.A., Vörösmarty, C.J., Harrison, I., Farrell, T., Sáenz, L., Fekete, B.M. (2015). Freshwater ecosystem services supporting humans: Pivoting from water crisis to water solutions. *Global Environmental Change*, 34, 108-118.
- Habersack, H., Hein, T., Stanica, A., Liska, I., Mair, R., Jäger, E., Hauer, C. & Bradley, C. (2016). Challenges of river basin management: current status of, and prospects for, the River Danube from a river engineering perspective. *Science of the Total Environment*, 543, 828-845.
- Hein, T., Schwarz, U., Habersack, H., Nichersu, I., Preiner, S., Wilby, N., & Weigelhofer, G. (2016). Current status and restoration options for floodplains along the Danube River. *Science of the Total Environment*, 543, 778-790.
- Hering, D., Borja, A., Carstensen, J., Carvalho, L., Elliott, M., Field, C.K., Heiskanen, A.S., Johnson, R.K., Moe, J., Pont, D., Solheim, A.L., & van de Bund, W. (2010). The European Water Framework Directive at the age of 10: a critical review of the achievements with recommendations for the future. *Science of the Total Environment*, 408, 4007-4019.
- Humborg, C., Ittekkot, V., Cociasu, A., & v. Bodungen, B. (1997). Effect of Danube River dam on Black Sea biogeochemistry and ecosystem structure. *Nature*, 386, 385-388.
- JPI Oceans. (2015). *Strategic Research and Innovation Agenda. Joint Programming Initiative Healthy and Productive Seas and Oceans*. Brussels.
- Konar, M., Evans, T.P., Levy, M., Scott, C.A., Troy, T.J., Vorosmarty, C.J., & Sivapalan, M. (2016). Water resources sustainability in a globalizing world: who uses the water? *Hydrological Processes*, 30, 3330-3336. doi: 10.1002/hyp.10843.
- Milliman, J., D., & Farnsworth, K.L. (2013). *River discharge to the coastal ocean: a global synthesis*. Cambridge University Press: 394pp
- Milly, P.C.D., Betancourt, J., Falkenmark, M., Hirsch, R.M., Kundzewicz, Z.W., Lettenmaier, D.P., Stouffer, R.J., Dettinger, M.D., & Krysanova, V. (2015). On critiques of “Stationarity is Dead: Whither Water Management?”. *Water Resources Research*, 51, 7785-7789.
- Nilsson, C., Reidy, C.A., Dynesius, M., & Revenga, C. (2005). Fragmentation and flow regulation of the world’s large river systems. *Science*, 308, 405-408.
- Ormerod, S.J., Dobson, M., Hildrew, A.G., & Townsend, C.R. (2010). Multiple stressors in freshwater ecosystems. *Freshwater Biology*, 55 (s1), 1-4.

- Overeem, I., Kettner, A.J. & Syvitski, J. (2013). Impacts of humans on river fluxes and morphology. In: *Treatise of Geomorphology, Vol. 9, Fluvial Geomorphology*, Wohl, E. (Editor), New York, Elsevier, pp 828-842.
- Pahl-Wohl, C., Vörösmarty, C., Bhaduri, A., Bogardi, J., Rockström, J. & Alcamo, J. (2013). Towards a sustainable water future: shaping the next decade of global water research. *Current Opinion in Environmental Sustainability*, 5, 708-714.
- Paola, C., Twilley, R.R., Edmonds, D.A., Kim, W., Mohrig, D., Parker, G., Viparelli, G. & Voller, V.R. (2011). Natural processes in delta restoration: application to the Mississippi Delta. *Annual Reviews in Marine Sciences*, 3, 67-91.
- Petts, G.E., Nestler, J. & Kennedy, R. (2006). Advancing science for water resources management. *Hydrobiologia*, 565, 277-288.
- Renaud, F.G., Friedrich, J., Sebesvari, Z. & Giosan, L. (2014). Tipping points for delta social-ecological systems. *LOICS imprint* 1, 5-13.
- Rockström, J., Steffen, W., Noone, K., Persson, Å., Chapin, F.S., Lambin, E., Lenton, T.M., Scheffer, M., Folke, C., Schellnhuber, H.J., Nykvist, B., de Wit, C.A., Hughes, T., van der Leeuw, S., Rodhe, H., Sörlin, S., Snyder, P.K., Constanza, R., Svedin, U., Falenmark, M., Karlberg, L., Corell, R.W., Fabry, V.J., Hansen, J., Walker, B., Liverman, D., Richardson, K., Crutzen, P., & Foley, J. (2009). Planetary Boundaries: exploring the safe operating space for humanity. *Ecology and Society*, 14 (2), 32.
- Rockström, J., Falkenmark, M., Allan, T., Folke, C., Gordon, L., Jägerskog, A., Kumma, M., Lannerstad, M., Meybeck, M., Molden, D., Postel, S., Savenije, H.H.G., Svedin, U., Turton, A., & Varis, A. (2014). The unfolding water drama in the Anthropocene: towards a resilience-based perspective on water for global sustainability. *Ecohydrology*, 7, 1249-1261.
- Ruppel, C.D. (2011). Methane Hydrates and Contemporary Climate Change. *Nature Education Knowledge* 3(10) 29.
- Steffen, W., Richardson, K., Rockström, J., Cornell, S.E., Fetzer, I., Bennett, E.M., Biggs, R., Carpenter, S.R., de Vries, W., de Wit, C.A., Folke, C., Gerten, D., Heinke, J., Mace, G.M., Persson, L.M., Ramanathan, V., Reyers, B. & Sörlin, S. (2015). Planetary boundaries: Guiding human development on a changing planet. *Science*, 345 (6223). doi: 10.1126/science.1259855