




# A catalogue of specimens deposited in the Palaeontological Collections of the British Geological Survey:

## 1 Type and figured 'Purbeck' and 'Wealden' Ostracoda

Research Report RR/01/03









HOW TO NAVIGATE

## HOW TO NAVIGATE THIS PDF DOCUMENT

There are two important tools you should use to navigate through this pdf file: arrow buttons in the toolbar at the top of the screen and bookmarks.

### ☐ TOOLBAR BUTTONS:

- |  |  |
|--|--|
|  First Page goes to the first page of the file                    |  Last Page goes to the last page of the file                          |
|  Previous Page goes to the previous page of the file              |  Next Pages goes to the next page of the file                         |
|  Go to Previous View lets you return to the last pages you viewed |  Go to Next View reverses the path you took using Go to Previous View |

☐ The main elements of the table of contents are bookmarked enabling direct links to be followed to the principal section headings.

☐ **BOOKMARKS:** Bookmarks are the easiest way to navigate from one place to another within the volume. Each file has been prepared to open with the bookmarks showing in a separate window on the left side of the screen. The bookmarks in this document relate to all the sections included in this report.

**Go to  
contents page**

BRITISH GEOLOGICAL SURVEY

Research Report RR/01/03

# A catalogue of specimens deposited in the Palaeontological Collections of the British Geological Survey: 1 Type and figured 'Purbeck' and 'Wealden' Ostracoda

Ian P Wilkinson

*Cover illustration*

Purbeck ostracods illustrated in  
Anderson, 1971, Plate xx

The National Grid and other  
Ordnance Survey data are used  
with the permission of the  
Controller of Her Majesty's  
Stationery Office. Ordnance  
Survey licence number GD  
272191/2001.

*Bibliographical reference*

**WILKINSON, I P. 2002.** A  
catalogue of specimens  
deposited in the Palaeontological  
Collections of the British  
Geological Survey:  
1 Type and figured 'Purbeck'  
and 'Wealden' Ostracoda.  
*British Geological Survey  
Research Report, RR/01/03.*  
66 pp.

ISBN 085272 392X

© NERC 2002

Keyworth, Nottingham British Geological Survey 2002

## BRITISH GEOLOGICAL SURVEY

The full range of survey publications is available from the BGS Sales Desk at Nottingham and Edinburgh; see contact details below or shop online at [www.thebgs.co.uk](http://www.thebgs.co.uk) The London Information Office maintains a reference collection of BGS publications including maps for consultation.

The Survey publishes an annual catalogue of its maps and other publications; this catalogue is available from any of the BGS Sales Desks.

*The British Geological Survey carries out the geological survey of Great Britain and Northern Ireland (the latter as an agency service for the government of Northern Ireland), and of the surrounding continental shelf, as well as its basic research projects. It also undertakes programmes of British technical aid in geology in developing countries as arranged by the Department for International Development and other agencies.*

*The British Geological Survey is a component body of the Natural Environment Research Council.*

### Keyworth, Nottingham NG12 5GG

☎ 0115-936 3241 Fax: 0115-936 3488  
e-mail: [sales@bgs.ac.uk](mailto:sales@bgs.ac.uk)  
[www.bgs.ac.uk](http://www.bgs.ac.uk)  
Shop online at: [www.thebgs.co.uk](http://www.thebgs.co.uk)

### Murchison House, West Mains Road, Edinburgh EH9 3LA

☎ 0131-667 1000 Fax: 0131-668 2683  
e-mail: [scotsales@bgs.ac.uk](mailto:scotsales@bgs.ac.uk)

### London Information Office at the Natural History Museum (Earth Galleries), Exhibition Road, South Kensington, London SW7 2DE

☎ 020-7589 4090 Fax: 020-7584 8270  
☎ 020-7942 5344/45 e-mail: [bgs london@bgs.ac.uk](mailto:bgs london@bgs.ac.uk)

### Forde House, Park Five Business Centre, Harrier Way, Sowton, Exeter, Devon EX2 7HU

Tel: 01392-445271 Fax: 01392-445371

### Geological Survey of Northern Ireland, 20 College Gardens, Belfast BT9 6BS

☎ 028-9066 6595 Fax: 028-9066 2835

### Maclea Building, Crowmarsh Gifford, Wallingford, Oxfordshire OX10 8BB

☎ 01491-838800 Fax: 01491-692345

### *Parent Body*

### Natural Environment Research Council Polaris House, North Star Avenue, Swindon, Wiltshire SN2 1EU

☎ 01793-411500 Fax: 01793-411501  
[www.nerc.ac.uk](http://www.nerc.ac.uk)

# Foreword

This report is the published product of a compilation of data on the type and figured specimens of 'Purbeck' and 'Wealden' Ostracoda held in the collections of the British Geological Survey (BGS). The largest part is concerned with the specimens illustrated by F W Anderson between 1939 and 1985. The 355 entries included in the catalogue comprise 29 genera and 142 species.

# Contents

<b>Foreword</b>	i		
<b>Contents</b>	ii		
<b>1 Introduction</b>	1		
<b>2 A Catalogue of ‘Purbeck’ and ‘Wealden’ Ostracoda</b>			
2.1 Genus <i>Bisulcocypris</i>	2	2.14 Genus <i>Mantelliana</i>	45
2.2 Genus <i>Cypridea</i>	2	2.15 Genus <i>Miocytheridea</i>	48
2.3 Genus ‘ <i>Cythere</i> ’	38	2.16 Genus <i>Palaeocytheridea</i>	49
2.4 Genus <i>Cytheridea</i>	38	2.17 Genus <i>Paranotacythere</i>	49
2.5 Genus <i>Damonella</i>	38	2.18 Genus <i>Paraschuleridea</i>	50
2.6 Genus <i>Darwinula</i>	40	2.19 Genus <i>Procytheropteron</i>	51
2.7 Genus <i>Eocytheridea</i>	41	2.20 Genus <i>Protocythere</i>	51
2.8 Genus <i>Eoparacypris</i>	41	2.21 Genus <i>Pseudoparacypridopsis</i>	51
2.9 Genus <i>Fabanella</i>	43	2.22 Genus <i>Rhinocypris</i>	52
2.10 Genus <i>Galliaecytheridea</i>	43	2.23 Genus <i>Scabriculocypris</i>	52
2.11 Genus <i>Klieana</i>	44	2.24 Genus <i>Stenestroemia</i>	53
2.12 Genus <i>Macrocypris</i>	44	2.25 Genus <i>Sternbergella</i>	54
2.13 Genus <i>Macrodentina</i>	45	2.26 Genus <i>Stillina</i>	55
		2.27 Genus <i>Theriosynoecum</i>	55
		2.28 Genus <i>Timiriaseva</i>	59
		2.29 Genus <i>Wolburgia</i>	59
		<b>Glossary</b>	61
		<b>References</b>	62

# 1 Introduction

F W Anderson undertook a number of taxonomic and systematic studies on latest Jurassic and early Cretaceous 'non-marine' ostracod associations from southern England. Research began in 1939 and was still going on at the time of his death in 1982. During this time, he described numerous new species and subspecies as well as illustrating many others. The type and figured specimens are held in the collections of the British Geological Survey.

Catalogued herein are species and subspecies of *Cypridea*, the most diverse genus of the early Cretaceous non-marine Ostracoda of southern England. They were all recovered from the 'Purbeck' and 'Wealden' deposits. The non-Cypridean species fall within twenty seven genera: *Bisulcocypris*, '*Cytheridea*', *Damonella*, *Darwinula*, *Eocytheridea*, *Eoparacypris*, *Fabanella*, *Galliaecytheridea*, *Klieana*, *Macrocypris*, *Macrodentina*, *Mantelliana*, *Miocytheridea*, *Palaeocytheridea*, *Paranotacythere*, *Paraschuleridea*, *Procytheropteron*, '*Protocythere*', *Pseudoparacypridopsis*, *Rhinocypris*, *Scrabiculocypris*, *Stenestroemia*, *Sternbergella*, *Stillina*, *Theriosynoecum*, *Timiriaseva* and *Wolburgia*.

Anderson recognised 98 'cycles' or 'faunicycles', in his attempt to subdivide the 'Wealden' and 'Purbeck' sequences of southern England (summarised in Anderson, 1985, posthumously). They are based on environmental change in the the

non-marine milieu. Anderson placed the cycles/faunicycles into fifteen 'assemblages' and twelve 'zones'. The recognition of these 'assemblages' and 'zones' has caused some confusion in the literature, but the relationships are indicated in his final work (Anderson, 1985). His concepts have since been discussed in some detail by Horne (1995), who went on to suggest a new zonal scheme. Where possible, the taxa herein are related to Anderson's 'cycles' or 'faunicycles', although this has not been done for all specimens. As many species were formally described prior to the formulation of the faunicycle model, in its final form, these details are, in some cases, unclear.

In this catalogue, the ostracods are arranged alphabetically by genera, species and subspecies. The stratigraphical and geographical position of each specimen are given, together with the bibliographic reference in which they were first described/illustrated. Their full stratigraphical ranges were given by Anderson (1985). Portlandian (latest Jurassic) species from Swindon are also included here to complete the type and figured material from the Town Gardens Quarry.

For some taxa there has been a change of generic assignment and in a few cases, Anderson's species have since been recognised as junior synonyms of existing taxa. This information is indicated as an additional note, where appropriate.

## 2 A Catalogue of 'Purbeck' and 'Wealden' Ostracoda

### 2.1 GENUS *BISULCOCYPRIS*

<b>Species</b> <i>dilatata</i>		<b>Author</b> Anderson	<b>Date</b> 1971
BGS Registration	Mik(M)3300	<b>Type</b> holotype	
Locality	Mountfield No. 4 Borehole	<b>County</b> Sussex	
NGR	TQ 728 190		
Stratigraphy	Middle Purbeck	<b>Biostratigraphy</b> Netherfield Cycle	
Remarks	See also Anderson (1985)		
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		

<b>Species</b> <i>striata</i>	<b>Subspecies</b> <i>monotuberculata</i>	<b>Author</b> (Anderson)	<b>Date</b> 1971
BGS Registration	Mik(M)3299	<b>Type</b> figured	
Locality	Chilcomb Down (Winchester)	<b>County</b> Hampshire	
NGR	SU 511 282		
Stratigraphy	Upper Purbeck	<b>Biostratigraphy</b> Tisbury Cycle	
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		

BGS Registration	Mik(M)3297	<b>Type</b> holotype	
Locality	Kingsclere No. 1 Borehole	<b>County</b> Hampshire	
NGR	SU 499 581		
Stratigraphy	Upper Purbeck	<b>Biostratigraphy</b> Lulworth Cycle	
Remarks	See also Anderson (1985)		
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		

<b>Species</b> <i>striata</i>	<b>Subspecies</b> <i>striata</i>	<b>Author</b> (Martin)	<b>Date</b> 1940
BGS Registration	Mik(M)3298	<b>Type</b> figured	
Locality	Chilcomb Down (Winchester)	<b>County</b> Hampshire	
NGR	SU 511 282		
Stratigraphy	Upper Purbeck	<b>Biostratigraphy</b> Tisbury Cycle	
Remarks	See also Anderson, 1985		
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		

### 2.2 GENUS *CYPRIDEA*

<b>Species</b> <i>aculeata</i>	<b>Subspecies</b> <i>aculeata</i>	<b>Author</b> Jones	<b>Date</b> 1878
BGS Registration	GSM6075	<b>Type</b> figured	
Locality	Henfield No. 1 Borehole	<b>County</b> Sussex	
NGR	TQ 179 195		
Stratigraphy	Weald Clay		
Reference	ANDERSON, F W. 1939. Wealden and Purbeck Ostracoda. <i>Annals and Magazine of Natural History</i> , Ser. II, Vol. 3, 291–310.		



<b>BGS Registration</b>	Mik(M)4492	<b>Type</b>	figured
<b>Locality</b>	Philpotts Quarry, West Hoathley	<b>County</b>	Sussex
<b>NGR</b>	TQ 355 322		
<b>Stratigraphy</b>	Grinstead Clay		
<b>Reference</b>	ANDERSON, F W. 1985. Ostracod faunas in the Purbeck and Wealden of England. <i>Journal of Micropalaeontology</i> , Vol. 4, 1–68.		
	<b>Subspecies</b> <i>antiqua</i>	<b>Author</b> Anderson	<b>Date</b> 1967
<b>BGS Registration</b>	Mik(M)2963	<b>Type</b>	holotype
<b>Locality</b>	Wadhurst Park No. 3 Borehole	<b>County</b>	Sussex
<b>NGR</b>	TQ 690 290		
<b>Stratigraphy</b>	Middle Wadhurst Clay		
<b>Reference</b>	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
	<b>Subspecies</b> <i>elgivae</i>	<b>Author</b> Anderson	<b>Date</b> 1967
<b>BGS Registration</b>	Mik(M)2931	<b>Type</b>	holotype
<b>Locality</b>	Wadhurst Park No. 3 Borehole	<b>County</b>	Sussex
<b>NGR</b>	TQ 690 290		
<b>Stratigraphy</b>	Middle Wadhurst Clay	<b>Biostratigraphy</b>	Fairlight Cycle
<b>Reference</b>	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
	<b>Subspecies</b> <i>eppli</i>	<b>Author</b> Anderson	<b>Date</b> 1967
<b>BGS Registration</b>	Mik(M)2948	<b>Type</b>	figured
<b>Locality</b>	Warlingham Borehole	<b>County</b>	Surrey
<b>NGR</b>	TQ 347 517		
<b>Stratigraphy</b>	Upper Wadhurst Clay	<b>Biostratigraphy</b>	Hawkhurst Cycle
<b>Reference</b>	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
	<b>Subspecies</b> <i>eppli</i>	<b>Author</b> Anderson	<b>Date</b> 1967
<b>BGS Registration</b>	Mik(M)2954	<b>Type</b>	figured
<b>Locality</b>	Kingsclere No. 1 Borehole	<b>County</b>	Hampshire
<b>NGR</b>	SU 499 581		
<b>Stratigraphy</b>	Grinstead Clay		
<b>Reference</b>	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
	<b>Subspecies</b> <i>eppli</i>	<b>Author</b> Anderson	<b>Date</b> 1967
<b>BGS Registration</b>	Mik(M)2137	<b>Type</b>	holotype
<b>Locality</b>	Warlingham Borehole	<b>County</b>	Surrey
<b>NGR</b>	TQ 347 517		
<b>Stratigraphy</b>	Upper Wadhurst Clay	<b>Biostratigraphy</b>	Crowhurst Cycle
<b>Reference</b>	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
	<b>Subspecies</b> <i>eustacii</i>	<b>Author</b> Anderson	<b>Date</b> 1967
<b>BGS Registration</b>	Mik(M)2135	<b>Type</b>	holotype
<b>Locality</b>	Warlingham Borehole	<b>County</b>	Surrey

NGR	TQ 347 517		
Stratigraphy	Middle Wadhurst Clay	<b>Biostratigraphy</b>	Lindfield Cycle
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
	<b>Subspecies</b>	<b>Author</b>	<b>Date</b>
	<i>holmani</i>	Anderson	1967
BGS Registration	Mik(M)2134	Type	holotype
Locality	Wadhurst Park No. 3 Borehole	County	Sussex
NGR	TQ 690 290		
Stratigraphy	Upper Wadhurst Clay	<b>Biostratigraphy</b>	Hawkhurst Cycle
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
BGS Registration	Mik(M)2953	Type	figured
Locality	Warlingham Borehole	County	Surrey
NGR	TQ 347 517		
Stratigraphy	Upper Wadhurst Clay	<b>Biostratigraphy</b>	Hawkhurst Cycle
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
	<b>Subspecies</b>	<b>Author</b>	<b>Date</b>
	<i>pendae</i>	Anderson	1967
BGS Registration	Mik(M)2947	Type	figured
Locality	Wadhurst Park No. 3 Borehole	County	Sussex
NGR	TQ 690 290		
Stratigraphy	Upper Wadhurst Clay	<b>Biostratigraphy</b>	Fletching Cycle
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
	<b>Subspecies</b>	<b>Author</b>	<b>Date</b>
	<i>plautii</i>	Anderson	1967
BGS Registration	Mik(M)2133	Type	holotype
Locality	Wadhurst Park No. 3 Borehole	County	Sussex
NGR	TQ 690 290		
Stratigraphy	Middle Wadhurst Clay	<b>Biostratigraphy</b>	Fairlight Cycle
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
BGS Registration	Mik(M)2939	Type	figured
Locality	Wadhurst Park No. 3 Borehole	County	Sussex
NGR	TQ 690 290		
Stratigraphy	Middle Wadhurst Clay	<b>Biostratigraphy</b>	Lindford Cycle
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
BGS Registration	Mik(M)2944	Type	figured
Locality	Wadhurst Park No. 3 Borehole	County	Sussex
NGR	TQ 690 290		
Stratigraphy	Middle Wadhurst Clay	<b>Biostratigraphy</b>	Wadhurst Cycle

<b>Reference</b>	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
<b>BGS Registration</b>	Mik(M)2941	<b>Type</b>	figured
<b>Locality</b>	Wadhurst Park No. 3 Borehole	<b>County</b>	Sussex
<b>NGR</b>	TQ 690 290		
<b>Stratigraphy</b>	Middle Wadhurst Clay	<b>Biostratigraphy</b>	Wadhurst Cycle
<b>Reference</b>	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
<b>BGS Registration</b>	Mik(M)2943	<b>Type</b>	figured
<b>Locality</b>	Wadhurst Park No. 3 Borehole	<b>County</b>	Sussex
<b>NGR</b>	TQ 690 290		
<b>Stratigraphy</b>	Middle Wadhurst Clay	<b>Biostratigraphy</b>	Wadhurst Cycle
<b>Reference</b>	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
<b>BGS Registration</b>	Mik(M)2938	<b>Type</b>	figured
<b>Locality</b>	Wadhurst Park No. 3 Borehole	<b>County</b>	Sussex
<b>NGR</b>	TQ 690 290		
<b>Stratigraphy</b>	Middle Wadhurst Clay	<b>Biostratigraphy</b>	Lindford Cycle
<b>Reference</b>	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
<b>BGS Registration</b>	Mik(M)2946	<b>Type</b>	figured
<b>Locality</b>	Wadhurst Park No. 3 Borehole	<b>County</b>	Sussex
<b>NGR</b>	TQ 690 290		
<b>Stratigraphy</b>	Middle Wadhurst Clay	<b>Biostratigraphy</b>	Wadhurst Cycle
<b>Reference</b>	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
<b>BGS Registration</b>	Mik(M)2945	<b>Type</b>	figured
<b>Locality</b>	Wadhurst Park No. 3 Borehole	<b>County</b>	Sussex
<b>NGR</b>	TQ 690 290		
<b>Stratigraphy</b>	Middle Wadhurst Clay	<b>Biostratigraphy</b>	Wadhurst Cycle
<b>Reference</b>	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
	<b>Subspecies</b>	<b>Author</b>	<b>Date</b>
<b>BGS Registration</b>	<i>regni</i> Mik(M)2950	Anderson	1967
<b>Locality</b>	Warlingham Borehole	<b>Type</b>	holotype
<b>NGR</b>	TQ 347 517	<b>County</b>	Surrey
<b>Stratigraphy</b>	Upper Wadhurst Clay	<b>Biostratigraphy</b>	Hawkhurst Cycle
<b>Reference</b>	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		

<b>BGS Registration</b>	Mik(M)2949	<b>Type</b>	figured
<b>Locality</b>	Warlingham Borehole	<b>County</b>	Surrey
<b>NGR</b>	TQ 347 517		
<b>Stratigraphy</b>	Upper Wadhurst Clay	<b>Biostratigraphy</b>	Hawkhurst Cycle
<b>Reference</b>	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
	<b>Subspecies</b> <i>subaculeata</i>	<b>Author</b> Anderson	<b>Date</b> 1967
<b>BGS Registration</b>	Mik(M)2951	<b>Type</b>	holotype
<b>Locality</b>	Warlingham Borehole	<b>County</b>	Surrey
<b>NGR</b>	TQ 347 517		
<b>Stratigraphy</b>	Upper Wadhurst Clay	<b>Biostratigraphy</b>	Hawkhurst Cycle
<b>Reference</b>	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
<b>BGS Registration</b>	Mik(M)103	<b>Type</b>	figured
<b>Locality</b>	Kingsclere No. 1 Borehole	<b>County</b>	Hampshire
<b>NGR</b>	SU 499 581		
<b>Stratigraphy</b>	Upper Wadhurst Clay	<b>Biostratigraphy</b>	Fletching Cycle
<b>Reference</b>	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
<b>BGS Registration</b>	Mik(M)2955	<b>Type</b>	figured
<b>Locality</b>	Wadhurst Park No. 3 Borehole	<b>County</b>	Sussex
<b>NGR</b>	TQ 690 290		
<b>Stratigraphy</b>	Upper Wadhurst Clay	<b>Biostratigraphy</b>	Hawkhurst Cycle
<b>Reference</b>	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
<b>Species</b> <i>aemulans</i>		<b>Author</b> Anderson	<b>Date</b> 1985
<b>BGS Registration</b>	Mik(M)3198	<b>Type</b>	holotype
<b>Locality</b>	Warlingham Borehole	<b>County</b>	Surrey
<b>NGR</b>	TQ 347 517		
<b>Stratigraphy</b>	Middle Purbeck	<b>Biostratigraphy</b>	Poxwell Cycle
<b>Reference</b>	ANDERSON, F W. 1985. Ostracod faunas in the Purbeck and Wealden of England. <i>Journal of Micropalaeontology</i> , Vol. 4, 1–68.		
<b>Species</b> <i>alta</i>	<b>Subspecies</b> <i>alta</i>	<b>Author</b> Wolburg	<b>Date</b> 1959
<b>BGS Registration</b>	Mik(M)3183	<b>Type</b>	figured
<b>Locality</b>	Chilcomb Down (Winchester)	<b>County</b>	Hampshire
<b>NGR</b>	SU 511 281		
<b>Stratigraphy</b>	Upper Purbeck	<b>Biostratigraphy</b>	Battle Cycle
<b>Reference</b>	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>BGS Registration</b>	Mik(M)3185	<b>Type</b>	figured
<b>Locality</b>	Chilcomb Down (Winchester)	<b>County</b>	Hampshire
<b>NGR</b>	SU 511 281		

<b>Stratigraphy</b>	Upper Purbeck	<b>Biostratigraphy</b>	Tisbury Cycle
<b>Reference</b>	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>BGS Registration</b>	Mik(M)3184	<b>Type</b>	figured
<b>Locality</b>	Portsdown No.1 Borehole	<b>County</b>	Hampshire
<b>NGR</b>	SU 638 055		
<b>Stratigraphy</b>	Upper Purbeck		
<b>Reference</b>	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>BGS Registration</b>	Mik(M)3186	<b>Type</b>	figured
<b>Locality</b>	Chilcomb Down (Winchester)	<b>County</b>	Hampshire
<b>NGR</b>	SU 511 281		
<b>Stratigraphy</b>	Upper Purbeck	<b>Biostratigraphy</b>	Battle Cycle
<b>Reference</b>	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>BGS Registration</b>	Mik(M)3182	<b>Type</b>	figured
<b>Locality</b>	Chilcomb Down (Winchester)	<b>County</b>	Hampshire
<b>NGR</b>	SU 511 281		
<b>Stratigraphy</b>	Upper Purbeck	<b>Biostratigraphy</b>	Battle Cycle
<b>Reference</b>	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
	<b>Subspecies</b>	<b>Author</b>	<b>Date</b>
	<i>formosa</i>	Wolburg	1959
<b>BGS Registration</b>	Mik(M)3190	<b>Type</b>	figured
<b>Locality</b>	Warlingham Borehole, Surrey	<b>County</b>	Surrey
<b>NGR</b>	TQ 347 517		
<b>Stratigraphy</b>	Upper Purbeck		
<b>Reference</b>	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>BGS Registration</b>	Mik(M)3189	<b>Type</b>	figured
<b>Locality</b>	Chilcomb Down (Winchester)	<b>County</b>	Hampshire
<b>NGR</b>	SU 511 281		
<b>Stratigraphy</b>	Upper Purbeck	<b>Biostratigraphy</b>	Lulworth Cycle
<b>Reference</b>	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>BGS Registration</b>	Mik(M)3188	<b>Type</b>	figured
<b>Locality</b>	Chilcomb Down (Winchester)	<b>County</b>	Hampshire
<b>NGR</b>	SU 511 281		
<b>Stratigraphy</b>	Upper Purbeck		
<b>Reference</b>	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		

<b>BGS Registration</b>	Mik(M)3191	<b>Type</b>	figured
<b>Locality</b>	Warlingham Borehole, Surrey	<b>County</b>	Surrey
<b>NGR</b>	TQ 347 517		
<b>Stratigraphy</b>	Upper Purbeck	<b>Biostratigraphy</b>	Mupes Cycles
<b>Reference</b>	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>BGS Registration</b>	Mik(M)3187	<b>Type</b>	figured
<b>Locality</b>	Chilcomb Down (Winchester)	<b>County</b>	Hampshire
<b>NGR</b>	SU 511 281		
<b>Stratigraphy</b>	Upper Purbeck	<b>Biostratigraphy</b>	Battle Cycle
<b>Reference</b>	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species <i>altissima</i></b>		<b>Author</b>	Martin
		<b>Date</b>	1940
<b>BGS Registration</b>	Mik(M)3301	<b>Type</b>	figured
<b>Locality</b>	Warlingham Borehole	<b>County</b>	Surrey
<b>NGR</b>	TQ 347 517		
<b>Stratigraphy</b>	Middle Purbeck	<b>Biostratigraphy</b>	Scallop Cycle
<b>Reference</b>	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>BGS Registration</b>	Mik(M)3159	<b>Type</b>	figured
<b>Locality</b>	Mountfield No. 3 Borehole	<b>County</b>	Sussex
<b>NGR</b>	TQ 724 187		
<b>Stratigraphy</b>	Middle Purbeck	<b>Biostratigraphy</b>	Langton Cycle
<b>Reference</b>	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species <i>amisia</i></b>		<b>Author</b>	Wolburg
		<b>Date</b>	1959
<b>BGS Registration</b>	Mik(M)3211	<b>Type</b>	figured
<b>Locality</b>	Chilcomb Down (Winchester)	<b>County</b>	Hampshire
<b>NGR</b>	SU 511 281		
<b>Stratigraphy</b>	Middle Purbeck	<b>Biostratigraphy</b>	Langton Cycle
<b>Reference</b>	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>BGS Registration</b>	Mik(M)3351	<b>Type</b>	figured
<b>Locality</b>	Chilcomb Down (Winchester)	<b>County</b>	Hampshire
<b>NGR</b>	SU 511 281		
<b>Stratigraphy</b>	Middle Purbeck	<b>Biostratigraphy</b>	Royal Cycle
<b>Reference</b>	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species <i>andersoni</i></b>		<b>Author</b>	Wolburg
		<b>Date</b>	1959
<b>BGS Registration</b>	Mik(M)3193	<b>Type</b>	figured
<b>Locality</b>	Chilcomb Down (Winchester)	<b>County</b>	Hampshire

NGR	SU 511 281		
Stratigraphy	Middle Purbeck	<b>Biostratigraphy</b>	Worth Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
BGS Registration	Mik(M)548/019	<b>Type</b>	figured
Locality	Chilcomb Down (Winchester)	<b>County</b>	Hampshire
NGR	SU 511 281		
Stratigraphy	Upper Purbeck		
Reference	ANDERSON, F W. 1962. Correlation of the Upper Purbeck Beds of England with the German Wealden. <i>Liverpool and Manchester Geological Journal</i> , Vol. 3, 21–32.		
<b>Species</b> <i>arenosa</i>	<b>Subspecies</b> <i>arenosa</i>	<b>Author</b>	Anderson
		<b>Date</b>	1967
BGS Registration	Mik(M)2138	<b>Type</b>	holotype
Locality	Wadhurst Park No. 3 Borehole,	<b>County</b>	Sussex
NGR	TQ 690 290		
Stratigraphy	Middle Wadhurst Clay	<b>Biostratigraphy</b>	Fairlight Cycle
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
	<b>Subspecies</b> <i>hengisti</i>	<b>Author</b>	Anderson
		<b>Date</b>	1967
BGS Registration	Mik(M)2139	<b>Type</b>	holotype
Locality	Wadhurst Park No.1 Borehole	<b>County</b>	Sussex
NGR	TQ 632 291		
Stratigraphy	Middle Wadhurst Clay	<b>Biostratigraphy</b>	Fairlight Cycle
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
BGS Registration	Mik(M)2942	<b>Type</b>	figured
Locality	Wadhurst Park No. 3 Borehole	<b>County</b>	Sussex
NGR	TQ 690 290		
Stratigraphy	Middle Wadhurst Clay	<b>Biostratigraphy</b>	Wadhurst Cycle
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
BGS Registration	Mik(M)2937	<b>Type</b>	figured
Locality	Wadhurst Park No. 3 Borehole	<b>County</b>	Sussex
NGR	TQ 690 290		
Stratigraphy	Middle Wadhurst Clay	<b>Biostratigraphy</b>	Lindford Cycle
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
	<b>Subspecies</b> <i>marshalli</i>	<b>Author</b>	Anderson
		<b>Date</b>	1967
BGS Registration	Mik(M)2140	<b>Type</b>	holotype
Locality	Wadhurst Park No. 3 Borehole	<b>County</b>	Sussex
NGR	TQ 690 290		

<b>Stratigraphy</b>	Middle Wadhurst Clay	<b>Biostratigraphy</b>	Fairlight Cycle
<b>Reference</b>	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
<b>BGS Registration</b>	Mik(M)2936	<b>Type</b>	figured
<b>Locality</b>	Wadhurst Park No. 3 Borehole	<b>County</b>	Sussex
<b>NGR</b>	TQ 690 290		
<b>Stratigraphy</b>	Middle Wadhurst Clay	<b>Biostratigraphy</b>	Lindford Cycle
<b>Reference</b>	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
<b>Species <i>asseri</i></b>		<b>Author</b>	Anderson
		<b>Date</b>	1967
<b>BGS Registration</b>	Mik(M)2145	<b>Type</b>	holotype
<b>Locality</b>	Warlingham Borehole	<b>County</b>	Surrey
<b>NGR</b>	TQ 347 517		
<b>Stratigraphy</b>	Upper Wadhurst Clay	<b>Biostratigraphy</b>	Tillsden Cycle
<b>Reference</b>	ANDERSON, F.W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
<b>Species <i>bimammata</i></b>	<b>Subspecies <i>prolifera</i></b>	<b>Author</b>	Anderson
		<b>Date</b>	1971
<b>BGS Registration</b>	Mik(M)3325	<b>Type</b>	holotype
<b>Locality</b>	Mountfield No. 3 Borehole	<b>County</b>	Sussex
<b>NGR</b>	TQ 724 187		
<b>Stratigraphy</b>	Upper Purbeck	<b>Biostratigraphy</b>	Brede Cycle
<b>Reference</b>	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species <i>bispinosa</i></b>	<b>Subspecies <i>birini</i></b>	<b>Author</b>	Anderson
		<b>Date</b>	1967
<b>BGS Registration</b>	Mik(M)2143	<b>Type</b>	holotype
<b>Locality</b>	Warlingham Borehole	<b>County</b>	Surrey
<b>NGR</b>	TQ 347 517		
<b>Stratigraphy</b>	Middle Wadhurst Clay	<b>Biostratigraphy</b>	Fairlight Cycle
<b>Reference</b>	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
	<b>Subspecies <i>bispinosa</i></b>	<b>Author</b>	Jones
		<b>Date</b>	1878
<b>BGS Registration</b>	Mik(M)2956	<b>Type</b>	figured
<b>Locality</b>	Warlingham Borehole	<b>County</b>	Surrey
<b>NGR</b>	TQ 347 517		
<b>Stratigraphy</b>	Upper Wadhurst Clay	<b>Biostratigraphy</b>	Hawkhurst Cycle
<b>Reference</b>	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
<b>BGS Registration</b>	Mik(M)2957	<b>Type</b>	figured
<b>Locality</b>	Warlingham Borehole	<b>County</b>	Surrey
<b>NGR</b>	TQ 347 517		
<b>Stratigraphy</b>	Grinstead Clay		



<b>Reference</b>	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
	<b>Subspecies</b> <i>suthrigensis</i>	<b>Author</b> Anderson	<b>Date</b> 1967
<b>BGS Registration</b>	Mik(M)2142	<b>Type</b> holotype	
<b>Locality</b>	Warlingham Borehole	<b>County</b> Surrey	
<b>NGR</b>	TQ 347 517		
<b>Stratigraphy</b>	Middle Wadhurst Clay	<b>Biostratigraphy</b> Lindfield Cycle	
<b>Reference</b>	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
<b>Species</b> <i>blackbushensis</i>		<b>Author</b> Anderson	<b>Date</b> 1967
<b>BGS Registration</b>	Mik(M)2170	<b>Type</b> holotype	
<b>Locality</b>	Blackbush Wood	<b>County</b> Kent	
<b>NGR</b>	TQ 738 357		
<b>Stratigraphy</b>	Middle Wadhurst Clay	<b>Biostratigraphy</b> Fairlight Cycle,	
<b>Reference</b>	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
<b>Species</b> <i>bogdenensis</i>		<b>Author</b> Anderson	<b>Date</b> 1967
<b>BGS Registration</b>	Mik(M)2113	<b>Type</b> holotype	
<b>Locality</b>	Bogden (between Linton and Staplehurst)	<b>County</b> Kent	
<b>NGR</b>	TQ 77 46		
<b>Stratigraphy</b>	Weald Clay		
<b>Reference</b>	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
<b>Species</b> <i>brendae</i>		<b>Author</b> Anderson	<b>Date</b> 1985
<b>BGS Registration</b>	Mik(M)4485	<b>Type</b> holotype	
<b>Locality</b>	Cuckfield No. 2 Borehole	<b>County</b> Sussex	
<b>NGR</b>	TQ 296 273		
<b>Stratigraphy</b>	Lower Weald Clay	<b>Biostratigraphy</b> Crawley Cycle	
<b>Reference</b>	ANDERSON, F W. 1985. Ostracod faunas in the Purbeck and Wealden of England. <i>Journal of Micropalaeontology</i> , Vol. 4, 1–68.		
<b>Species</b> <i>brevirostrata</i>		<b>Author</b> Martin	<b>Date</b> 1940
<b>BGS Registration</b>	Mik(M)3197	<b>Type</b> figured	
<b>Locality</b>	Chilcomb Down (Winchester)	<b>County</b> Hampshire	
<b>NGR</b>	SU 511 281		
<b>Stratigraphy</b>	Middle Purbeck	<b>Biostratigraphy</b> Worth Cycle	
<b>Reference</b>	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species</b> <i>caudata</i>		<b>Author</b> Anderson	<b>Date</b> 1967
<b>BGS Registration</b>	Mik(M)2114	<b>Type</b> holotype	
<b>Locality</b>	Atherfield	<b>County</b> Isle of Wight	
<b>NGR</b>	SZ 450 790		

Stratigraphy	Wealden Shales		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
<b>Species <i>clavata</i></b>		<b>Author</b> (Anderson)	<b>Date</b> 1939
BGS Registration	Mik(M)620.009/013	Type	figured
Locality	Warlingham Borehole	County	Surrey
NGR	TQ 347 517		
Stratigraphy	Weald Clay		
Reference	KILENYI, T. and Neale, J W. 1978. The Purbeck/Weald. In: BATE, R H. and ROBINSON, E. (eds) <i>A Stratigraphical Index of British Ostracoda</i> . Geological Journal Special Issue, Vol. 8, 299–324. (Liverpool: Seel House Press.)		
	<b>Subspecies <i>bardana</i></b>	<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2383	Type	holotype
Locality	Coldharbour Farm, near Maidstone	County	Kent
NGR	TQ 884 461		
Stratigraphy	Weald Clay		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
	<b>Subspecies <i>beltana</i></b>	<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2382	Type	holotype
Locality	Barham Mill	County	Kent
NGR	TQ 875 466		
Stratigraphy	Weald Clay		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
	<b>Subspecies <i>clavata</i></b>	<b>Author</b> Anderson	<b>Date</b> 1939
BGS Registration	Mik(M)2379	Type	figured
Locality	Warlingham Borehole	County	Surrey
NGR	TQ 347 517		
Stratigraphy	Weald Clay		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
	<b>Subspecies <i>gordana</i></b>	<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2384	Type	holotype
Locality	Coldharbour Farm	County	Kent
NGR	TQ 884 461		
Stratigraphy	Weald Clay		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
	<b>Subspecies <i>maleta</i></b>	<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2385	Type	holotype
Locality	Warlingham Borehole	County	Surrey
NGR	TQ 347 517		
Stratigraphy	Weald Clay		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		

	<b>Subspecies</b> <i>mistrata</i>	<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2380	<b>Type</b> holotype	
Locality	Warlingham Borehole	<b>County</b> Surrey	
NGR	TQ 347 517		
Stratigraphy	Weald Clay		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
	<b>Subspecies</b> <i>talaria</i>	<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2381	<b>Type</b> holotype	
Locality	Warlingham Borehole	<b>County</b> Surrey	
NGR	TQ 347 517		
Stratigraphy	Weald Clay		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
<b>Species</b> <i>coelnothi</i>		<b>Author</b> Anderson	<b>Date</b> 1971
BGS Registration	Mik(M)3160	<b>Type</b> holotype	
Locality	Netherfield Place No. 5 Borehole	<b>County</b> Sussex	
NGR	TQ 720 184		
Stratigraphy	Middle Purbeck	<b>Biostratigraphy</b> Durlston Cycle	
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species</b> <i>comptonensis</i>		<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2999	<b>Type</b> figured	
Locality	Ringwoud Borehole	<b>County</b> Kent	
NGR	TR 352 481		
Stratigraphy	Weald Clay		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
BGS Registration	Mik(M)2395	<b>Type</b> holotype	
Locality	Shepherd's Chine	<b>County</b> Isle of Wight	
NGR	SZ 446 798		
Stratigraphy	Wealden Shales		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
BGS Registration	Mik(M)2396	<b>Type</b> figured	
Locality	Shepherd's Chine	<b>County</b> Isle of Wight	
NGR	SZ 446 798		
Stratigraphy	Wealden Shales		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
BGS Registration	Mik(M)2398	<b>Type</b> figured	
Locality	Shepherd's Chine	<b>County</b> Isle of Wight	
NGR	SZ 446 798		

<b>Stratigraphy</b>	Wealden Shales		
<b>Reference</b>	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
<b>BGS Registration</b>	Mik(M)2998	<b>Type</b>	figured
<b>Locality</b>	Ringwould Borehole	<b>County</b>	Kent
<b>NGR</b>	TR 352 481		
<b>Stratigraphy</b>	Weald Clay		
<b>Reference</b>	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
<b>BGS Registration</b>	Mik(M)2397	<b>Type</b>	figured
<b>Locality</b>	Shepherd's Chine	<b>County</b>	Isle of Wight
<b>NGR</b>	SZ 446 798		
<b>Stratigraphy</b>	Wealden Shales		
<b>Reference</b>	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species</b> <i>cuckmerensis</i>		<b>Author</b>	Anderson
		<b>Date</b>	1967
<b>BGS Registration</b>	Mik(M)2115	<b>Type</b>	holotype
<b>Locality</b>	Cuckmere Brickworks, Berwick	<b>County</b>	Sussex
<b>NGR</b>	TQ 524 071		
<b>Stratigraphy</b>	Weald Clay		
<b>Reference</b>	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
<b>Species</b> <i>darvelensis</i>		<b>Author</b>	Anderson
		<b>Date</b>	1971
<b>BGS Registration</b>	Mik(M)3167	<b>Type</b>	holotype
<b>Locality</b>	Warlingham Borehole	<b>County</b>	Surrey
<b>NGR</b>	TQ 347 517		
<b>Stratigraphy</b>	Middle Purbeck	<b>Biostratigraphy</b>	Scallop Cycle
<b>Reference</b>	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species</b> <i>delicatula</i>		<b>Author</b>	Anderson
		<b>Date</b>	1971
<b>BGS Registration</b>	Mik(M)3170	<b>Type</b>	holotype
<b>Locality</b>	Mountfield No. 3 Borehole	<b>County</b>	Sussex
<b>NGR</b>	TQ	724	724
<b>Stratigraphy</b>	Middle Purbeck	<b>Biostratigraphy</b>	Corfe Cycle
<b>Reference</b>	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species</b> <i>dolabrata</i>	<b>Subspecies</b> <i>angulata</i>	<b>Author</b>	Martin
		<b>Date</b>	1940
<b>BGS Registration</b>	Mik(M)2126	<b>Type</b>	figured
<b>Locality</b>	Chilcomb Down (Winchester)	<b>County</b>	Hampshire
<b>NGR</b>	SU 511 281		
<b>Stratigraphy</b>	Hastings Beds, Wealden		
<b>Reference</b>	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		

<b>BGS Registration</b>	Mik(M)2127	<b>Type</b>	figured
<b>Locality</b>	Chilcomb Down (Winchester)	<b>County</b>	Hampshire
<b>NGR</b>	SU 511 281		
<b>Stratigraphy</b>	Hastings Beds, Wealden		
<b>Reference</b>	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
	<b>Subspecies</b> <i>dolabrata</i>	<b>Author</b> (Anderson)	<b>Date</b> 1939
<b>BGS Registration</b>	Mik(M)533	<b>Type</b>	holotype
<b>Locality</b>	Portsdown No. 1 Borehole	<b>County</b>	Hampshire
<b>NGR</b>	SU 638 055		
<b>Stratigraphy</b>	Upper Purbeck		
<b>Reference</b>	ANDERSON, F W. 1939. Wealden and Purbeck Ostracoda. <i>Annals and Magazine of Natural History</i> , Ser. II, Vol. 3, 291–310.		
	<b>Subspecies</b> <i>kingsclerensis</i>	<b>Author</b> Anderson	<b>Date</b> 1971
<b>BGS Registration</b>	Mik(M)2125	<b>Type</b>	holotype
<b>Locality</b>	Kingsclere No. 1 Borehole	<b>County</b>	Hampshire
<b>NGR</b>	SU 499 581		
<b>Stratigraphy</b>	Hastings Beds, Wealden		
<b>Reference</b>	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species</b> <i>dorsispinata</i>		<b>Author</b> (Anderson)	<b>Date</b> 1939
<b>BGS Registration</b>	Mik(M)614.090	<b>Type</b>	figured
<b>Locality</b>	Warlingham Borehole	<b>County</b>	Surrey
<b>NGR</b>	TQ 347 517		
<b>Stratigraphy</b>	Weald Clay		
<b>Remarks</b>	Kilenyi & Neale (1978) did not identify this specimen to the subspecific level.		
<b>Reference</b>	KILENYI, T and NEALE, J W. 1978. The Purbeck/Weald. In: BATE, R H. and ROBINSON, E. (eds) <i>A Stratigraphical Index of British Ostracoda</i> . Geological Journal Special Issue, Vol. 8, 299–324. (Liverpool: Seel House Press.)		
	<b>Subspecies</b> <i>dorsispinata</i>	<b>Author</b> (Anderson)	<b>Date</b> 1939
<b>BGS Registration</b>	Mik(M)538	<b>Type</b>	figured
<b>Locality</b>	Henfield No.1 Borehole	<b>County</b>	Sussex
<b>NGR</b>	TQ 179 195		
<b>Stratigraphy</b>	Weald Clay		
<b>Reference</b>	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
<b>BGS Registration</b>	Mik(M)539	<b>Type</b>	holotype
<b>Locality</b>	Henfield No. 1 Borehole	<b>County</b>	Sussex
<b>NGR</b>	TQ 179 195		
<b>Stratigraphy</b>	Weald Clay		
<b>Reference</b>	ANDERSON, F W. 1939. Wealden and Purbeck Ostracoda. <i>Annals and Magazine of Natural History</i> , Ser. II, Vol. 3, 291–310.		
	<b>Subspecies</b> <i>duplicata</i>	<b>Author</b> Anderson	<b>Date</b> 1967
<b>BGS Registration</b>	Mik(M)2131	<b>Type</b>	holotype
<b>Locality</b>	Henfield No.1 Borehole	<b>County</b>	Sussex
<b>NGR</b>	TQ 179 195		

Stratigraphy	Weald Clay		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
	<b>Subspecies</b> <i>gemella</i>	<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2129	Type	holotype
Locality	Henfield No.1 Borehole	County	Sussex
NGR	TQ 179 195		
Stratigraphy	Weald Clay		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
	<b>Subspecies</b> <i>quinquecornis</i>	<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2130	Type	holotype
Locality	Henfield No.1 Borehole	County	Sussex
NGR	TQ 179 195		
Stratigraphy	Weald Clay		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
	<b>Subspecies</b> <i>roemeri</i>	<b>Author</b> (Anderson)	<b>Date</b> 1939
BGS Registration	Mik(M)524	Type	syntype
Locality	Henfield No.1 Borehole	County	Sussex
NGR	TQ 179 195		
Stratigraphy	Weald Clay		
Reference	ANDERSON, F W. 1939. Wealden and Purbeck Ostracoda. <i>Annals and Magazine of Natural History</i> , Ser. II, Vol. 3, 291–310.		
	<b>Subspecies</b> <i>tricornis</i>	<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2132	Type	holotype
Locality	Henfield No.1 Borehole	County	Sussex
NGR	TQ 179 195		
Stratigraphy	Weald Clay		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
<b>Species</b> <i>dunkeri</i>	<b>Subspecies</b> <i>carinata</i>	<b>Author</b> Martin	<b>Date</b> 1940
BGS Registration	Mik(M)3151	Type	figured
Locality	Mountfield No. 4 Borehole	County	Sussex
NGR	TQ 728 190		
Stratigraphy	Middle Purbeck	<b>Biostratigraphy</b>	Goldspur Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
	<b>Subspecies</b> <i>dunkeri</i>	<b>Author</b> Jones	<b>Date</b> 1855
BGS Registration	Mik(M)738	Type	figured
Locality	Osmington Mills	County	Dorset
NGR	Not given		
Stratigraphy	Middle Purbeck		
Reference	ANDERSON, F W. 1941. Ostracoda from the Portland and Purbeck beds at Swindon. <i>Proceedings of the Geologists' Association</i> , No. 51, 373–384.		

	<b>Subspecies</b> <i>inversa</i>	<b>Author</b> Martin	<b>Date</b> 1940
BGS Registration	Mik(M)3152	Type figured	
Locality	Mountfield No. 4 Borehole	County Sussex	
NGR	TQ 728 190		
Stratigraphy	Lower Purbeck	<b>Biostratigraphy</b> Hard Cockle Cycle	
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
	<b>Subspecies</b> <i>papulata</i>	<b>Author</b> (Anderson)	<b>Date</b> 1941
BGS Registration	Mik(M)737	Type holotype	
Locality	Town Garden Quarry, Swindon	County Wiltshire	
NGR	SU 153 835		
Stratigraphy	Lower Purbeck		
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species</b> <i>fasciata</i>		<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2116	Type holotype	
Locality	Atherfield	County Isle of Wight	
NGR	SZ 450 790		
Stratigraphy	Wealden Shales		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
<b>Species</b> <i>frithwaldi</i>		<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2962	Type holotype	
Locality	Warlingham Borehole	County Surrey	
NGR	TQ 347 517		
Stratigraphy	Upper Wadhurst Clay	<b>Biostratigraphy</b> Crowhurst Cycle	
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
<b>Species</b> <i>giffordi</i>		<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2171	Type holotype	
Locality	Wadhurst Park No. 3 Borehole	County Sussex	
NGR	TQ 690 290		
Stratigraphy	Upper Wadhurst Clay	<b>Biostratigraphy</b> Hawkhurst Cycle	
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
<b>Species</b> <i>granulosa</i>	<b>Subspecies</b> <i>fasciculata</i>	<b>Author</b> (Forbes)	<b>Date</b> 1855
BGS Registration	Mik(M)3158	Type figured	
Locality	Chilcomb Down (Winchester)	County Hampshire	
NGR	SU 511 281		
Stratigraphy	Middle Purbeck	<b>Biostratigraphy</b> Corfe Cycle	
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		

BGS Registration	Mik(M)390	Type	neotype?
Locality	Between Dallard's Farm and Catherine Ford, Vale of Wardour	County	Wiltshire
NGR	Not given		
Stratigraphy	Middle Purbeck		
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
BGS Registration	Mik(M)3157	Type	figured
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		
Stratigraphy	Middle Purbeck	Biostratigraphy	Nothe Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
BGS Registration	GSM60264	Type	syntype
Locality	Durlestone Bay	County	Dorset
NGR	SZ 034 777		
Stratigraphy	Middle Purbeck Beds		
Reference	ANDERSON, F W. 1985. Ostracod faunas in the Purbeck and Wealden of England. <i>Journal of Micropalaeontology</i> , Vol. 4, 1–68.		
	<b>Subspecies</b> <i>granulosa</i>	<b>Author</b> (Sowerby)	<b>Date</b> 1836
BGS Registration	Mik(M)3156	Type	figured
Locality	Netherfield Place No. 5 Borehole	County	Sussex
NGR	TQ 720 184		
Stratigraphy	Middle Purbeck	Biostratigraphy	Durlston Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
BGS Registration	Mik(M)517	Type	lectotype
Locality	Between Dallard's Farm and Catherine Ford, Vale of Wardour	County	Wiltshire
NGR	Not given		
Stratigraphy	Middle Purbeck		
Reference	SYLVESTER-BRADLEY, P C. 1949. The ostracod genus <i>Cypridea</i> and the zones of the Upper and Middle Purbeckian. <i>Proceedings of the Geologists' Association</i> , Vol. 60, 125–153.		
	<b>Subspecies</b> <i>protogranulosa</i>	<b>Author</b> Anderson	<b>Date</b> 1971
BGS Registration	Mik(M)3154	Type	holotype
Locality	Netherfield Place No. 5 Borehole	County	Sussex
NGR	TQ 720 184		
Stratigraphy	Middle Purbeck	Biostratigraphy	Swanage Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
BGS Registration	Mik(M)3155	Type	topotype
Locality	Netherfield Place No. 5 Borehole	County	Sussex
NGR	TQ 720 184		
Stratigraphy	Middle Purbeck	Biostratigraphy	Swanage Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		



<b>Species</b> <i>hamata</i>		<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2386	Type	figured
Locality	Warlingham Borehole	County	Surrey
NGR	TQ 347 517		
Stratigraphy	Weald Clay		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
BGS Registration	Mik(M)2117	Type	holotype
Locality	Warlingham Borehole	County	Surrey
NGR	TQ 347 517		
Stratigraphy	Weald Clay		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
<b>Species</b> <i>helenae</i>		<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2157	Type	holotype
Locality	Warlingham Borehole	County	Surrey
NGR	TQ 347 517		
Stratigraphy	Middle Wadhurst Clay	Biostratigraphy	Fairlight Cycle
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
<b>Species</b> <i>hispidia</i>		<b>Author</b> Anderson	<b>Date</b> 1985
BGS Registration	Mik(M)4486	Type	holotype
Locality	Hailsham Borehole	County	Sussex
NGR	TQ 574 108		
Stratigraphy	Lower Weald Clay	Biostratigraphy	Slinfold Cycle
Reference	ANDERSON, F W. 1985. Ostracod faunas in the Purbeck and Wealden of England. <i>Journal of Micropalaeontology</i> , Vol. 4, 1–68.		
<b>Species</b> <i>inaequalis</i>		<b>Author</b> Wolburg	<b>Date</b> 1959
BGS Registration	Mik(M)3192	Type	figured
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		
Stratigraphy	Middle Purbeck	Biostratigraphy	Royal Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species</b> <i>insulae</i>		<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2400	Type	holotype
Locality	Shepherd's Chine,	County	Isle of Wight
NGR	SZ 446 798		
Stratigraphy	Wealden Shales		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
<b>Species</b> <i>laevigata</i>	<b>Subspecies</b> <i>fairlightens</i>	<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2151	Type	holotype

Locality	Warlingham Borehole	County	Surrey
NGR	TQ 347 517		
Stratigraphy	Middle Wadhurst Clay	Biostratigraphy	Fairlight Cycle
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
<b>BGS Registration</b>	<b>Subspecies</b> <i>hawkhurstensis</i>	<b>Author</b> Anderson	<b>Date</b> 1967
	Mik(M)2148	Type	holotype
Locality	Warlingham Borehole	County	Surrey
NGR	TQ 347 517		
Stratigraphy	Upper Wadhurst Clay	Biostratigraphy	Hawhurst Cycle
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
<b>BGS Registration</b>	<b>Subspecies</b> <i>laevigata</i>	<b>Author</b> (Dunker)	<b>Date</b> 1846
	Mik(M)2146	Type	figured
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		
Stratigraphy	Basal Wadhurst Clay	Biostratigraphy	Folkestone Cycle
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
<b>BGS Registration</b>	<b>Subspecies</b> <i>leonardi</i>	<b>Author</b> Anderson	<b>Date</b> 1967
	Mik(M)2149	Type	holotype
Locality	Warlingham Borehole	County	Surrey
NGR	TQ 347 517		
Stratigraphy	Middle Wadhurst Clay	Biostratigraphy	Fairlight Cycle
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
<b>BGS Registration</b>	<b>Subspecies</b> <i>philpottsii</i>	<b>Author</b> Anderson	<b>Date</b> 1967
	Mik(M)2959	Type	holotype
Locality	Philpotts Quarry, West Hoathley	County	Sussex
NGR	TQ 355 322		
Stratigraphy	Lower Grinstead Clay		
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
<b>BGS Registration</b>	<b>Subspecies</b> <i>subquadrata</i>	<b>Author</b> Anderson	<b>Date</b> 1967
	Mik(M)2150	Type	holotype
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		
Stratigraphy	Lower Wadhurst Clay	Biostratigraphy	St Leonards Cycle
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		

	<b>Subspecies</b> <i>wadhurstensis</i>	<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2147	<b>Type</b> holotype	
Locality	Chilcomb Down (Winchester)	<b>County</b> Hampshire	
NGR	SU 511 281		
Stratigraphy	Middle Wadhurst Clay	<b>Biostratigraphy</b> Wadhurst Cycle	
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
<b>Species</b> <i>lasius</i>		<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2406	<b>Type</b> holotype	
Locality	Wadhurst Park No.1 Borehole	<b>County</b> Sussex	
NGR	TQ 632 291		
Stratigraphy	Lower Wadhurst Clay	<b>Biostratigraphy</b> Kingsclere Cycle	
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
<b>Species</b> <i>lata</i>	<b>Subspecies</b> <i>lata</i>	<b>Author</b> Martin	<b>Date</b> 1940
BGS Registration	Mik(M)3173	<b>Type</b> figured	
Locality	Milkhurst Wood	<b>County</b> Sussex	
NGR	TQ 622 224		
Stratigraphy	Middle Purbeck	<b>Biostratigraphy</b> Durlston Cycle	
Reference	Anderson, F.W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
BGS Registration	Mik(M)3172	<b>Type</b> figured	
Locality	Nine Acre Wood, nr. Mountfield	<b>County</b> Sussex	
NGR	TQ 636 220		
Stratigraphy	Middle Purbeck	<b>Biostratigraphy</b> Durlston Cycle	
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
BGS Registration	Mik(M)3174	<b>Type</b> figured	
Locality	Goldspur Drift, Mountfield	<b>County</b> Sussex	
NGR	TQ 728 189		
Stratigraphy	Middle Purbeck	<b>Biostratigraphy</b> Durlston Cycle	
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
	<b>Subspecies</b> <i>latissima</i>	<b>Author</b> Anderson	<b>Date</b> 1971
BGS Registration	Mik(M)3178	<b>Type</b> topotype	
Locality	Kingsclere No. 1 Borehole	<b>County</b> Hampshire	
NGR	SU 499 581		
Stratigraphy	Upper Purbeck	<b>Biostratigraphy</b> Lulworth Cycle	
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
BGS Registration	Mik(M)3177	<b>Type</b> holotype	
Locality	Kingsclere No. 1 Borehole	<b>County</b> Hampshire	
NGR	SU 499 581		

<b>Stratigraphy</b>	Upper Purbeck	<b>Biostratigraphy</b>	Lulworth Cycle
<b>Reference</b>	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>BGS Registration</b>	Mik(M)3179	<b>Type</b>	figured
<b>Locality</b>	Chilcomb Down (Winchester)	<b>County</b>	Hampshire
<b>NGR</b>	SU 511 281		
<b>Stratigraphy</b>	Upper Purbeck	<b>Biostratigraphy</b>	Mupes Cycle
<b>Reference</b>	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
	<b>Subspecies</b>	<b>Author</b>	<b>Date</b>
	<i>senilis</i>	Anderson	1971
<b>BGS Registration</b>	Mik(M)3176	<b>Type</b>	figured
<b>Locality</b>	Guestling No. 3 Borehole	<b>County</b>	Sussex
<b>NGR</b>	TQ 834 139		
<b>Stratigraphy</b>	Middle Purbeck	<b>Biostratigraphy</b>	Studland Cycle
<b>Reference</b>	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>BGS Registration</b>	Mik(M)3175	<b>Type</b>	holotype
<b>Locality</b>	Guestling No. 1 Borehole	<b>County</b>	Sussex
<b>NGR</b>	TQ 834 139		
<b>Stratigraphy</b>	Middle Purbeck	<b>Biostratigraphy</b>	Poxwell Cycle
<b>Reference</b>	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species</b>	<i>marina</i>	<b>Author</b>	<b>Date</b>
		Anderson	1967
<b>BGS Registration</b>	Mik(M)2118	<b>Type</b>	holotype
<b>Locality</b>	Tongham Water Borehole,	<b>County</b>	Surrey
<b>NGR</b>	SY 888 490		
<b>Stratigraphy</b>	Weald Clay		
<b>Reference</b>	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, Vol. 237–269.		
<b>Species</b>	<i>martini</i>	<b>Author</b>	<b>Date</b>
		Wolburg	1959
<b>BGS Registration</b>	Mik(M)3194	<b>Type</b>	figured
<b>Locality</b>	Warlingham Borehole	<b>County</b>	Surrey
<b>NGR</b>	TQ 347 517		
<b>Stratigraphy</b>	Upper Purbeck	<b>Biostratigraphy</b>	Brede Cycle
<b>Reference</b>	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species</b>	<i>melvillei</i>	<b>Author</b>	<b>Date</b>
		Anderson	1967
<b>BGS Registration</b>	Mik(M)2173	<b>Type</b>	holotype
<b>Locality</b>	Kingsclere No. 1 Borehole	<b>County</b>	Hampshire
<b>NGR</b>	SU 499 581		
<b>Stratigraphy</b>	Uppermost Wadhurst Clay	<b>Biostratigraphy</b>	Hawkhurst Cycle
<b>Reference</b>	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, Vol. 171–235.		

<b>Species</b> <i>menevensis</i>		<b>Author</b> (Anderson)	<b>Date</b> 1939
BGS Registration	Mik(M)4499	Type	figured
Locality	Portsdown No. 1 Borehole	County	Hampshire
NGR	SU 638 055		
Stratigraphy	Hastings Beds		
Reference	ANDERSON, F W. 1985. Ostracod faunas in the Purbeck and Wealden of England. <i>Journal of Micropalaeontology</i> , Vol. 4, 1–68.		
BGS Registration	Mik(M)518	Type	holotype
Locality	Henfield No. 1 Borehole	County	Sussex
NGR	TQ 179 195		
Stratigraphy	Lower Wadhurst Clay		
Reference	ANDERSON, F W. 1939. Wealden and Purbeck Ostracoda. <i>Annals and Magazine of Natural History</i> , Ser. II, Vol. 3, 291–310.		
<b>Species</b> <i>morula</i>		<b>Author</b> Anderson	<b>Date</b> 1971
BGS Registration	Mik(M)2169	Type	holotype
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		
Stratigraphy	Hastings Beds, Wealden	<b>Biostratigraphy</b>	Bexhill Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
BGS Registration	Mik(M)3163	Type	topotype
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		
Stratigraphy	Hastings Beds, Wealden	<b>Biostratigraphy</b>	Bexhill Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species</b> <i>obliqua</i>		<b>Author</b> Wolburg	<b>Date</b> 1959
BGS Registration	Mik(M)3212	Type	figured
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		
Stratigraphy	Upper Purbeck	<b>Biostratigraphy</b>	Brede Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
BGS Registration	Mik(M)3213	Type	figured
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		
Stratigraphy	Upper Purbeck	<b>Biostratigraphy</b>	Brede Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species</b> <i>parallela</i>		<b>Author</b> Martin	<b>Date</b> 1940
BGS Registration	Mik(M)2174	Type	figured
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		

Stratigraphy	Upper Purbeck	<b>Biostratigraphy</b>	Mupes-Brede cycles
Reference	ANDERSON, F W. 1985. Ostracod faunas in the Purbeck and Wealden of England. <i>Journal of Micropalaeontology</i> , Vol. 4, 1–68.		
<b>Species paulsgrovensis</b>		<b>Author</b>	(Anderson) <b>Date</b> 1939
BGS Registration	Mik(M)2155	Type	figured
Locality	Warlingham Borehole	County	Surrey
NGR	TQ 347 517		
Stratigraphy	Middle Wadhurst Clay	<b>Biostratigraphy</b>	Fairlight Cycle
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
BGS Registration	GSM60676	Type	syntype
Locality	Portsdown No. 1 Borehole	County	Hampshire
NGR	SU 638 055		
Stratigraphy	Basal Hastings Beds		
Reference	ANDERSON, F W. 1939. Wealden and Purbeck Ostracoda. <i>Annals and Magazine of Natural History</i> , Ser. II, Vol. 3, 291–310.		
BGS Registration	Mik(M)530	Type	lectotype
Locality	Portsdown No. 1 Borehole	County	Hampshire
NGR	SU 638 055		
Stratigraphy	Basal Hastings Beds		
Reference	ANDERSON, F W. 1939. Wealden and Purbeck Ostracoda. <i>Annals and Magazine of Natural History</i> , Ser. II, Vol. 3, 291–310.		
BGS Registration	Mik(M)2156	Type	figured
Locality	Warlingham Borehole	County	Surrey
NGR	TQ 347 517		
Stratigraphy	Wadhurst Clay, Wealden	<b>Biostratigraphy</b>	St Leonard's Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species peltoides</b>	<b>Subspecies</b>	<b>Author</b>	Anderson <b>Date</b> 1971
BGS Registration	Mik(M)3033	Type	holotype
Locality	Mountfield No. 4 Borehole	County	Sussex
NGR	TQ 728 190		
Stratigraphy	Middle Purbeck	<b>Biostratigraphy</b>	Goldspur Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
BGS Registration	Mik(M)3319	Type	figured
Locality	Mountfield No. 4 Borehole	County	Sussex
NGR	TQ 728 190		
Stratigraphy	Middle Purbeck	<b>Biostratigraphy</b>	Goldspur Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		

	<b>Subspecies</b> <i>peltoides</i>	<b>Author</b> Anderson	<b>Date</b> 1971
BGS Registration	Mik(M)3317	Type	figured
Locality	Goldspur Drift, Mountfield	County	Sussex
NGR	TQ 728 189		
Stratigraphy	Lower Purbeck	<b>Biostratigraphy</b>	Upper Soft Cockle Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
BGS Registration	Mik(M)3318	Type	figured
Locality	Mountfield No. 4 Borehole	County	Sussex
NGR	TQ 728 190		
Stratigraphy	Middle Purbeck	<b>Biostratigraphy</b>	Goldspur Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
BGS Registration	Mik(M)3032	Type	holotype
Locality	Mountfield No. 4 Borehole	County	Sussex
NGR	TQ 728 190		
Stratigraphy	Lower Purbeck	<b>Biostratigraphy</b>	Mountfield Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species</b> <i>pendae</i>		<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2141	Type	holotype
Locality	Warlingham Borehole	County	Surrey
NGR	TQ 347 517		
Stratigraphy	Middle Wadhurst Clay	<b>Biostratigraphy</b>	Lindfield Cycle
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
BGS Registration	Mik(M)2932	Type	figured
Locality	Wadhurst Park No. 3 Borehole	County	Sussex
NGR	TQ 690 290		
Stratigraphy	Middle Wadhurst Clay	<b>Biostratigraphy</b>	Fairlight Cycle
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
BGS Registration	Mik(M)2952	Type	figured
Locality	Warlingham Borehole	County	Surrey
NGR	TQ 347 517		
Stratigraphy	Middle Wadhurst Clay	<b>Biostratigraphy</b>	Wadhurst Cycle
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
BGS Registration	Mik(M)2940	Type	figured
Locality	Warlingham Borehole	County	Surrey

NGR	TQ 347 517		
Stratigraphy	Middle Wadhurst Clay	<b>Biostratigraphy</b>	Lindford Cycle
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
<b>Species</b> <i>penhurstensis</i>		<b>Author</b> Anderson	<b>Date</b> 1971
BGS Registration	Mik(M)3168	<b>Type</b>	holotype
Locality	Chilcomb Down (Winchester)	<b>County</b>	Hampshire
NGR	SU 511 281		
Stratigraphy	Upper Purbeck	<b>Biostratigraphy</b>	Mupes Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species</b> <i>posticalis</i>		<b>Author</b> Jones	<b>Date</b> 1885
BGS Registration	Mik(M)1020	<b>Type</b>	lectotype
Locality	Ridgeway	<b>County</b>	Dorset
NGR	SY 671 851		
Stratigraphy	Middle Purbeck		
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species</b> <i>primaeva</i>		<b>Author</b> Anderson	<b>Date</b> 1941
BGS Registration	Mik(M)736	<b>Type</b>	holotype
Locality	Town Gardens Quarry, Swindon	<b>County</b>	Wiltshire
NGR	SU 153 835		
Stratigraphy	Chara Marls		
Reference	ANDERSON, F W. 1941. Ostracoda from the Portland and Purbeck beds at Swindon. <i>Proceedings of the Geologists' Association</i> , Vol. 51, 373–384.		
BGS Registration	Mik(M)3153	<b>Type</b>	figured
Locality	Netherfield Place No. 5 Borehole	<b>County</b>	Sussex
NGR	TQ 720 184		
Stratigraphy	Middle Purbeck	<b>Biostratigraphy</b>	Goldspur Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species</b> <i>propunctata</i>		<b>Author</b> Sylvester-Bradley	<b>Date</b> 1949
BGS Registration	Mik(M)3195	<b>Type</b>	figured
Locality	Chilcomb Down (Winchester)	<b>County</b>	Hampshire
NGR	SU 511 281		
Stratigraphy	Upper Purbeck	<b>Biostratigraphy</b>	Brede Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
BGS Registration	Mik(M)3196	<b>Type</b>	figured
Locality	Chilcomb Down (Winchester)	<b>County</b>	Hampshire
NGR	SU 511 281		



Stratigraphy	Upper Purbeck	Biostratigraphy	Mupes Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species</b> <i>pseudomarina</i>		<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2119	Type	holotype
Locality	Atherfield	County	Isle of Wight
NGR	SZ 450 790		
Stratigraphy	Wealden Shales		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
<b>Species</b> <i>pumila</i>		<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2120	Type	holotype
Locality	Portsdown No. 1 Borehole	County	Hampshire
NGR	SU 638 055		
Stratigraphy	Weald Clay		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
<b>Species</b> <i>recta</i>	<b>Subspecies</b> <i>edithae</i>	<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2181	Type	holotype
Locality	Kingsclere No. 1 Borehole	County	Hampshire
NGR	SU 499 581		
Stratigraphy	Grinstead Clay		
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
	<b>Subspecies</b> <i>inflata</i>	<b>Author</b> Wolburg	<b>Date</b> 1959
BGS Registration	Mik(M)2179	Type	figured
Locality	Kingsclere No. 1 Borehole	County	Hampshire
NGR	SU 499 581		
Stratigraphy	Grinstead Clay		
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
	<b>Subspecies</b> <i>recta</i>	<b>Author</b> Wolburg	<b>Date</b> 1959
BGS Registration	Mik(M)2178	Type	figured
Locality	Kingsclere No. 1 Borehole	County	Hampshire
NGR	SU 499 581		
Stratigraphy	Grinstead Clay		
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
	<b>Subspecies</b> <i>tillsdenensis</i>	<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2180	Type	holotype
Locality	Warlingham Borehole	County	Surrey

NGR	TQ 347 517		
Stratigraphy	Grinstead Clay		
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
<b>Species <i>rotundata</i></b>		<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2121	Type	holotype
Locality	Brookhurst Pottery Brick Pit	County	Surrey
NGR	TQ 076 394		
Stratigraphy	Weald Clay		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
<b>Species <i>sagena</i></b>		<b>Author</b> Anderson	<b>Date</b> 1971
BGS Registration	Mik(M)3171	Type	figured
Locality	Goldspur Drift, Mountfield	County	Sussex
NGR	TQ 728 189		
Stratigraphy	Middle Purbeck	<b>Biostratigraphy</b>	Ashdown Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
BGS Registration	Mik(M)3169	Type	holotype
Locality	Milkhurst Wood	County	Sussex
NGR	TQ 622 224		
Stratigraphy	Middle Purbeck	<b>Biostratigraphy</b>	Durlston Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species <i>setina</i></b>	<b>Subspecies</b> <i>acerata</i>	<b>Author</b> Anderson	<b>Date</b> 1962
BGS Registration	Mik(M)3204	Type	holotype
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		
Stratigraphy	Hastings Beds, Wealden		
Reference	ANDERSON, F W. 1962. Correlation of the Upper Purbeck Beds of England with the German Wealden. <i>Liverpool and Manchester Geological Journal</i> , Vol. 3, 21–32.		
BGS Registration	Mik(M)474/046	Type	figured
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		
Stratigraphy	Hastings Beds		
Reference	ANDERSON, F W. 1962. Correlation of the Upper Purbeck Beds of England with the German Wealden. <i>Liverpool and Manchester Geological Journal</i> , Vol. 3, 21–32.		
	<b>Subspecies</b> <i>bellatula</i>	<b>Author</b> Anderson	<b>Date</b> 1971
BGS Registration	Mik(M)2153	Type	holotype
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		

Stratigraphy	Hastings Beds, Wealden		
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
BGS Registration	Mik(M)3203	Type	figured
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		
Stratigraphy	Hastings Beds, Wealden		
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
	<b>Subspecies</b> <i>camelodes</i>	<b>Author</b> Anderson	<b>Date</b> 1962
BGS Registration	Mik(M)3202	Type	holotype
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		
Stratigraphy	Upper Purbeck	<b>Biostratigraphy</b>	Tyneham Cycle
Reference	ANDERSON, F W. 1962. Correlation of the Upper Purbeck Beds of England with the German Wealden. <i>Liverpool and Manchester Geological Journal</i> , Vol. 3, 21–32.		
	<b>Subspecies</b> <i>deburghi</i>	<b>Author</b> Anderson	<b>Date</b> 1971
BGS Registration	Mik(M)2152	Type	holotype
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		
Stratigraphy	Hastings Beds, Wealden		
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
	<b>Subspecies</b> <i>dotica</i>	<b>Author</b> Anderson	<b>Date</b> 1962
BGS Registration	Mik(M)3311	Type	holotype
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		
Stratigraphy	Upper Purbeck	<b>Biostratigraphy</b>	Tisbury Cycle
Reference	ANDERSON, F W. 1962. Correlation of the Upper Purbeck Beds of England with the German Wealden. <i>Liverpool and Manchester Geological Journal</i> , Vol. 3, 21–32.		
BGS Registration	Mik(M)3312	Type	figured
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		
Stratigraphy	Upper Purbeck	<b>Biostratigraphy</b>	Durdle Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
BGS Registration	Mik(M)503/065	Type	figured
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		
Stratigraphy	Upper Purbeck		
Reference	ANDERSON, F W. 1962. Correlation of the Upper Purbeck Beds of England with the German Wealden. <i>Liverpool and Manchester Geological Journal</i> , Vol. 3, 21–32.		

**Subspecies** *erumna* **Author** Anderson **Date** 1962  
**BGS Registration** Mik(M)3313 **Type** holotype  
**Locality** Chilcomb Down (Winchester) **County** Hampshire  
**NGR** SU 511 281  
**Stratigraphy** Upper Purbeck **Biostratigraphy** Brede Cycle  
**Reference** ANDERSON, F W. 1962. Correlation of the Upper Purbeck Beds of England with the German Wealden. *Liverpool and Manchester Geological Journal*, Vol. 3, 21–32.

**Subspecies** *florida* **Author** Anderson **Date** 1971  
**BGS Registration** Mik(M)3200 **Type** topotype  
**Locality** Chilcomb Down (Winchester) **County** Hampshire  
**NGR** SU 511 281  
**Stratigraphy** Hastings Beds, Wealden  
**Reference** ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–173.

**Subspecies** *pelota* **Author** Anderson **Date** 1985  
**BGS Registration** Mik(M)2154 **Type** holotype  
**Locality** Kingsclere No. 1 Borehole **County** Hampshire  
**NGR** SU 499 581  
**Stratigraphy** Wadhurst Clay **Biostratigraphy** Rye Cycle  
**Reference** ANDERSON, F W. 1985. Ostracod faunas in the Purbeck and Wealden of England. *Journal of Micropalaeontology*, Vol. 4, 1–68.

**Subspecies** *rectidorsata* **Author** Sylvester-Bradley **Date** 1949  
**BGS Registration** Mik(M)555/053 **Type** figured  
**Locality** Chilcomb Down (Winchester) **County** Hampshire  
**NGR** SU 511 281  
**Stratigraphy** Upper Purbeck  
**Reference** ANDERSON, F W. 1962. Correlation of the Upper Purbeck Beds of England with the German Wealden. *Liverpool and Manchester Geological Journal*, Vol. 3, 21–32.

**BGS Registration** Mik(M)3314 **Type** figured  
**Locality** Chilcomb Down (Winchester) **County** Hampshire  
**NGR** SU 511 281  
**Stratigraphy** Upper Purbeck **Biostratigraphy** Mupes Cycle  
**Reference** ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–173.

**Subspecies** *setina* **Author** (Anderson) **Date** 1939  
**BGS Registration** Mik(M)535 **Type** lectotype  
**Locality** Portsdown No. 1 Borehole **County** Hampshire  
**NGR** SU 638 055  
**Stratigraphy** Upper Purbeck  
**Reference** ANDERSON, F W. 1939. Wealden and Purbeck Ostracoda. *Annals and Magazine of Natural History*, Ser. II, Vol. 3, 291–310.

**BGS Registration** Mic(M)550049 **Type** syntype  
**Locality** Portsdown No. 1 Borehole **County** Hampshire  
**NGR** SU 638 055  
**Stratigraphy** Upper Purbeck

Reference	Anderson, F W. 1939. Wealden and Purbeck Ostracoda. <i>Annals and Magazine of Natural History</i> , Ser. II, Vol. 3, 291–310.		
BGS Registration	Mik(M)1558005	Type	figured
Locality	Warlingham Borehole	County	Surrey
NGR	TQ 347 517		
Stratigraphy	Upper Purbeck		
Reference	KILENYI, T and NEALE, J W. 1978. The Purbeck/Weald. In: BATE, R H. and ROBINSON, E. (eds) <i>A Stratigraphical Index of British Ostracoda</i> . Geological Journal Special Issue, Vol. 8, 299–324. (Liverpool: Seel House Press.)		
BGS Registration	Mik(M)3315	Type	figured
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		
Stratigraphy	Upper Purbeck	Biostratigraphy	Brede Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species <i>simplissima</i></b>		<b>Author</b>	Anderson
		<b>Date</b>	1985
BGS Registration	Mik(M)3209	Type	holotype
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		
Stratigraphy	Upper Purbeck	Biostratigraphy	Tisbury Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species <i>spinigera</i></b>		<b>Author</b>	(Sowerby)
		<b>Date</b>	1836
BGS Registration	Mik(M)2176.009	Type	figured
Locality	Sandown Bay	County	Isle of Wight
NGR	SZ 615 851		
Stratigraphy	Wealden Shales		
Reference	KILENYI, T and NEALE, J W. 1978. The Purbeck/Weald. In: BATE, R H. and ROBINSON, E. (eds) <i>A Stratigraphical Index of British Ostracoda</i> . Geological Journal Special Issue, Vol. 8, 299–324. (Liverpool: Seel House Press.)		
BGS Registration	Mik(M)2175	Type	lectotype
Locality	Sandown Bay	County	Isle of Wight
NGR	SZ 615 851		
Stratigraphy	Wealden Shales		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
<b>Species <i>swanagensis</i></b>	<b>Subspecies <i>ornata</i></b>	<b>Author</b>	Anderson
		<b>Date</b>	1971
BGS Registration	Mik(M)3162	Type	holotype
Locality	Milkhurst Wood	County	Sussex
NGR	TQ 622 224		
Stratigraphy	Middle Purbeck	Biostratigraphy	Durlston Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		

	<b>Subspecies</b> <i>swanagensis</i>	<b>Author</b> Anderson	<b>Date</b> 1971
BGS Registration	Mik(M)3161	Type holotype	
Locality	Milkhurst Wood	County Sussex	
NGR	TQ 622 224		
Stratigraphy	Middle Purbeck	<b>Biostratigraphy</b> Durlston Cycle	
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species</b> <i>tenuis</i>		<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2122	Type holotype	
Locality	1.5 miles east of Hythe	County Kent	
NGR	TQ 186 353		
Stratigraphy	Weald Clay		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
<b>Species</b> <i>tuberculata</i>	<b>Subspecies</b> <i>adjuncta</i>	<b>Author</b> Jones	<b>Date</b> 1885
BGS Registration	Mik(M)3208	Type figured	
Locality	Henfield No.1 Borehole	County Sussex	
NGR	TQ 179 195		
Stratigraphy	Hastings Beds, Wealden	<b>Biostratigraphy</b> ?Hastings Cycle	
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
	<b>Subspecies</b> <i>dorsiclavata</i>	<b>Author</b> Anderson	<b>Date</b> 1985
BGS Registration	Mik(M)4488	Type holotype	
Locality	Warninglid Borehole,	County Sussex	
NGR	TQ 248 270		
Stratigraphy	Weald Clay	<b>Biostratigraphy</b> Hawkhurst Cycle	
Reference	ANDERSON, F W. 1985. Ostracod faunas in the Purbeck and Wealden of England. <i>Journal of Micropalaeontology</i> , Vol. 4, 1–68.		
	<b>Subspecies</b> <i>indigens</i>	<b>Author</b> Anderson	<b>Date</b> 1939
BGS Registration	Mik(M)4494	Type figured	
Locality	Warlingham Borehole	County Surrey	
NGR	TQ 347 517		
Stratigraphy	Lower Weald Clay		
Reference	ANDERSON, F W. 1985. Ostracod faunas in the Purbeck and Wealden of England. <i>Journal of Micropalaeontology</i> , Vol. 4, 1–68.		
BGS Registration	GSM60670	Type holotype	
Locality	Henfield No. 1 Borehole	County Sussex	
NGR	TQ 179 195		
Stratigraphy	Weald Clay		
Reference	ANDERSON, F W. 1939. Wealden and Purbeck Ostracoda. <i>Annals and Magazine of Natural History</i> , Ser. II, Vol. 3, 291–310.		
	<b>Subspecies</b> <i>langtonensis</i>	<b>Author</b> Anderson	<b>Date</b> 1971
BGS Registration	Mik(M)3207	Type holotype	
Locality	Warlingham Borehole	County Surrey	
NGR	TQ 347 517		

Stratigraphy	Middle Purbeck	<b>Biostratigraphy</b>	Scallop Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No.34, 27–173.		
	<b>Subspecies</b> <i>tuberculata</i>	<b>Author</b> (Sowerby)	<b>Date</b> 1836
BGS Registration	Mik(M)2123	Type	neotype
Locality	Cranbrook	County	Kent
NGR	TQ 749 351		
Stratigraphy	Wadhurst Clay		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
BGS Registration	GSM60667	Type	figured
Locality	Henfield No. 1 Borehole	County	Sussex
NGR	TQ 179 195		
Stratigraphy	Weald Clay		
Reference	ANDERSON, F W. 1939. Wealden and Purbeck Ostracoda. <i>Annals and Magazine of Natural History</i> , Ser. II, Vol. 3, 291–310.		
BGS Registration	GSM60668	Type	figured
Locality	Henfield No. 1 Borehole	County	Sussex
NGR	TQ 179 195		
Stratigraphy	Weald Clay		
Reference	ANDERSON, F W. 1939. Wealden and Purbeck Ostracoda. <i>Annals and Magazine of Natural History</i> , Ser. II, Vol. 3, 291–310.		
<b>Species</b> <i>tumescens</i>	<b>Subspecies</b> <i>acrobeles</i>	<b>Author</b> Anderson	<b>Date</b> 1971
BGS Registration	Mik(M)3150	Type	holotype
Locality	Mountfield No.4 Borehole	County	Sussex
NGR	TQ 728 190		
Stratigraphy	Lower Purbeck	<b>Biostratigraphy</b>	Hard Cockle Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
	<b>Subspecies</b> <i>praecursor</i>	<b>Author</b> Oertli	<b>Date</b> 1963
BGS Registration	Mik(M)3320	Type	figured
Locality	Mountfield No. 4 Borehole	County	Sussex
NGR	TQ 728 190		
Stratigraphy	Middle Purbeck	<b>Biostratigraphy</b>	Goldspur Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
	<b>Subspecies</b> <i>tumescens</i>	<b>Author</b> (Anderson)	<b>Date</b> 1939
BGS Registration	Mik(M)540	Type	holotype
Locality	Friar Wadden, Upwey	County	Dorset
NGR	SY 638 852		
Stratigraphy	‘Chert Bed’, Middle Purbeck	<b>Biostratigraphy</b>	Durlston Cycle
Reference	ANDERSON, F W. 1939. Wealden and Purbeck Ostracoda. <i>Annals and Magazine of Natural History</i> , Ser. II, Vol. 3, 291–310.		

<b>Species</b> <i>valdensis</i>	<b>Subspecies</b> <i>clareae</i>	<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2184	Type holotype	
Locality	Warlingham Borehole	County Surrey	
NGR	TQ 347 517		
Stratigraphy	Grinstead Clay		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
	<b>Subspecies</b> <i>claudii</i>	<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2183	Type holotype	
Locality	Warlingham Borehole	County Surrey	
NGR	TQ 347 517		
Stratigraphy	Grinstead Clay		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
	<b>Subspecies</b> <i>valdensis</i>	<b>Author</b> (Sowerby)	<b>Date</b> 1836
BGS Registration	Mik(M)1027	Type lectotype	
Locality	'near Hythe'	County Kent	
NGR	TQ 1 3		
Stratigraphy	?Hastings Beds, Wealden		
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
BGS Registration	Mik(M)3007	Type figured	
Locality	Compton Chine	County Isle of Wight	
NGR	SZ 366 852		
Stratigraphy	Wealden Shales		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
BGS Registration	Mik(M)2124	Type figured	
Locality	Brookhurst Pottery Brick Pit	County Surrey	
NGR	TQ 076 394		
Stratigraphy	Weald Clay		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
<b>Species</b> <i>varians</i>		<b>Author</b> Anderson	<b>Date</b> 1971
BGS Registration	Mik(M)3210	Type holotype	
Locality	Chilcomb Down (Winchester)	County Hampshire	
NGR	SU 511 281		
Stratigraphy	Upper Purbeck	<b>Biostratigraphy</b> Battle Cycle	
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species</b> <i>vectae</i>		<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2399	Type holotype	
Locality	Shepherd's Chine	County Isle of Wight	



NGR	SZ 446 798		
Stratigraphy	Wealden Shales		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
<b>Species</b> <i>ventrosa</i>		<b>Author</b> Jones	<b>Date</b> 1885
BGS Registration	Mik(M)3205	Type	figured
Locality	Pevril Point, Swanage	County	Dorset
NGR	SZ 040 786		
Stratigraphy	Upper Purbeck		
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species</b> <i>vericae</i>		<b>Author</b> Anderson	<b>Date</b> 1967
BGS Registration	Mik(M)2158	Type	holotype
Locality	Wadhurst Park No. 3 Borehole	County	Sussex
NGR	TQ 690 290		
Stratigraphy	Upper Wadhurst Clay	<b>Biostratigraphy</b>	Hawkhurst Cycle
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
<b>Species</b> <i>verrucosa</i>		<b>Author</b> Jones	<b>Date</b> 1878
BGS Registration	Mik(M)2159	Type	figured
Locality	Kingsclere No. 1 Borehole	County	Hampshire
NGR	SU 499 581		
Stratigraphy	Lower Tunbridge Wells Sands		
Reference	ANDERSON, F W. 1985. Ostracod faunas in the Purbeck and Wealden of England. <i>Journal of Micropalaeontology</i> , Vol. 4, 1–68.		
BGS Registration	Mik(M) 2961	Type	figured
Locality	Kingsclere No. 1 Borehole	County	Hampshire
NGR	SU 499 581		
Stratigraphy	Upper Wadhurst Clay	<b>Biostratigraphy</b>	Fletching Cycle
Reference	ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 171–235.		
BGS Registration	GSM60681	Type	figured
Locality	Portsmouth No. 1 Borehole	County	Hampshire
NGR	SU 638 055		
Stratigraphy	Weald Clay		
Reference	ANDERSON, F W. 1939. Wealden and Purbeck Ostracoda. <i>Annals and Magazine of Natural History</i> , Ser. II, Vol. 3, 291–310.		
<b>Species</b> <i>vidrana</i>		<b>Author</b> Wolburg	<b>Date</b> 1959
BGS Registration	Mik(M)3180	Type	figured
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		
Stratigraphy	Middle Purbeck	<b>Biostratigraphy</b>	Scallop Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		

BGS Registration	Mik(M)3181	Type	figured
Locality	Mountfield No. 3 Borehole	County	Sussex
NGR	TQ 724 187		
Stratigraphy	Middle Purbeck	Biostratigraphy	Scallop Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species <i>warlinghamens</i></b>			
BGS Registration	Mik(M)2128	Type	figured
Locality	Warlingham Borehole	County	Surrey
NGR	TQ 347 517		
Stratigraphy	Weald Clay		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
BGS Registration	Mik(M)2401	Type	holotype
Locality	Shepherd's Chine	County	Isle of Wight
NGR	SZ 446 798		
Stratigraphy	Wealden Shales		
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 27, 237–269.		
<b>Species <i>wichei</i></b>			
BGS Registration	Mik(M)2160	Type	holotype
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		
Stratigraphy	Hastings Beds, Wealden	Biostratigraphy	Bexhill Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Subspecies <i>isabellae</i></b>			
BGS Registration	Mik(M)2166	Type	holotype
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		
Stratigraphy	Hastings Beds, Wealden	Biostratigraphy	Bexhill Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Subspecies <i>torosa</i></b>			
BGS Registration	Mik(M)3164	Type	figured
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		
Stratigraphy	Hastings Beds, Wealden	Biostratigraphy	Bexhill Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Subspecies <i>torosa</i></b>			
BGS Registration	Mik(M)2165	Type	figured
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		
Stratigraphy	Hastings Beds, Wealden	Biostratigraphy	Bexhill Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		

	<b>Subspecies</b> <i>veronae</i>	<b>Author</b> Anderson	<b>Date</b> 1971
BGS Registration	Mik(M)3303	Type	figured
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		
Stratigraphy	Hastings Beds, Wealden	<b>Biostratigraphy</b>	Bexhill Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
BGS Registration	Mik(M)2161	Type	figured
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		
Stratigraphy	Hastings Beds, Wealden	<b>Biostratigraphy</b>	Bexhill Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
BGS Registration	Mik(M)2162	Type	holotype
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		
Stratigraphy	Hastings Beds, Wealden	<b>Biostratigraphy</b>	Bexhill Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
	<b>Subspecies</b> <i>wicheri</i>	<b>Author</b> Wolburg	<b>Date</b> 1959
BGS Registration	Mik(M)3166	Type	figured
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		
Stratigraphy	Hastings Beds, Wealden	<b>Biostratigraphy</b>	Bexhill Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
	<b>Subspecies</b> <i>wicki</i>	<b>Author</b> Wolburg	<b>Date</b> 1959
BGS Registration	Mik(M)3165	Type	figured
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 281		
Stratigraphy	Hastings Beds, Wealden	<b>Biostratigraphy</b>	Bexhill Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
BGS Registration	Mik(M)3302	Type	figured
Locality	Warlingham Borehole	County	Surrey
NGR	TQ 347 517		
Stratigraphy	Upper Purbeck	<b>Biostratigraphy</b>	Mupes Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species</b> <i>wolburgi</i>		<b>Author</b> Anderson	<b>Date</b> 1971
BGS Registration	Mik(M)3206	Type	holotype
Locality	Warlingham Borehole	County	Surrey
NGR	TQ 347 517		
Stratigraphy	Upper Purbeck	<b>Biostratigraphy</b>	Lulworth Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		

## 2.3 GENUS 'CYTHERE'

<b>Species</b> <i>retirugata</i>	<b>Subspecies</b> <i>decorata</i>	<b>Author</b> (Anderson)	<b>Date</b> 1941
BGS Registration	Mik(M)719	Type	holotype
Locality	Town Gardens Quarry, Swindon	County	Wiltshire
NGR	ST 153 836		
Stratigraphy	Cythere Marl		
Remarks	This should be assigned to <i>Macrodentina</i>		
Reference	ANDERSON, F W. 1941. Ostracoda from the Portland and Purbeck Beds at Swindon. <i>Proceedings of the Geologists' Association</i> , Vol. 51, 373–384.		

<b>Species</b> <i>retirugata</i>	<b>Subspecies</b> <i>rugulata</i>	<b>Author</b> Jones	<b>Date</b> 1885
BGS Registration	Mik(M)718	Type	figured
Locality	Town Gardens Quarry, Swindon	County	Wiltshire
NGR	ST 153 836		
Stratigraphy	Cythere Marl		
Remarks	This should be assigned to <i>Macrodentina</i>		
Reference	ANDERSON, F W. 1941. Ostracoda from the Portland and Purbeck Beds at Swindon. <i>Proceedings of the Geologists' Association</i> , Vol. 51, 373–384.		

## 2.4 GENUS CYTHERIDEA

### Subgenus *Haplocytheridea*

<b>Species</b> <i>calyptroides</i>		<b>Author</b> Anderson	<b>Date</b> 1941
BGS Registration	Mik(M)726	Type	holotype
Locality	Town Gardens Quarry, Swindon	County	Wiltshire
NGR	ST 151 833		
Stratigraphy	Swindon Sands and Stone,		
Reference	ANDERSON, F W. 1941. Ostracoda from the Portland and Purbeck Beds at Swindon. <i>Proceedings of the Geologists' Association</i> , Vol. 51, 373–384.		

<b>Species</b> <i>delicatula</i>		<b>Author</b> Martin	<b>Date</b> 1962
BGS Registration	Mik(M)4495	Type	figured
Locality	Warlingham Borehole	County	Surrey
NGR	TQ 347 517		
Stratigraphy	Weald Clay		
Reference	ANDERSON, F W. 1985. Ostracod faunas in the Purbeck and Weald of England. <i>Journal of Micropalaeontology</i> , Vol. 4, 1–68.		

BGS Registration	Mik(M)3000	Type	figured
Locality	Warlingham Borehole	County	Surrey
NGR	TQ 347 571		
Stratigraphy	Weald Clay (lower part)	Biostratigraphy	<i>C. tuberculata</i> Zone
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , Vol. 27, 237–269.		

## 2.5 GENUS DAMONELLA

<b>Species</b> <i>buchaniana</i>		<b>Author</b> Anderson	<b>Date</b> 1966
BGS Registration	Mik(M)2684	Type	figured
Locality	Bridport	County	Dorset
NGR	SY 0 0		

Stratigraphy	Middle Purbeck (Flint Bed)		
Remarks	Anderson (1966) states the specimen came from 'Locality F3'		
Reference	ANDERSON, F W. 1966. New genera of Purbeck and Wealden Ostracoda. <i>Bulletin of the British Museum (Natural History), Geology</i> , Vol. 11, No. 9, 435–446.		
<b>BGS Registration</b>	Mik(M)2483	<b>Type</b>	holotype
<b>Locality</b>	Portsdown No. 1 Borehole	<b>County</b>	Hampshire
<b>NGR</b>	SU 638 055		
<b>Stratigraphy</b>	Upper Purbeck		
<b>Remarks</b>	See also Anderson, 1985		
<b>Reference</b>	ANDERSON, F W. 1966. New genera of Purbeck and Wealden Ostracoda. <i>Bulletin of the British Museum (Natural History), Geology</i> , Vol. 11, No. 9, 435–446.		
<b>Species <i>denticulata</i></b>		<b>Author</b>	Anderson
		<b>Date</b>	1966
<b>BGS Registration</b>	Mik(M)2485	<b>Type</b>	holotype
<b>Locality</b>	Gillman's Brick Pit	<b>County</b>	Sussex
<b>NGR</b>	TQ 085 247		
<b>Stratigraphy</b>	Upper Weald Clay, Wealden		
<b>Remarks</b>	'Bed 12' (Anderson, 1966). See also Anderson, 1985		
<b>Reference</b>	ANDERSON, F W. 1966. New genera of Purbeck and Wealden Ostracoda. <i>Bulletin of the British Museum (Natural History), Geology</i> , Vol. 11, No. 9, 435–446.		
<b>Species <i>ellipsoidea</i></b>		<b>Author</b>	(Wolburg)
		<b>Date</b>	1962
<b>BGS Registration</b>	Mik(M)2484	<b>Type</b>	figured
<b>Locality</b>	Henfield No. 1 Borehole	<b>County</b>	Sussex
<b>NGR</b>	TQ 179 195		
<b>Stratigraphy</b>	Purbeck		
<b>Remarks</b>	See also Anderson, 1985		
<b>Reference</b>	ANDERSON, F W. 1966. New genera of Purbeck and Wealden Ostracoda. <i>Bulletin of the British Museum (Natural History), Geology</i> , Vol. 11, No. 9, 435–446.		
<b>BGS Registration</b>	Mik(M)2681	<b>Type</b>	figured
<b>Locality</b>	Lower Chicks Grove Quarry	<b>County</b>	Wiltshire
<b>NGR</b>	ST 97 30		
<b>Stratigraphy</b>	Purbeck		
<b>Remarks</b>	Anderson (1966, figure 26) gives the number as Mik(M)268001 in error		
<b>Reference</b>	ANDERSON, F W. 1966. New genera of Purbeck and Wealden Ostracoda. <i>Bulletin of the British Museum (Natural History), Geology</i> , Vol. 11, No. 9, 435–446.		
<b>BGS Registration</b>	Mik(M)2680	<b>Type</b>	figured
<b>Locality</b>	Lower Chicks Grove Quarry	<b>County</b>	Wiltshire
<b>NGR</b>	ST 97 30		
<b>Stratigraphy</b>	Purbeck		
<b>Reference</b>	ANDERSON, F W. 1966. New genera of Purbeck and Wealden Ostracoda. <i>Bulletin of the British Museum (Natural History), Geology</i> , Vol. 11, No. 9, 435–446.		

**Species** *punctatula* **Author** Anderson **Date** 1966  
**BGS Registration** Mik(M)2486 **Type** holotype  
**Locality** Wadhurst Park No. 3 Borehole **County** Sussex  
**NGR** TQ 690 290  
**Stratigraphy** Wadhurst Clay, Wealden  
**Remarks** See also Anderson, 1985  
**Reference** ANDERSON, F W. 1966. New genera of Purbeck and Wealden Ostracoda. *Bulletin of the British Museum (Natural History), Geology*, Vol. 11, No. 9, 435–446.

**Species** *pygmaea* **Author** (Anderson) **Date** 1941  
**BGS Registration** Mik(M)732 **Type** topotype  
**Locality** Town Garden Quarry, Swindon **County** Wiltshire  
**NGR** ST 150 836  
**Stratigraphy** Swindon Sands and Stone  
**Reference** ANDERSON, F W. 1966. New genera of Purbeck and Wealden Ostracoda. *Bulletin of the British Museum (Natural History), Geology*, Vol. 11, No. 9, 435–446.

**BGS Registration** Mik(M)2683 **Type** figured  
**Locality** Town Gardens Quarry, Swindon **County** Wiltshire  
**NGR** ST 150 836  
**Stratigraphy** Lower Purbeck  
**Remarks** Locality TGC2 (101)  
**Reference** ANDERSON, F W. 1966. New genera of Purbeck and Wealden Ostracoda. *Bulletin of the British Museum (Natural History), Geology*, Vol. 11, No. 9, 435–446.

**BGS Registration** Mik(M)2482 **Type** holotype  
**Locality** Town Garden Quarry, Swindon **County** Wiltshire  
**NGR** ST 150 836  
**Stratigraphy** Chara Marls  
**Remarks** Locality TGA'1a (Anderson, 1941). See also Mik(M)736 and Anderson, 1985  
**Reference** ANDERSON, F W. 1941. Ostracoda from the Portland and Purbeck Beds at Swindon. *Proceedings of the Geologists' Association*, Vol. 51, 373–384.

## 2.6 GENUS *DARWINULA*

**Species** *jonesi* **Author** Anderson **Date** 1971  
**BGS Registration** Mik(M)3326 **Type** holotype  
**Locality** Wateringbury, nr. Maidstone **County** Kent  
**NGR** TQ 685 534  
**Stratigraphy** Upper Weald Clay **Biostratigraphy** *C. tenuis* Zone  
**Remarks** See also Anderson, 1985  
**Reference** ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–173.

**Species** *leguminella* **Author** (Forbes) **Date** 1855  
**BGS Registration** Mik(M)3323 **Type** figured  
**Locality** Mountfield No. 3 Borehole **County** Sussex  
**NGR** TQ 724 187  
**Stratigraphy** Upper Purbeck **Biostratigraphy** Brede Cycle  
**Remarks** See also Anderson, 1985  
**Reference** ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–173.

<b>Species</b> <i>oblonga</i>		<b>Author</b> (Roemer)	<b>Date</b> 1839
BGS Registration	Mik(M)3324	Type	figured
Locality	Warninglid Borehole, Slaugham	County	Sussex
NGR	TQ 248 270		
Stratigraphy	Lower Weald Clay	<b>Biostratigraphy</b>	<i>C. dorsispinata</i> Zone
Remarks	See also Anderson, 1985		
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		

## 2.7 GENUS *EOCYTHERIDEA*

<b>Species</b> <i>eusarca</i>		<b>Author</b> (Anderson)	<b>Date</b> 1941
BGS Registration	Mik(M)725	Type	holotype
Locality	Town Garden Quarry, Swindon	County	Wiltshire
NGR	ST 153 836		
Stratigraphy	Cythere Marl, basal Purbeck		
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		

<b>Species</b> <i>oleroni</i>		<b>Author</b> (Donze)	<b>Date</b> 1960
BGS Registration	Mik(M)3307	Type	figured
Locality	Warren House Farm, Stewkley	County	Buckinghamshire
NGR	SP 853 243		
Stratigraphy	Basal Purbeck		
Remarks	Male. 'cf' according to Anderson, 1971, 1985.		
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		

BGS Registration	Mik(M)3308	Type	figured
Locality	Warren House Farm, Stewkley	County	Buckinghamshire
NGR	SP 853 243		
Stratigraphy	Basal Purbeck		
Remarks	'Bed 12'. male 'cf' according to Anderson, 1971		
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		

## 2.8 GENUS *EOPARACYPRIS*

<b>Species</b> <i>abbreviata</i>		<b>Author</b> Anderson	<b>Date</b> 1971
BGS Registration	Mik(M)3278	Type	holotype
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 282		
Stratigraphy	Middle Purbeck	<b>Biostratigraphy</b>	Langton Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		

<b>Species</b> <i>attenuata</i>		<b>Author</b> Anderson	<b>Date</b> 1971
BGS Registration	Mik(M)3277	Type	holotype
Locality	Henfield No. 1 Borehole	County	Sussex
NGR	TQ 179 195		
Stratigraphy	Lower Purbeck	<b>Biostratigraphy</b>	Stair Cycle
Remarks	Anderson (1971) questioned the provenience of this specimen. See also Anderson, 1985		

Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.	
<b>Species <i>edmundsi</i></b>	<b>Author</b> Anderson	<b>Date</b> 1985
BGS Registration	Mik(M)3279	Type holotype
Locality	Warlingham Borehole	County Surrey
NGR	TQ 347 517	
Stratigraphy	Weald Clay	Biostratigraphy Sandown Cycle
Reference	ANDERSON, F W. 1985. Ostracod faunas in the Purbeck and Weald of England. <i>Journal of Micropalaeontology</i> , Vol. 4, 1–68.	
<b>Species <i>edwardi</i></b>	<b>Author</b> Anderson	<b>Date</b> 1971
BGS Registration	Mik(M)3280	Type holotype
Locality	Warlingham Borehole	County Surrey
NGR	TQ 347 517	
Stratigraphy	Wadhurst Clay, Wealden	Biostratigraphy Fairlight Cycle
Remarks	See also Anderson, 1985	
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.	
<b>Species <i>macroselina</i></b>	<b>Author</b> Anderson	<b>Date</b> 1971
BGS Registration	Mik(M)3288	Type figured
Locality	Netherfield Place No. 3 Borehole	County Sussex
NGR	TQ 730 178	
Stratigraphy	Upper Purbeck	Biostratigraphy Tyneham Cycle
Remarks	See also Anderson, 1985	
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.	
BGS Registration	Mik(M)3281	Type holotype
Locality	Penshurst (1899) Borehole	County Sussex
NGR	TQ 548 452	
Stratigraphy	Upper Purbeck	Biostratigraphy Tisbury Cycle
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.	
<b>Species <i>parallela</i></b>	<b>Author</b> (Neale)	<b>Date</b> 1962
BGS Registration	Mik(M)3283	Type figured
Locality	Chilcomb Down (Winchester)	County Hampshire
NGR	SU 511 282	
Stratigraphy	Basal Wealden	Biostratigraphy Hastings Cycle
Remarks	See also Anderson, 1985	
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–17	
<b>Species <i>surriensis</i></b>	<b>Author</b> Anderson	<b>Date</b> 1971
BGS Registration	Mik(M)3284	Type holotype
Locality	Warlingham Borehole	County Surrey
NGR	TQ 347 517	
Stratigraphy	Middle Purbeck	Biostratigraphy Greenwood Cycle
Remarks	See also Anderson, 1985	



Reference ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–173.

**Species** *weedonensis* **Author** Anderson **Date** 1971  
**BGS Registration** Mik(M)3285 **Type** holotype  
**Locality** Netherfield Place No. 5 Borehole **County** Sussex  
**NGR** TQ 720 184  
**Stratigraphy** Middle Purbeck **Biostratigraphy** Swanage Cycle  
**Remarks** See also Anderson, 1985  
**Reference** ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–173.

## 2.9 GENUS *FABANELLA*

**Species** *ansata* **Author** (Jones) **Date** 1885  
**BGS Registration** Mik(M)4497 **Type** figured  
**Locality** Kingsclere No. 1 Borehole **County** Hampshire  
**NGR** SU 499 581  
**Stratigraphy** Lower Purbeck  
**Reference** ANDERSON, F W. 1985. Ostracod faunas in the Purbeck and Weald of England. *Journal of Micropalaeontology*, Vol. 4, 1–68.

**Species** *boloniensis* **Author** (Jones) **Date** 1882  
**BGS Registration** Mik(M)4489 **Type** figured  
**Locality** White Nothe **County** Dorset  
**NGR** SY 77 80  
**Stratigraphy** Lower Purbeck  
**Reference** ANDERSON, F W. 1985. Ostracod faunas in the Purbeck and Weald of England. *Journal of Micropalaeontology*, Vol. 4, 1–68.

**Species** *dimorpha* **Author** Anderson **Date** 1971  
**BGS Registration** Mik(M)3214 **Type** holotype  
**Locality** Kingsclere No. 1 Borehole **County** Hampshire  
**NGR** SU 499 499  
**Stratigraphy** Upper Purbeck **Biostratigraphy** Lulworth Cycle  
**Remarks** See also Anderson, 1985  
**Reference** ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–173.

## 2.10 GENUS *GALLIAECYTHERIDEA*

**Species** *postsinuata* **Author** Wolburg **Date** 1962  
**BGS Registration** Mik(M)3262 **Type** figured  
**Locality** Lower Chicks Grove Quarry **County** Wiltshire  
**NGR** ST 97 30  
**Stratigraphy** Middle Purbeck  
**Remarks** Female. See also Anderson, 1985  
**Reference** ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–173.

**BGS Registration** Mik(M)3263 **Type** figured  
**Locality** Henfield No. 1 Borehole **County** Sussex

NGR TQ 179 195  
 Stratigraphy Middle Purbeck **Biostratigraphy** Burwash Cycle  
 Remarks Male. See also Anderson, 1985  
 Reference ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–173.

## 2.11 GENUS *KLIEANA*

**Species** *alata* **Author** Martin **Date** 1940  
 BGS Registration Mik(M)3275 **Type** figured  
 Locality Netherfield Place No. 5 Borehole **County** Sussex  
 NGR TQ 720 184  
 Stratigraphy Base of Middle Purbeck **Biostratigraphy** Goldspur Cycle  
 Remarks Female. See also Anderson, 1985  
 Reference ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–173.

BGS Registration Mik(M)3276 **Type** figured  
 Locality Netherfield Place No. 5 Borehole **County** Sussex  
 NGR TQ 720 184  
 Stratigraphy Base of Middle Purbeck **Biostratigraphy** Goldspur Cycle  
 Remarks Male. See also Anderson, 1985  
 Reference ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–173.

**Species** *dictyota* **Author** Anderson **Date** 1971  
 BGS Registration Mik(M)3274 **Type** holotype  
 Locality Penshurst (1938) Borehole **County** Sussex  
 NGR TQ 542 443  
 Stratigraphy Lower Purbeck **Biostratigraphy** Hard Cockle Cycle  
 Remarks See also Anderson, 1985  
 Reference ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–173.

**Species** *thoracina* **Author** Anderson **Date** 1971  
 BGS Registration Mik(M)3286 **Type** holotype  
 Locality Mountfield No. 3 Borehole **County** Sussex  
 NGR TQ 724 187  
 Stratigraphy Middle Purbeck **Biostratigraphy** Worth Cycle  
 Remarks See also Anderson, 1985  
 Reference ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–173.

## 2.12 GENUS *MACROCYPRIS*

**Species** *horatiana* **Author** Jones and Sherborn **Date** 1888  
 BGS Registration Mik(M)733 **Type** figured  
 Locality Town Gardens Quarry, Swindon **County** Wiltshire  
 NGR ST 151 833  
 Stratigraphy Middle Pebbly Bed  
 Remarks TGB8  
 Reference ANDERSON, F W. 1941. Ostracoda from the Portland and Purbeck Beds at Swindon. *Proceedings of the Geologists' Association*, Vol. 51, 373–384.

## 2.13 GENUS *MACRODENTINA*

**Species** *mediostricta* **Author** (Sylvester-Bradley) **Date** 1941  
**BGS Registration** Mik(M)3292 **Type** figured  
**Locality** Milkhurst Wood **County** Sussex  
**NGR** TQ 622 224  
**Stratigraphy** Middle Purbeck  
**Remarks** Male. See also Anderson, 1985.  
**Reference** ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–173.

**BGS Registration** Mik(M)721 **Type** figured  
**Locality** Poxwell Road Cutting **County** Dorset  
**NGR** SY 742 835  
**Stratigraphy** Middle Purbeck 'Beef Beds'  
**Remarks** PC17. Originally assigned to *Cythere retirugata textilis*  
**Reference** ANDERSON, F W. 1941. Ostracoda from the Portland and Purbeck Beds at Swindon. *Proceedings of the Geologists' Association*, Vol. 51, 373–384.

**Species** *retirugata* **Author** (Jones) **Date** 1885  
**BGS Registration** Mik(M)720 **Type** figured  
**Locality** Town Gardens Quarry, Swindon **County** Wiltshire  
**NGR** ST 151 833  
**Stratigraphy** Middle Pebbly Beds  
**Remarks** See also Anderson, 1971, 1985. Originally assigned to var. *textilis*.  
**Reference** ANDERSON, F W. 1941. Ostracoda from the Portland and Purbeck Beds at Swindon. *Proceedings of the Geologists' Association*, Vol. 51, 373–384.

**Species** *rugulata* **Author** (Jones) **Date** 1885  
**BGS Registration** Mik(M)3290 **Type** figured  
**Locality** Warren House Farm, Stewkley **County** Buckinghamshire  
**NGR** SP 853 243  
**Stratigraphy** 'Basal Purbeck or uppermost Portland'  
**Remarks** See also Anderson, 1985  
**Reference** ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No 34, 27–173.

**Species** *transiens* **Author** (Jones) **Date** 1885  
**BGS Registration** Mik(M)3291 **Type** figured  
**Locality** Warren House Farm, Stewkley **County** Buckinghamshire  
**NGR** SP 853 243  
**Stratigraphy** 'Basal Purbeck or uppermost Portland'  
**Remarks** See also Anderson, 1985.  
**Reference** ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No 34, 27–173.

## 2.14 GENUS *MANTELLIANA*

**Species** *cyrton* **Author** Anderson **Date** 1971  
**BGS Registration** Mik(M)3218 **Type** topotype  
**Locality** Mountfield No. 4 Borehole **County** Sussex  
**NGR** TQ 728 190

Stratigraphy	Lower Purbeck	Biostratigraphy	Wardour Cycle
Remarks	See also Anderson, 1985.		
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
BGS Registration	Mik(M)3217	Type	holotype
Locality	Mountfield No. 4 Borehole	County	Sussex
NGR	TQ 728 190		
Stratigraphy	Lower Purbeck	Biostratigraphy	Wardour Cycle
Remarks	See also Anderson, 1985.		
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species <i>mantelli</i></b>		<b>Author (Jones)</b>	<b>Date 1888</b>
BGS Registration	Mik(M)3009	Type	figured
Locality	650yds NW of Bettenham	County	Kent
NGR	TQ 812 395		
Stratigraphy	Weald Clay	Biostratigraphy	<i>C. tuberculata</i> Zone
Reference	ANDERSON, F W. 1967. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , Vol. 27, 237–269.		
BGS Registration	Mik(M)3004	Type	figured
Locality	650yds NW of Bettenham	County	Kent
NGR	TQ 812 395		
Stratigraphy	Weald Clay	Biostratigraphy	<i>C. tuberculata</i> Zone
Remarks	Muscle scars illustrated		
Reference	ANDERSON, F W. 1967. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , Vol. 27, 237–269.		
BGS Registration	Mik(M)1873	Type	figured
Locality	650yds NW of Bettenham	County	Kent
NGR	TQ 812 395		
Stratigraphy	Weald Clay		
Remarks	Adductor muscle scars only were figured by Anderson (1966)		
Reference	ANDERSON, F W. 1966. New genera of Purbeck and Wealden Ostracoda. <i>Bulletin of the British Museum (Natural History), Geology</i> , Vol. 11, No. 9, 435–446.		
BGS Registration	Mik(M)1004	Type	lectotype
Locality	Shepherd's Chine-Atherfield	County	Isle of Wight
NGR	SZ 450 790		
Stratigraphy	Weald Shales, Wealden	Biostratigraphy	<i>C. valdensis</i> Zone
Remarks	See also Anderson, 1967, 1985. Anderson (1967, fig. 86) regarded this specimen as the holotype		
Reference	ANDERSON, F W. 1966. New genera of Purbeck and Wealden Ostracoda. <i>Bulletin of the British Museum (Natural History), Geology</i> , Vol. 11, No. 9, 435–446.		
BGS Registration	Mik(M)3003	Type	figured
Locality	Brown's Pit, Earlswood	County	Surrey
NGR	TQ 264 490		
Stratigraphy	Weald Clay	Biostratigraphy	<i>C. valdensis</i> Zone

Remarks Juvenile  
 Reference ANDERSON, F W. 1967. Ostracods from the Weald Clay of England. *Bulletin of the Geological Survey of Great Britain*, Vol. 27, 237–269.

**Species phillipsiana** Author (Jones) Date 1878  
 BGS Registration Mik(M)1008016 Type figured  
 Locality Black Horse Quarry, near Batttle County Kent  
 NGR TQ 769 142  
 Stratigraphy Wadhurst Clay  
 Remarks Adductor muscle scars illustrated. Wadhurst Clay Ironstone. Binfield Collection (Geol. Soc.)  
 Reference ANDERSON, F W. 1966. New genera of Purbeck and Wealden Ostracoda. *Bulletin of the British Museum (Natural History), Geology*, Vol. 11, No. 9, 435–446.

BGS Registration Mik(M)2960 Type figured  
 Locality Black Horse Quarry, Binfield County Sussex  
 NGR TQ 769 142  
 Stratigraphy Wadhurst Clay  
 Remarks Female. Binfield collection Geol. Soc. 2476  
 See also Anderson, F.W. 1985.  
 Reference ANDERSON, F W. 1985. Ostracod faunas in the Purbeck and Weald of England. *Journal of Micropalaeontology*, Vol. 4, 1–68.

**Species purbeckensis** Author (Forbes) Date 1855  
 BGS Registration Mik(M)2682 Type figured  
 Locality Kingsclere No. 1 Borehole County Hampshire  
 NGR SU 499 581  
 Stratigraphy Lower Purbeck  
 Remarks See also Anderson, 1985  
 Reference ANDERSON, F W. 1966. New genera of Purbeck and Wealden Ostracoda. *Bulletin of the British Museum (Natural History), Geology*, Vol. 11, No. 9, 435–446.

BGS Registration Mik(M)3310 Type figured  
 Locality Goldspur Drift, Mountfield County Sussex  
 NGR TQ 728 189  
 Stratigraphy Lower Purbeck Biostratigraphy Wardour Cycle  
 Remarks Female  
 Reference ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–173.

BGS Registration Mik(M)2090 Type lectotype  
 Locality Bacon Hole, east of Lulworth County Dorset  
 NGR SU 0 7  
 Stratigraphy Purbeck Biostratigraphy 'Cypris Bed No. 7'  
 Remarks Reference no. 4273 of the Gibbs collection. Anderson (1966a, 437–439) referred to it under Mik(M)2090. The locality given by Anderson (1966a) is erroneous (see footnote in Anderson, 1985, p.36).  
 Reference ANDERSON, F W. 1966. New genera of Purbeck and Wealden Ostracoda. *Bulletin of the British Museum (Natural History), Geology*, Vol. 11, No. 9, 435–446.

**Species wealdensis** Author (Wolburg) Date 1962  
 BGS Registration Mik(M)3220 Type figured  
 Locality Guestling No. 1 Borehole County Sussex

NGR TQ 834 139  
 Stratigraphy Middle Purbeck **Biostratigraphy** Goldspur Cycle  
 Remarks See also Anderson 1985. Male  
 Reference ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–173.

BGS Registration Mik(M)3219 **Type** figured  
 Locality Netherfield Place No. 5 Borehole **County** Sussex  
 NGR TQ 720 184  
 Stratigraphy Middle Purbeck **Biostratigraphy** Goldspur Cycle  
 Remarks See also Anderson, 1985. Female  
 Reference ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–17

## 2.15 GENUS *MIOCYTHERIDEA*

Species *henfieldensis* **Author** (Anderson) **Date** 1939

BGS Registration Mik(M)536 **Type** holotype  
 Locality Henfield No. 1 Borehole **County** Sussex  
 NGR TQ 179 195  
 Stratigraphy Weald Clay **Biostratigraphy** *C. tuberculata* Zone  
 Remarks See also Anderson, 1967  
 Reference ANDERSON, F W. 1939. Wealden and Purbeck ostracods. *Annals and Magazine of Natural History*, Ser. 2, Vol. 3, 291–310.

BGS Registration Mik(M)3001 **Type** figured  
 Locality Henfield No. 1 Borehole **County** Sussex  
 NGR TQ 179 195  
 Stratigraphy Weald Clay **Biostratigraphy** *C. dorsispinata* Zone  
 Remarks Anderson (1967, figs. 67–69) called the borehole, Pevensey No. 1 Borehole.  
 Reference ANDERSON, F W. 1985. Ostracod faunas in the Purbeck and Weald of England. *Journal of Micropalaeontology*, Vol. 4, 1–68.

BGS Registration Mik(M)3005 **Type** figured  
 Locality Warlingham Borehole **County** Surrey  
 NGR TQ 347 571  
 Stratigraphy Weald Clay **Biostratigraphy** *C. tuberculata* Zone  
 Reference ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. *Bulletin of the Geological Survey of Great Britain*, Vol. 27, 237–269.

BGS Registration Mik(M)3008 **Type** figured  
 Locality Pevensey Borehole No. 1 **County** Sussex  
 NGR TQ 634 061  
 Stratigraphy Weald Clay **Biostratigraphy** *C. dorsispinata* Zone  
 Reference ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. *Bulletin of the Geological Survey of Great Britain*, Vol. 27, 237–269.

BGS Registration Mik(M)3006 **Type** figured  
 Locality Warlingham Borehole **County** Surrey  
 NGR TQ 347 571  
 Stratigraphy Weald Clay **Biostratigraphy** *C. dorsispinata* Zone  
 Reference ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. *Bulletin of the Geological Survey of Great Britain*, Vol. 27, 237–269.

## 2.16 GENUS *PALAEOCYTHERIDEA*

<b>Species</b> <i>pellucida</i>		<b>Author</b> (Anderson)	<b>Date</b> 1939
BGS Registration	Mik(M)526	<b>Type</b> lectotype	
Locality	Henfield No. 1 Borehole	<b>County</b> Sussex	
NGR	TQ 179 195		
Stratigraphy	Wealden		
Remarks	Anderson (1939) originally placed the species into the genus <i>Candona</i> .		
Reference	ANDERSON, F W. 1985. Ostracod faunas in the Purbeck and Weald of England. <i>Journal of Micropalaeontology</i> , Vol. 4, 1–68.		

## 2.17 GENUS *PARANOTACYTHERE*

<b>Species</b> <i>auricula</i>		<b>Author</b> (Martin)	<b>Date</b> 1961
BGS Registration	Mik(M)3269	<b>Type</b> figured	
Locality	Warlingham Borehole	<b>County</b> Surrey	
NGR	TQ 347 517		
Stratigraphy	Middle Purbeck	<b>Biostratigraphy</b> Poxwell Cycle	
Remarks	This species was erected under the genus <i>Orthonotacythere</i> . Anderson (1985) was aware of the taxonomic change, but preferred not to use <i>Paranotacythere</i> .		
Reference	ANDERSON, F W. 1985. Ostracod faunas in the Purbeck and Weald of England. <i>Journal of Micropalaeontology</i> , Vol. 4, 1–68.		

<b>Species</b> <i>cineraria</i>		<b>Author</b> (Anderson)	<b>Date</b> 1971
BGS Registration	Mik(M)3268	<b>Type</b> holotype	
Locality	Poxwell Road Cutting	<b>County</b> Dorset	
NGR	SY 742 835		
Stratigraphy	Cinder Beds, Middle Purbeck		
Remarks	This species was erected under the genus <i>Orthonotacythere</i> . Anderson (1985) was aware of the taxonomic change, but preferred not to use <i>Paranotacythere</i> .		
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		

<b>Species</b> <i>diglypta</i>		<b>Author</b> (Triebel)	<b>Date</b> 1941
BGS Registration	Mik(M)3271	<b>Type</b> figured	
Locality	Chilcomb Down (Winchester)	<b>County</b> Hampshire	
NGR	SU 511 282		
Stratigraphy	Wealden		
Remarks	Female. This species was erected under the genus <i>Orthonotacythere</i> . Anderson (1985) was aware of the taxonomic change, but preferred not to use <i>Paranotacythere</i> .		
Reference	ANDERSON, F W. 1985. Ostracod faunas in the Purbeck and Weald of England. <i>Journal of Micropalaeontology</i> , Vol. 4, 1–68.		

<b>Species</b> <i>favulata</i>		<b>Author</b> (Martin)	<b>Date</b> 1940
BGS Registration	Mik(M)3264	<b>Type</b> figured	
Locality	Netherfield Place No. 5 Borehole	<b>County</b> Sussex	
NGR	TQ 720 184		
Stratigraphy	Middle Purbeck	<b>Biostratigraphy</b> Durlston Cycle	
Remarks	This species was erected under the genus <i>Orthonotacythere</i> . Anderson (1985) was aware of the taxonomic change, but preferred not to use <i>Paranotacythere</i> .		

**Reference** ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–173.

**BGS Registration** Mik(M)3273 **Type** figured  
**Locality** Netherfield Place No. 5 Borehole **County** Sussex  
**NGR** TQ 720 184

**Stratigraphy** Middle Purbeck

**Remarks** This species was erected under the genus *Orthonotacythere*. Anderson (1985) was aware of the taxonomic change, but preferred not to use *Paranotacythere*.

**Reference** ANDERSON, F W. 1985. Ostracod faunas in the Purbeck and Weald of England. *Journal of Micropalaeontology*, Vol. 4, 1–68.

**Species *inversa*** **Subspecies *decorata*** **Author (Cornuel)** **Date 1848**

**BGS Registration** Mik(M)2412 **Type** figured  
**Locality** Atherfield **County** Isle of Wight  
**NGR** SZ 450 790

**Stratigraphy** Wealden Shales **Biostratigraphy** *C. valdensis* Zone

**Remarks** This species was erected under the genus *Orthonotacythere*. Anderson (1985) was aware of the taxonomic change, but preferred not to use *Paranotacythere*.

**Reference** ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. *Bulletin of the Geological Survey of Great Britain*, Vol. 27, 237–269.

**Species *nodosaria*** **Subspecies *decorata*** **Author (Anderson)** **Date 1971**

**BGS Registration** Mik(M)3265 **Type** holotype  
**Locality** Mountfield No. 3 Borehole **County** Sussex  
**NGR** TQ 724 187

**Stratigraphy** Middle Purbeck **Biostratigraphy** Langton Cycle

**Remarks** Female. This species was erected under the genus *Orthonotacythere*. Anderson (1985) was aware of the taxonomic change, but preferred not to use *Paranotacythere*.

**Reference** ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–173.

**Species *rimosa*** **Author (Martin)** **Date 1940**

**BGS Registration** Mik(M)3272 **Type** figured  
**Locality** Quainton **County** Buckinghamshire  
**NGR** SP 74 20

**Stratigraphy** Lower Purbeck

**Remarks** Male. This species was erected under the genus *Orthonotacythere*. Anderson (1985) was aware of the taxonomic change, but preferred not to use *Paranotacythere*.

**Reference** ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–173.

## 2.18 GENUS *PARASCHULERIDEA*

**Species *buglensis*** **Author Barker** **Date 1966**

**BGS Registration** Mik(M)724 **Type** holotype  
**Locality** Town Garden Quarry, Swindon **County** Wiltshire  
**NGR** ST 150 836  
**Stratigraphy** Upper Pebbly Beds



**Remarks** Locality TGC7 (Anderson, 1941). First illustrated as *Cytheridea politula* Jones & Sherborn by Anderson (1941). See also Anderson, 1985.

**Reference** BARKER, D. 1966. Ostracods from the Portland Beds and Purbeck Beds of the Aylesbury District. *Bulletin of the British Museum (Natural History), Geology*, Vol. 11, 457–487.

## 2.19 GENUS *PROCYTHEROPTERON*

**Species** *barkeri* **Author** Anderson **Date** 1971

**BGS Registration** Mik(M)3305 **Type** topotype

**Locality** Weedon **County** Buckinghamshire

**NGR** SP 81 18

**Stratigraphy** Lower Purbeck

**Remarks** 'Shell Marl'. See also Anderson, 1985.

**Reference** ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–173.

**BGS Registration** Mik(M)3304 **Type** holotype

**Locality** Weedon **County** Buckinghamshire

**NGR** SP 81 18

**Stratigraphy** Lower Purbeck

**Remarks** 'Shell Marl'

**Reference** ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–173.

**Species** *brodiei* **Author**(Jones) **Date** 1894

**BGS Registration** Mik(M)3306 **Type** figured

**Locality** Ashdown No. 1 Borehole **County** Sussex

**NGR** TQ 500 303

**Stratigraphy** Cinder Beds, Middle Purbeck

**Remarks** See also Anderson, 1985

**Reference** ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–173.

## 2.20 GENUS *PROTOCYTHERE*

**Species** *serpentina* **Author** (Anderson) **Date** 1941

**BGS Registration** Mik(M)723 **Type** holotype

**Locality** Town Gardens Quarry, Swindon **County** Wiltshire

**NGR** ST 151 833

**Stratigraphy** Swindon Sands and Stone

**Remarks** Locality TGB9 (Anderson, 1941). See also Anderson, 1985. This species probably fits better in the genus *Hechticythere*.

**Reference** ANDERSON, F W. 1941. Ostracoda from the Portland and Purbeck Beds at Swindon. *Proceedings of the Geologists' Association*, Vol. 51, 373–384.

## 2.21 GENUS *PSEUDOPARACYPRIDOPSIS*

**Species** *mountfieldensis* **Author** Anderson **Date** 1971

**BGS Registration** Mik(M)3282 **Type** holotype

**Locality** Chilcomb Down (Winchester) **County** Hampshire

**NGR** SU 511 282

Stratigraphy	Middle Purbeck	Biostratigraphy	Ashdown Cycle
Remarks	See also Anderson, 1985.		
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		

## 2.22 GENUS *RHINOCYPRIS*

<b>Species</b> <i>jurassica</i>		<b>Author</b> (Martin)	<b>Date</b> 1940
BGS Registration	MiK(M)3287	Type	figured
Locality	Osmington Mills	County	Dorset
NGR	SY 0 0		
Stratigraphy	Upper Purbeck or basal Wealden		
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		

<b>Species</b> <i>scabra</i>		<b>Author</b> Anderson	<b>Date</b> 1941
BGS Registration	Mik(M)730	Type	holotype
Locality	Osmington Mills Inlier	County	Dorset
NGR	SY 0 0		
Stratigraphy	Upper Purbeck or Lower Wealden Shales		
Remarks	The BGS register places this in <i>Ilyocypris jurassica</i> .		
Reference	ANDERSON, F W. 1941. Ostracoda from the Portland and Purbeck Beds at Swindon. <i>Proceedings of the Geologists' Association</i> , Vol. 51, 373–384.		

BGS Registration	Mik(M)731	Type	holotype
Locality	Town Gardens Quarry, Swindon	County	Wiltshire
NGR	ST 150 836		
Stratigraphy	Upper Pebbly Beds		
Remarks	TGC2. The BGS register places this in <i>Ilyocypris jurassica</i> .		
Reference	ANDERSON, F W. 1941. Ostracoda from the Portland and Purbeck Beds at Swindon. <i>Proceedings of the Geologists' Association</i> , Vol. 51, 373–384.		

## 2.23 GENUS *SCABRICULOCYPRIS*

<b>Species</b> <i>acanthoides</i>		<b>Author</b> Anderson	<b>Date</b> 1941
BGS Registration	Mik(M)728	Type	holotype
Locality	Town Gardens Quarry, Swindon	County	Wiltshire
NGR	ST 151 833		
Stratigraphy	Middle Pebbly Beds, Lower Purbeck		
Remarks	See also Anderson, 1971, 1985.		
Reference	ANDERSON, F W. 1941. Ostracoda from the Portland and Purbeck Beds at Swindon. <i>Proceedings of the Geologists' Association</i> , Vol. 51, 373–384.		

<b>Species</b> <i>cerastes</i>		<b>Author</b> Anderson	<b>Date</b> 1941
BGS Registration	Mik(M)729	Type	holotype
Locality	Town Gardens Quarry, Swindon	County	Wiltshire
NGR	ST 153 835		
Stratigraphy	Chara Marl, Lower Purbeck		
Remarks	See also Anderson, 1971, 1985.		
Reference	ANDERSON, F W. 1941. Ostracoda from the Portland and Purbeck Beds at Swindon. <i>Proceedings of the Geologists' Association</i> , Vol. 51, 373–384.		

**Species** *durlstonensis* **Author** Anderson **Date** 1971  
**BGS Registration** Mik(M)3216 **Type** figured  
**Locality** Chilcomb Down (Winchester) **County** Hampshire  
**NGR** SU 511 282  
**Stratigraphy** Middle Purbeck **Biostratigraphy** Nothe Cycle  
**Remarks** See also Anderson, 1971, 1985  
**Reference** ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–173.

**BGS Registration** Mik(M)3215 **Type** holotype  
**Locality** Durlston Bay **County** Dorset  
**NGR** SZ 034 777  
**Stratigraphy** Middle Purbeck **Biostratigraphy** Croyden Cycle  
**Remarks** See also Anderson, 1971, 1985  
**Reference** ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–173.

**Species** *trapezoides* **Author** Anderson **Date** 1941  
**BGS Registration** Mik(M)727 **Type** holotype  
**Locality** Town Gardens Quarry, Swindon **County** Wiltshire  
**NGR** ST 153 835  
**Stratigraphy** Chara Marls, Lower Purbeck  
**Remarks** See also Anderson, 1971, 1985  
**Reference** ANDERSON, F W. 1941. Ostracoda from the Portland and Purbeck Beds at Swindon. *Proceedings of the Geologists' Association*, Vol. 51, 373–384.

## 2.24 GENUS *STENESTROMEIA*

**Species** *cressida* **Author** Anderson **Date** 1971  
**BGS Registration** Mik(M)2402 **Type** holotype  
**Locality** Kingsclere No. 1 Borehole **County** Hampshire  
**NGR** SU 499 581  
**Stratigraphy** Grinstead Clay, Wealden **Biostratigraphy** Grinstead Cycle  
**Remarks** See also Anderson, 1985  
**Reference** ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–173.

**Species** *decipiens* **Author** (Anderson) **Date** 1941  
**BGS Registration** Mik(M)735 **Type** figured  
**Locality** Town Gardens Quarry, Swindon **County** Wiltshire  
**NGR** ST 150 836  
**Stratigraphy** Upper Pebbly Beds, ?basal Purbeck  
**Remarks** See also Anderson, 1985  
**Reference** ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–173.

**BGS Registration** Mik(M)734 **Type** holotype  
**Locality** Town Gardens Quarry, Swindon **County** Wiltshire  
**NGR** ST 150 836  
**Stratigraphy** Upper Pebbly Beds  
**Remarks** Originally placed in the genus '*Cytherella*?'  
**Reference** ANDERSON, F W. 1941. Ostracoda from the Portland and Purbeck Beds at Swindon. *Proceedings of the Geologists' Association*, Vol. 51, 373–384.

<b>Species</b> <i>fragilis</i>		<b>Author</b> (Martin)	<b>Date</b> 1940
<b>BGS Registration</b>	Mik(M)3289	<b>Type</b>	figured
<b>Locality</b>	Durlston Bay	<b>County</b>	Dorset
<b>NGR</b>	SZ 034 777		
<b>Stratigraphy</b>	Cinder Beds, Middle Purbeck		
<b>Remarks</b>	See also Anderson, 1985		
<b>Reference</b>	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		

## 2.25 GENUS *STERNBERGELLA*

<b>Species</b> <i>cornigera</i>		<b>Author</b> (Jones)	<b>Date</b> 1888
<b>BGS Registration</b>	Mik(M)2392	<b>Type</b>	figured
<b>Locality</b>	Atherfield	<b>County</b>	Isle of Wight
<b>NGR</b>	SZ 450 790		
<b>Stratigraphy</b>	Wealden Shales	<b>Biostratigraphy</b>	<i>C. valdensis</i> Zone
<b>Reference</b>	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , Vol. 27, 237–269.		

<b>BGS Registration</b>	Mik(M)1013	<b>Type</b>	lectotype
<b>Locality</b>	Atherfield	<b>County</b>	Isle of Wight
<b>NGR</b>	SZ 450 790		
<b>Stratigraphy</b>	Wealden Shales		
<b>Remarks</b>	See also Anderson 1985		
<b>Reference</b>	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , Vol. 27, 237–269.		

<b>BGS Registration</b>	Mik(M)2393	<b>Type</b>	figured
<b>Locality</b>	Atherfield	<b>County</b>	Isle of Wight
<b>NGR</b>	SZ 450 790		
<b>Stratigraphy</b>	Wealden Shales	<b>Biostratigraphy</b>	<i>C. valdensis</i> Zone
<b>Remarks</b>	Male		
<b>Reference</b>	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , Vol. 27, 237–269.		

<b>BGS Registration</b>	Mik(M)2391	<b>Type</b>	figured
<b>Locality</b>	Atherfield	<b>County</b>	Isle of Wight
<b>NGR</b>	SZ 450 790		
<b>Stratigraphy</b>	Wealden Shales	<b>Biostratigraphy</b>	<i>C. valdensis</i> Zone
<b>Reference</b>	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , Vol. 27, 237–269.		

<b>BGS Registration</b>	Mik(M)2388	<b>Type</b>	figured
<b>Locality</b>	Atherfield	<b>County</b>	Isle of Wight
<b>NGR</b>	SZ 450 790		
<b>Stratigraphy</b>	Wealden Shales	<b>Biostratigraphy</b>	<i>C. valdensis</i> Zone
<b>Remarks</b>	Juvenile female according to Anderson (1967)		
<b>Reference</b>	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , Vol. 27, 237–269.		

<b>BGS Registration</b>	Mik(M)2389	<b>Type</b>	figured
<b>Locality</b>	Atherfield	<b>County</b>	Isle of Wight

NGR SZ 450 790  
 Stratigraphy Wealden Shales **Biostratigraphy** *C. valdensis* Zone  
 Remarks Female  
 Reference ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. *Bulletin of the Geological Survey of Great Britain*, Vol. 27, 237–269.

BGS Registration Mik(M)2394 **Type** figured  
 Locality Atherfield **County** Isle of Wight  
 NGR SZ 450 790  
 Stratigraphy Wealden Shales **Biostratigraphy** *C. valdensis* Zone  
 Remarks Female  
 Reference ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. *Bulletin of the Geological Survey of Great Britain*, Vol. 27, 237–269.

BGS Registration Mik(M)2390 **Type** figured  
 Locality Atherfield **County** Isle of Wight  
 NGR SZ 450 790  
 Stratigraphy Wealden Shales **Biostratigraphy** *C. valdensis* Zone  
 Reference ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. *Bulletin of the Geological Survey of Great Britain*, Vol. 27, 237–269.

## 2.26 GENUS *STILLINA*

**Species** *arkelli* **Author** Anderson **Date** 1971  
 BGS Registration Mik(M)3267 **Type** holotype  
 Locality Warlingham Borehole **County** Surrey  
 NGR TQ 347 517  
 Stratigraphy Cinder Beds, Middle Purbeck  
 Remarks See also Anderson, 1985.  
 Reference ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–173.

## 2.27 GENUS *THERIOSYNOECUM*

**Species** *alleni* **Author** (Pinto and Sanguinetti) **Date** 1962  
 BGS Registration Mik(M)2958 **Type** figured  
 Locality Chilcomb Down (Winchester) **County** Hampshire  
 NGR SU 511 282  
 Stratigraphy Wadhurst Clay **Biostratigraphy** Wadhurst Cycle  
 Remarks Female  
 Reference ANDERSON, F W. 1985. Ostracod faunas in the Purbeck and Weald of England. *Journal of Micropalaeontology*, Vol. 4, 1–68.

**Species** *fittoni* **Author** Mantell **Date** 1844  
 BGS Registration Mik(M)385012 **Type** figured  
 Locality Cuckmere Brick Pit, Berwick **County** Sussex  
 NGR TQ 52 07  
 Stratigraphy Weald Clay  
 Remarks 'Growth stage 10'. Male. The two pits at Cuckmere are at TQ 5265 0765 and 5255 0700, but which was sampled is not clear. Fifteen feet below the base Atherfield Clay.  
 Reference SOHN, I G. and ANDERSON, F W. 1964. The ontogeny of *Theriosynoecum fittoni* (Mantell). *Palaeontology*, Vol. 7, 72–84.

<b>BGS Registration</b>	Mik(M)338062	<b>Type</b>	figured
<b>Locality</b>	Cuckmere Brick Pit, Berwick	<b>County</b>	Sussex
<b>NGR</b>	TQ 52 07		
<b>Stratigraphy</b>	Weald Clay		
<b>Remarks</b>	'Growth stage 6'. The two pits at Cuckmere are at TQ 5265 0765 and 5255 0700, but which was sampled is not clear. Fifteen feet below the base of Atherfield Clay.		
<b>Reference</b>	SOHN, I G. and ANDERSON, F W. 1964. The ontogeny of <i>Theriosynoecum fittoni</i> (Mantell). <i>Palaeontology</i> , Vol. 7, 72–84.		
<b>BGS Registration</b>	Mik(M)388042	<b>Type</b>	figured
<b>Locality</b>	Cuckmere Brick Pit, Berwick	<b>County</b>	Sussex
<b>NGR</b>	TQ 52 07		
<b>Stratigraphy</b>	Weald Clay		
<b>Remarks</b>	'Growth stage 5'. The two pits at Cuckmere are at TQ 5265 0765 and 5255 0700, but which was sampled is not clear. Fifteen feet below the base of Atherfield Clay.		
<b>Reference</b>	SOHN, I G. and ANDERSON, F W. 1964. The ontogeny of <i>Theriosynoecum fittoni</i> (Mantell). <i>Palaeontology</i> , Vol. 7, 72–84.		
<b>BGS Registration</b>	Mik(M)388040	<b>Type</b>	figured
<b>Locality</b>	Cuckmere Brick Pit, Berwick	<b>County</b>	Sussex
<b>NGR</b>	TQ 52 07		
<b>Stratigraphy</b>	Weald Clay		
<b>Remarks</b>	'Growth stage 7'. The two pits at Cuckmere are at TQ 5265 0765 and 5255 0700, but which was sampled is not clear. Fifteen feet below the base of Atherfield Clay.		
<b>Reference</b>	SOHN, I G. and ANDERSON, F W. 1964. The ontogeny of <i>Theriosynoecum fittoni</i> (Mantell). <i>Palaeontology</i> , Vol. 7, 72–84.		
<b>BGS Registration</b>	Mik(M)385100	<b>Type</b>	figured
<b>Locality</b>	Cuckmere Brick Pit, Berwick	<b>County</b>	Sussex
<b>NGR</b>	TQ 52 07		
<b>Stratigraphy</b>	Weald Clay		
<b>Remarks</b>	'Growth stage 9'. The two pits at Cuckmere are at TQ 5265 0765 and 5255 0700, but which was sampled is not clear. Fifteen feet below the base of Atherfield Clay.		
<b>Reference</b>	SOHN, I G. and ANDERSON, F W. 1964. The ontogeny of <i>Theriosynoecum fittoni</i> (Mantell). <i>Palaeontology</i> , Vol. 7, 72–84.		
<b>BGS Registration</b>	Mik(M)1130093	<b>Type</b>	figured
<b>Locality</b>	Warlingham Borehole	<b>County</b>	Surrey
<b>NGR</b>	TQ 347 571		
<b>Stratigraphy</b>	Weald Clay		
<b>Remarks</b>	Incorrectly given as Mik(M)113093 in Sohn & Anderson (1964)		
<b>Reference</b>	SOHN, I G. and ANDERSON, F W. 1964. The ontogeny of <i>Theriosynoecum fittoni</i> (Mantell). <i>Palaeontology</i> , Vol. 7, 72–84.		
<b>BGS Registration</b>	Mik(M)387082	<b>Type</b>	figured
<b>Locality</b>	Cuckmere Brick Pit, Berwick	<b>County</b>	Sussex
<b>NGR</b>	TQ 52 07		
<b>Stratigraphy</b>	Weald Clay		
<b>Remarks</b>	'Growth stage 8'. The two pits at Cuckmere are at TQ 5265 0765 and 5255 0700, but which was sampled is not clear. Fifteen feet below the base of Atherfield Clay.		

Reference	SOHN, I G. and ANDERSON, F W. 1964. The ontogeny of <i>Theriosynoecum fittoni</i> (Mantell). <i>Palaeontology</i> , Vol. 7, 72–84.		
BGS Registration	Mik(M)637060	Type	figured
Locality	Warlingham Borehole	County	Surrey
NGR	TQ 347 517		
Stratigraphy	Weald Clay		
Remarks	'Growth stage 2'		
Reference	SOHN, I G. and ANDERSON, F W. 1964. The ontogeny of <i>Theriosynoecum fittoni</i> (Mantell). <i>Palaeontology</i> , Vol. 7, 72–84.		
BGS Registration	Mik(M)3002	Type	figured
Locality	Ringwould Borehole	County	Kent
NGR	TR 352 481		
Stratigraphy	Weald Clay	Biostratigraphy	<i>C. valdensis</i> Zone
Reference	ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. <i>Bulletin of the Geological Survey of Great Britain</i> , Vol. 27, 237–269.		
BGS Registration	Mik(M)386067	Type	figured
Locality	Cuckmere Brick Pit, Berwick	County	Sussex
NGR	TQ 52 07		
Stratigraphy	Weald Clay		
Remarks	'Growth stage 3'. The two pits at Cuckmere are at TQ 5265 0765 and 5255 0700, but which was sampled is not clear. Fifteen feet below the base of Atherfield Clay.		
Reference	SOHN, I G. and ANDERSON, F W. 1964. The ontogeny of <i>Theriosynoecum fittoni</i> (Mantell). <i>Palaeontology</i> , Vol. 7, 72–84.		
BGS Registration	Mik(M)388064	Type	figured
Locality	Cuckmere Brick Pit, Berwick	County	Sussex
NGR	TQ 52 07		
Stratigraphy	Weald Clay	Biostratigraphy	
Remarks	'Growth stage 4'. The two pits at Cuckmere are at TQ 5265 0765 and 5255 0700, but which was sampled is not clear. Fifteen feet below the base of Atherfield Clay.		
Reference	SOHN, I G. and ANDERSON, F W. 1964. The ontogeny of <i>Theriosynoecum fittoni</i> (Mantell). <i>Palaeontology</i> , Vol. 7, 72–84.		
BGS Registration	Mik(M)4498	Type	figured
Locality	Ringwould Borehole	County	Kent
NGR	TR 352 481		
Stratigraphy	Upper Weald Clay		
Reference	ANDERSON, F W. 1985. Ostracod faunas in the Purbeck and Weald of England. <i>Journal of Micropalaeontology</i> , Vol. 4, 1–68.		
BGS Registration	Mik(M)1905	Type	lectotype
Locality	Punfield Cove, Swanage Bay	County	Dorset
NGR	SZ 039 810		
Stratigraphy	Wealden Shales		
Remarks	Female. Sohn and Anderson (1964) placed this in Mik(M)644037.		
Reference	ANDERSON, F W. 1985. Ostracod faunas in the Purbeck and Weald of England. <i>Journal of Micropalaeontology</i> , Vol. 4, 1–68.		

BGS Registration	Mik(M)644059	Type	figured
Locality	St Margaret's Bay Borehole	County	Kent
NGR	TR 367 442		
Stratigraphy	Weald Clay		
Remarks	6" below base of Atherfield Clay		
Reference	SOHN, I G. and ANDERSON, F W. 1964. The ontogeny of <i>Theriosynoecum fittoni</i> (Mantell). <i>Palaeontology</i> , Vol. 7, 72–84.		
BGS Registration	Mik(M)644037	Type	figured
Locality	St Margaret's Bay Borehole	County	Kent
NGR	TR 367 442		
Stratigraphy	Weald Clay		
Remarks	6" below base of Atherfield Clay		
Reference	Sohn, I G. and Anderson, F W. 1964. The ontogeny of <i>Theriosynoecum fittoni</i> (Mantell). <i>Palaeontology</i> , Vol. 7, 72–84.		
<b>Species <i>forbesi</i></b>	<b>Subspecies <i>forbesi</i></b>	<b>Author (Jones)</b>	<b>Date 1855</b>
BGS Registration	Mik(M)3294	Type	figured
Locality	Ridgeway	County	Dorset
NGR	SY 671 851		
Stratigraphy	Middle Purbeck		
Remarks	See Anderson, 1985		
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
BGS Registration	Mik(M)3293	Type	figured
Locality	Friar Waddon, Upwey	County	Dorset
NGR	SY 638 852		
Stratigraphy	Middle Purbeck Chert Bed		
Remarks	Referred to as <i>forbesii</i> by Anderson (1971)		
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
<b>Species <i>forbesi</i></b>	<b>Subspecies <i>verrucosa</i></b>	<b>Author (Jones)</b>	<b>Date 1855</b>
BGS Registration	Mik(M)3295	Type	figured
Locality	Ridgeway	County	Dorset
NGR	SY 671 851		
Stratigraphy	Middle Purbeck		
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		
BGS Registration	Mik(M)3296	Type	figured
Locality	Ridgeway	County	Dorset
NGR	SY 671 851		
Stratigraphy	Middle Purbeck		
Remarks	See also Anderson, 1985. Anderson (1971) placed this subspecies into species <i>forbesii</i>		
Reference	ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II. The Ostracods. <i>Bulletin of the Geological Survey of Great Britain</i> , No. 34, 27–173.		



## 2.28 GENUS *TIMIRIASEVA*

<b>Species</b> <i>punctata</i>		<b>Author</b> Clements	<b>Date</b> 1973
BGS Registration	Mik(M)3322	Type	figured
Locality	Warbarrow Bay	County	Dorset
NGR	SY 86 79		
Stratigraphy	Lower Purbeck		
Remarks	Assigned to <i>Timiriasevia</i> cf. <i>mackerrowi</i> Bate by Anderson (1971). Registers give the locality as Warbarrow Bay, but Anderson (1971, 1985) gives the locality as Mountfield No.4 Borehole.		
Reference	ANDERSON, F W. 1985. Ostracod faunas in the Purbeck and Weald of England. <i>Journal of Micropalaeontology</i> , Vol. 4, 1–68.		

## 2.29 GENUS *WOLBURGIA*

<b>Species</b> <i>atherfieldensis</i>		<b>Author</b> Anderson	<b>Date</b> 1966
BGS Registration	Mik(M)674	Type	topotype
Locality	Atherfield	County	Isle of Wight
NGR	SZ 450 790		
Stratigraphy	Weald Shales (uppermost Wealden)		
Reference	ANDERSON, F W. 1966. New genera of Purbeck and Wealden Ostracoda. <i>Bulletin of the British Museum (Natural History), Geology</i> , Vol. 11, No. 9, 435–446.		

BGS Registration	Mik(M)673	Type	holotype
Locality	Atherfield	County	Isle of Wight
NGR	SZ 450 790		
Stratigraphy	Weald Shales (uppermost Wealden)		
Remarks	See also Anderson, 1985.		
Reference	ANDERSON, F W. 1966. New genera of Purbeck and Wealden Ostracoda. <i>Bulletin of the British Museum (Natural History), Geology</i> , Vol. 11, No. 9, 435–446.		

<b>Species</b> <i>polyphema</i>		<b>Author</b> Anderson	<b>Date</b> 1966
BGS Registration	Mik(M)2488	Type	holotype
Locality	Mountfield No. 4 Borehole	County	Sussex
NGR	TQ 728 190		
Stratigraphy	Lower Purbeck, Hard Cockle		
Remarks	See also Anderson 1985.		
Reference	ANDERSON, F W. 1966. New genera of Purbeck and Wealden Ostracoda. <i>Bulletin of the British Museum (Natural History), Geology</i> , Vol. 11, No.9, 435–446.		

<b>Species</b> <i>tavola</i>		<b>Author</b> Anderson	<b>Date</b> 1966
BGS Registration	Mik(M)2487	Type	holotype
Locality	Chilcomb Down (Winchester)	County	Hampshire
NGR	SU 511 282		
Stratigraphy	Upper Purbeck (basal beds)		
Remarks	See also Anderson, 1985.		
Reference	ANDERSON, F W. 1966. New genera of Purbeck and Wealden Ostracoda. <i>Bulletin of the British Museum (Natural History), Geology</i> , Vol. 11, No.9, 435–446.		

<b>Species</b> <i>visceralis</i>		<b>Author</b> (Anderson)	<b>Date</b> 1941
<b>BGS Registration</b>	Mik(M)722	<b>Type</b> holotype	
<b>Locality</b>	Town Gardens Quarry, Swindon	<b>County</b> Wiltshire	
<b>NGR</b>	ST 151 833		
<b>Stratigraphy</b>	Lower Purbeck, Swindon		
<b>Remarks</b>	See also Anderson, 1985.		
<b>Reference</b>	ANDERSON, F W. 1966. New genera of Purbeck and Wealden Ostracoda. <i>Bulletin of the British Museum (Natural History), Geology</i> , Vol. 11, No.9, 435–446.		

## Glossary

*Ostracoda* Small (usually less than about 1 mm) crustacea with a bivalved carapace constructed of calcium carbonate and organic material.

*Purbeck* Deposits comprising essentially limestones and sandstones that accumulated during the very latest Jurassic, Berriasian and Valanginian in southern England.

*Wealden* Deposits of predominantly sand and clay that accumulated in non-marine conditions in southern England during the early Cretaceous (Valanginian-Barremian).

## References

- ANDERSON, F W. 1939. Wealden and Purbeck Ostracoda. *Annals and Magazine of Natural History*, Ser. II, Vol. 3, 291–310.
- ANDERSON, F W. 1941. Ostracoda from the Portland and Purbeck beds at Swindon. *Proceedings of the Geologists' Association*, Vol. 51, 373–384.
- ANDERSON, F W. 1962. Correlation of the Upper Purbeck Beds of England with the German Wealden. *Liverpool and Manchester Geological Journal*, Vol. 3, 21–32.
- ANDERSON, F W. 1966. New genera of Purbeck and Wealden Ostracoda. *Bulletin of the British Museum (Natural History), Geology*, Vol. 11, No. 9, 435–446.
- ANDERSON, F W. 1967a. The sedimentary and faunal sequence of the Wadhurst Clay (Wealden) in boreholes at Wadhurst Park, Sussex. *Bulletin of the Geological Survey of Great Britain*, No. 27, 171–235.
- ANDERSON, F W. 1967b. Ostracods from the Weald Clay of England. *Bulletin of the Geological Survey of Great Britain*, No. 27, 237–269.
- ANDERSON, F W. 1971. The Purbeck Beds of the Weald (England). Part II: The Ostracods. *Bulletin of the Geological Survey of Great Britain*, No. 34, 27–173.
- ANDERSON, F W. 1985. Ostracod faunas in the Purbeck and Wealden of England. *Journal of Micropalaeontology*, Vol. 4, 1–68.
- BARKER, D. 1966. Ostracods from the Portland Beds and Purbeck Beds of the Aylesbury District. *Bulletin of the British Museum (Natural History), Geology*, Vol. 11, 457–487.
- HORNE, D J. 1995. A revised ostracod biostratigraphy for the Purbeck–Weald of England. *Cretaceous Research*, Vol. 16, 639–663.
- KILENYI, T. and NEALE, J W. 1978. The Purbeck/Weald. In: BATE, R H, and ROBINSON, E. (eds) *A Stratigraphical Index of British Ostracoda*, Geological Journal Special Issue, Vol. 8, 299–324. (Liverpool: Seel House Press.)
- SYLVESTER-BRADLEY, P C. 1949. The ostracod genus *Cypridea* and the zones of the Upper and Middle Purbeckian. *Proceedings of the Geologists' Association*, Vol. 60, 125–153.
- SOHN, I G and ANDERSON, F W. 1964. The ontogeny of *Theriosynoecum fittoni* (Mantell). *Palaeontology*, Vol. 7, 72–84.