# SOUTHAMPTON OCEANOGRAPHY CENTRE

# **CRUISE REPORT No. 40**

# RRS *CHARLES DARWIN* CRUISE 126 11 MAR - 20 MAR 2001

Piston coring of debris flows and turbidites west and south of the Canary Islands

**Principal Scientist** 

**D** G Masson

2002

Challenger Division for Seafloor Processes Southampton Oceanography Centre University of Southampton Waterfront Campus European Way Southampton Hants SO14 3ZH UK

Tel: +44 (0)23 8059 6568 Fax: +44 (0)23 8059 6554 Email: dgm@soc.soton.ac.uk

# DOCUMENT DATA SHEET

AUTHOR		PUBLICATION					
MASSON, D G et al		DATE					
MASSON, D'G' et al		2002					
TITLE							
RRS Charles Darwin Ci	uise 126, 11 Mar-20 Mar 2001. Piston c	oring of debris flows and					
turbidites west and sout	h of the Canary Islands.						
REFERENCE							
	raphy Centre Cruise Report, No. 40, 15p	p.					
ABSTRACT							
	ive was to obtain sediment cores at vario	ous locations to the west and					
southwest of the Canary	y Islands with the aims of :						
<ul> <li>Sampling debris</li> </ul>	<ul> <li>Sampling debris flow sediments in the Canary and Saharan debris flows</li> </ul>						
Obtaining datea	• Obtaining dateable sediments immediately above and below the debris flow sediments						
<ul> <li>Sampling turbidite sediments associated with the debris flows</li> </ul>							
<ul> <li>Sampling sediments on either flank of a sediment wave west of La Palma</li> </ul>							
localities where downslo	ed to video footage, using the SHRIMP towed of ope sediment transport was believed to b ployments of the SOC Scatterometer sys	e active at the present day, and					
• obtain seabed v localities where downsk undertake some test de	video footage, using the SHRIMP towed oppe sediment transport was believed to be ployments of the SOC Scatterometer systems	e active at the present day, and stem					
obtain seabed with the se	video footage, using the SHRIMP towed of ope sediment transport was believed to be ployments of the SOC Scatterometer system o	e active at the present day, and stem					
obtain seabed w     localities where downsk     undertake some test de     KEYWORDS	video footage, using the SHRIMP towed of ope sediment transport was believed to be ployments of the SOC Scatterometer system o	e active at the present day, and stem					
<ul> <li>obtain seabed will</li> <li>localities where downske</li> <li>undertake some test de</li> </ul> KEYWORDS Canary Island waters, SHRIMP, turbidites,	video footage, using the SHRIMP towed of ope sediment transport was believed to be ployments of the SOC Scatterometer system o	e active at the present day, and stem					
<ul> <li>obtain seabed will localities where downske undertake some test de will be will b</li></ul>	video footage, using the SHRIMP towed of ope sediment transport was believed to be ployments of the SOC Scatterometer system o	e active at the present day, and stem					
<ul> <li>obtain seabed will localities where downske undertake some test de windertake some test de KEYWORDS</li> <li>Canary Island waters, SHRIMP, turbidites,</li> </ul>	video footage, using the SHRIMP towed of ope sediment transport was believed to be ployments of the SOC Scatterometer system o	e active at the present day, and stem					
<ul> <li>obtain seabed will localities where downske undertake some test de windertake some test de KEYWORDS</li> <li>Canary Island waters, SHRIMP, turbidites,</li> </ul>	video footage, using the SHRIMP towed of ope sediment transport was believed to be ployments of the SOC Scatterometer system o	e active at the present day, and stem					
<ul> <li>obtain seabed will localities where downske undertake some test de windertake some test de KEYWORDS</li> <li>Canary Island waters, SHRIMP, turbidites,</li> </ul>	video footage, using the SHRIMP towed of ope sediment transport was believed to be ployments of the SOC Scatterometer syst <i>Charles Darwin</i> , cruise 126 2001, de underwater camera, videotape recordi Southampton Oceanography Centre Empress Dock	e active at the present day, and stem					
obtain seabed with the se	video footage, using the SHRIMP towed of ope sediment transport was believed to be ployments of the SOC Scatterometer syst <i>Charles Darwin</i> , cruise 126 2001, de underwater camera, videotape recordi Southampton Oceanography Centre Empress Dock European Way Southampton SO14 3ZH UK	e active at the present day, and stem					
obtain seabed will localities where downske undertake some test de undertake some test de KEYWORDS     Canary Island waters, SHRIMP, turbidites, ISSUING ORGANISATION	video footage, using the SHRIMP towed of ope sediment transport was believed to be ployments of the SOC Scatterometer syst <i>Charles Darwin</i> , cruise 126 2001, de underwater camera, videotape recordi Southampton Oceanography Centre Empress Dock European Way Southampton SO14 3ZH UK C LIBRARY, SOC	e active at the present day, and stem					

# **CONTENTS**

SCIENTIFIC PERSONNEL	7
SHIPS PERSONNEL	7
ITINERARY	9
CRUISE OBJECTIVES	9
NARRATIVE	9
SUMMARY OF RESULTS	12
TABLE 1. CD 126 Station locations	13
FIG. 1 General location map for CD 126	14
FIG. 2 Track chart/station location map for CD126	15

## SCIENTIFIC PERSONNEL

MASSON, D.G.	Principal Scientist	Southampton Oceanography Centre
WYNN, R.B.		Southampton Oceanography Centre
JACOBS, C.L.		Southampton Oceanography Centre
GEE, M.R.J.		Southampton Oceanography Centre
ROGERSON, M.		Southampton Oceanography Centre
GRIGOROV, I.K.		Southampton Oceanography Centre
CHOWDHURY, S.		Southampton Oceanography
Centre		
KEOGH, R.T.		UKORS
PHIPPS, R.A.		UKORS
FLEWELLEN, C.G.		UKORS
BRIDGER, M.J.		UKORS
ROBERTS, R.		UKORS

#### SHIPS PERSONNEL

AVERY, K.O. GAULD, P.D. GRAVES, M.H. HOLMES, J.C. ADAMS, A.P. McDONALD, B.J. CLARKE, J.R.C. HEALY, A. BAKER, J.G.L. POOK, G.A. HARRISON, M.A. ALLISON, P. DALE, J.E. JOHNSON, R. PERKINS, J.R. SEARLE, P.G.C. BELL, R. LYNCH, P.A. DUNCAN, A.S. LINK, S.E.M. LINK, W.J.T.

Master

## ITINERARY

Scientific party embarked by boat transfer, Funchal, Madeira Arrived Santa Cruz, Tenerife Sunday, 11th March Tuesday, 20th March

### **CRUISE OBJECTIVES**

The major cruise objective was to obtain sediment cores at various locations to the west and southwest of the Canary Islands with the aims of :

- Sampling debris flow sediments in the Canary and Saharan debris flows
- Obtaining dateable sediments immediately above and below the debris flow sediments
- Sampling turbidite sediments associated with the debris flows
- Sampling sediments on either flank of a sediment wave west of La Palma

In addition, it was planned to

- obtain seabed video footage, using the SHRIMP towed camera station, at several localities where downslope sediment transport was believed to be active at the present day, and
- undertake some test deployments of the SOC Scatterometer system

### NARRATIVE (ALL TIMES ARE UTC)

#### 11th March 2001 (Julian Day 070)

0930. Scientific party embarked by boat transfer at Funchal, Madeira. Vessel had been delayed by one day due to the necessity of landing a sick seaman in La Corunna, Spain, while on passage to Madeira

1355-1400. Echosounder and 3.5 kHz fish were deployed

1400-1930. Passage to first coring station

1930. On station at coring station CD126/01

2218. Corer triggered at 31° 27.04'N, 17° 00.43'W

## 12th March 2001 (Day 071)

0045. Corer on deck. End station CD126/01

0045-0813. Passage to coring station CD126/02

0813. On station CD126/02

1201. Corer triggered at 30° 59.55'N, 18° 01.00'W

1418. Corer on deck. End station CD126/02

1555-2359. Passage to coring station CD126/03

#### 13th March 2001 (Day 072)

0000-0227. Continue passage to coring station CD126/03

0227-0335. 3.5 kHz survey of station CD126/03

0335-2359. Hove to due to bad weather

#### 14th March 2001 (Day 073)

- 0000-0838. Hove to due to bad weather
- 0838. Weather improved sufficiently to restart coring operations. On coring station CD126/03
- 1314. Corer triggered at 29° 05.14'N, 18° 15.81'W
- 1521. Corer on deck. End station CD126/03
- 1611-1645. Passage to coring station CD126/04.
- 1649. On station CD126/04
- 1929. Corer triggered at 29° 04.65'N, 18° 15.55'W
- 2112. Corer on deck. End station CD126/04
- 2209-2359. Passage to station CD126/05

#### 15th March 2001 (Day 074)

- 0000-0445. Passage to coring station CD126/05
- 0445-1220. 3.5 kHz survey in vicinity of station CD126/05
- 1220. On station CD126/05
- 1448. Corer triggered at 28° 52.55'N, 19° 56.15'W
- 1645. Corer on deck
- 1658. End station CD126/05
- 1658-1913. Passage to coring station CD126/06
- 1913. On station CD126/06
- 2132. Corer triggered at 28° 53.46'N, 19° 56.15'W
- 2321. Corer on deck. End station CD126/06
- 2321-2309. Passage to camera station CD126/07

#### 16th March 2001 (Day 075)

- 0000-1019. Passage to camera station CD126/07
- 1115. SHRIMP camera system deployed
- 1242-1448. Camera system operation near seabed
- 1317. Deployed Scatterometer on port side, using crane
- 1448-1542. Performing tests on camera system. Begin recovery of SHRIMP
- 1550. Scatterometer inboard
- 1630. Damage to conducting cable (broken strands on cable armouring) noted during recovery
- 1730. Shrimp inboard. End station CD126/07
- 1740-1937. Passage to coring station CD126/08
- 1942. On station CD126/08
- 2149. Corer triggered at 27° 18.92'N, 18° 17.95'W
- 2316. Corer on deck. End station CD126/08
- 2324-2359. Passage to coring station CD126/09

17th March 2001 (Day 076)

- 0000-0104. Passage to coring station CD126/09
- 0104-0236. 3.5 kHz survey in vicinity of station CD126/09

- 0236. On station CD126/09
- 0427. Corer triggered at 27° 15.33'N, 18° 38.84'W
- 0555. Corer inboard. End station CD126/09
- 0626-0642. Passage to coring station CD126/10
- 0832. On station CD126/10
- 1012. Corer triggered at 27° 14.21'N, 18° 39.00'W
- 1148. Corer inboard. End station CD126/10
- 1218-1434. 3.5 kHz survey en route to coring station CD126/11
- 1528. On station CD126/11
- 1741. Corer triggered at 27° 02.39'N, 18° 29.02'W
- 1742-2359. Corer stuck in seabed. Manoeuvring around core site at distances of 800-1500 m to free corer.

#### 18th March 2001 (Day 077)

- 0000-0448. Corer still stuck in seabed. Manoeuvring around core site at distances up to 2000 m to free corer. Corer released with maximum pullout force of 8.2 t.
- 0642. Corer inboard. End station CD126/11
- 0645-0945. 3.5 kHz survey en route to coring station 12
- 1012. On station CD126/12
- 1210. Corer triggered at 26° 41.97'N, 18° 15.04'W
- 1342. Corer inboard. End station CD126/12
- 1345-1650. 3.5 kHz survey en route to coring station CD126/13
- 1717. On station CD126/13
- 1912. Corer triggered at 26° 23.80'N, 17° 58.73'W
- 2048. Corer inboard. End station CD126/13
- 2052-2359. Passage to coring station CD126/14

#### 19th March 2001 (Day 078)

- 0000-0048. Continue passage to coring station CD126/14
- 0048-0224. 3.5 kHz survey in vicinity of coring station CD126/14
- 0308. On station CD126/14
- 0520. Corer triggered at 27° 06.83'N, 17° 56.88'W
- 0700. Corer inboard. End station CD126/14
- 0710-0936. Passage to scatterometer trial site (CD126/15) in shelter of El Hierro island
- 1004-1508. On station CD126/15. Scatterometer trial
- 1645-1845. Passage to coring station CD126/16
- 1845. On station CD126/16
- 2036. Corer triggered at 27° 29.71'N, 17° 26.30'W
- 2201. Corer inboard. End station CD126/16
- 2215. Begin passage to Tenerife
- 2303-2318. Hove to recover echosounder and 3.5 kHz fish
- 2319-2359. Continue passage to Tenerife

# 20th March 2001 (Day 079)

0000-0900. Passage to Santa Cruz, Tenerife

# SUMMARY OF RESULTS

This was a short but successful cruise. Fourteen coring stations were occupied, with core material recovered on every attempt. Cores were not opened on board, but subsequent laboratory work indicates that the recovered sediments should allow most of the cruise objectives to be addressed. Seabed photography and scatterometer tests were limited by the failure of the conducting cable. However, initial tests of the scatterometer were encouraging.

# TABLES

### Table 1. CD 126 Station locations

Station No	Station type	Latitude	Longitude	Water depth (m)	Pullout (t)	Core length (m)	Trigger core (m)	Target
1	Piston core	31° 27.25'N	17°00.43'W	4454	6.45	5.58	1.10	Turbidites in western Agadir Basin
2	Piston core	30° 59.55'N	18° 00.58'W	4566	6.54	5.19	1.10	
								Turbidites on north Canary slope/rise
3	Piston core	29°05.02'N	18° 15.89'W	3820	6.99	8.52	1.47	Sediment wave field
4	Piston core	29°04.65'N	18° 15.54'W	3808	6.31	8.14	1.47	Sediment wave field
5	Piston core	28°52.55'N	19°56.15'W	4520	6.35	8.52	0.66	Edge of Canary debris flow
6	Piston core	28° 53.46'N	19° 56.15'W	4540	7.90	5.81	1.27	Edge of Canary debris flow
7 (start)	SHRIMP	27°32.09'N	18°11.14'W	3130	-	-	-	Bedforms on El Julan embayment
7 (end)	SHRIMP	27°33.20'N	18°08.96'W	3000	-	-	-	Bedforms on El Julan embayment
8	Piston core	27° 18.92'N	18°17.95'W	3731	7.50	3.31	1.47	Drape over El Julan landslide
9	Piston core	27° 15.33'N	18°38.84'W	3880	6.10	4.91	1.36	South edge of Saharan debris flow
10	Piston core	27°14.21'N	18°39.00'W	3876	5.80	1.50	1.33	Just off Saharan debris flow
11	Piston core	27°02.39'N	18°29.02'W	3814	8.20	5.96	1.47	South edge of Saharan debris flow
12	Piston core	26° 41.97'N	18°15.04'W	3705	5.71	5.47	1.25	South edge of Saharan debris flow
13	Piston core	26°23.80'N	17° 58.73'W	3626	5.40	5.52	1.07	South edge of Saharan debris flow
14	Piston core	27°06.83'N	17°56.88'W	3793	5.70	4.44	0.87	North edge of Saharan debris flow
15	Scatterometer	27°33.05'N	17°57.84'W	1021	-	-	-	Scatterometer trial
16	Piston core	27°29.71'N	17°26.70'W	3653	5.86	5.25	0.89	Drape over Las Playas debris avalanche

### FIGURES




Fig. 1. General location map for CD 126




Fig. 2. Track chart and station location map for CD 126. For general location map see Fig. 1.