



**British  
Geological Survey**

NATURAL ENVIRONMENT RESEARCH COUNCIL

# Measurement of Gravity at the Viking Gas Terminal, Theddlethorpe St Helen, Lincolnshire

Engineering Geology Programme

Commissioned Research Report CR/14/085



BRITISH GEOLOGICAL SURVEY

ENGINEERING GEOLOGY PROGRAMME

COMMISSIONED RESEARCH REPORT CR/14/085

# Measurement of Gravity at the Viking Gas Terminal, Theddlethorpe St Helen, Lincolnshire

David Morgan

*Contributor/editor*

G S Kimbell, C P Royles

The National Grid and other  
Ordnance Survey data © Crown  
Copyright and database rights  
2014.

*Keywords*

Gravity; measurement; site  
value; base link..

*National Grid Reference*

Centre point 548700,387100

*Bibliographical reference*

D J R MORGAN. 2014.  
Measurement of Gravity at the  
Viking Gas Terminal,  
Theddlethorpe St Helen,  
Lincolnshire. *British Geological  
Survey Commissioned Research  
Report, CR/14/085*. 17pp.

Copyright in materials derived  
from the British Geological  
Survey's work is owned by the  
Natural Environment Research  
Council (NERC) and/or the  
authority that commissioned the  
work. You may not copy or adapt  
this publication without first  
obtaining permission. Contact the  
BGS Intellectual Property Rights  
Section, British Geological  
Survey, Keyworth,  
e-mail [ipr@bgs.ac.uk](mailto:ipr@bgs.ac.uk). You may  
quote extracts of a reasonable  
length without prior permission,  
provided a full acknowledgement  
is given of the source of the  
extract.

Maps and diagrams in this book  
use topography based on  
Ordnance Survey mapping.

## BRITISH GEOLOGICAL SURVEY

The full range of our publications is available from BGS shops at Nottingham, Edinburgh, London and Cardiff (Welsh publications only) see contact details below or shop online at [www.geologyshop.com](http://www.geologyshop.com)

The London Information Office also maintains a reference collection of BGS publications, including maps, for consultation.

We publish an annual catalogue of our maps and other publications; this catalogue is available online or from any of the BGS shops.

*The British Geological Survey carries out the geological survey of Great Britain and Northern Ireland (the latter as an agency service for the government of Northern Ireland), and of the surrounding continental shelf, as well as basic research projects. It also undertakes programmes of technical aid in geology in developing countries.*

*The British Geological Survey is a component body of the Natural Environment Research Council.*

*British Geological Survey offices*

### **BGS Central Enquiries Desk**

Tel 0115 936 3143 Fax 0115 936 3276  
email [enquiries@bgs.ac.uk](mailto:enquiries@bgs.ac.uk)

### **Environmental Science Centre, Keyworth, Nottingham NG12 5GG**

Tel 0115 936 3241 Fax 0115 936 3488  
email [sales@bgs.ac.uk](mailto:sales@bgs.ac.uk)

### **Murchison House, West Mains Road, Edinburgh EH9 3LA**

Tel 0131 667 1000 Fax 0131 668 2683  
email [scotsales@bgs.ac.uk](mailto:scotsales@bgs.ac.uk)

### **Natural History Museum, Cromwell Road, London SW7 5BD**

Tel 020 7589 4090 Fax 020 7584 8270  
Tel 020 7942 5344/45 email [bgslondon@bgs.ac.uk](mailto:bgslondon@bgs.ac.uk)

### **Columbus House, Greenmeadow Springs, Tongwynlais, Cardiff CF15 7NE**

Tel 029 2052 1962 Fax 029 2052 1963

### **Maclean Building, Crowmarsh Gifford, Wallingford OX10 8BB**

Tel 01491 838800 Fax 01491 692345

### **Geological Survey of Northern Ireland, Colby House, Stranmillis Court, Belfast BT9 5BF**

Tel 028 9038 8462 Fax 028 9038 8461

[www.bgs.ac.uk/gsni/](http://www.bgs.ac.uk/gsni/)

*Parent Body*

### **Natural Environment Research Council, Polaris House, North Star Avenue, Swindon SN2 1EU**

Tel 01793 411500 Fax 01793 411501  
[www.nerc.ac.uk](http://www.nerc.ac.uk)

Website [www.bgs.ac.uk](http://www.bgs.ac.uk)

Shop online at [www.geologyshop.com](http://www.geologyshop.com)

# Contents

<b>Contents.....</b>	<b>i</b>
<b>Summary .....</b>	<b>ii</b>
<b>1 Introduction .....</b>	<b>3</b>
<b>2 The Survey .....</b>	<b>3</b>
<b>Results .....</b>	<b>5</b>
2.1 Metering Calibration Laboratory Floor .....	5
<b>3 Use of the Value .....</b>	<b>6</b>
3.1 Height Correction .....	6
3.2 Bouguer Gravity Anomaly .....	6
3.3 Latitude Correction.....	6
3.4 Terrain Effect.....	7
3.5 Local on-site Anomalies .....	7
3.6 Conclusions .....	7
<b>References .....</b>	<b>13</b>

## FIGURES

Figure 1: Details of Great Gonerby British Precise Gravity Network (BPGN) at St Sebastian’s Church, Great Gonerby.....	8
Figure 2: Photograph showing the position of gravity measurement at St Sebastian’s Church, Great Gonerby BPGN93 Gravity station.....	9
Figure 3: Photographs showing the position of gravity measurement on the floor of the Metering Calibration Laboratory, Viking Gas Terminal. ....	10
Figure 4: Plot of instrument readings against time .....	11
Figure 5: Regional Bouguer gravity anomaly field for the Viking Gas Terminal .....	12

## TABLES

Table 1: Gravity measurements for link between British Precise Gravity Network 1993 (BPGN93) Great Gonerby and the Viking Gas Terminal, Theddlethorpe. ....	4
Table 2: Gravity differences between British Precise Gravity Network 1993 (BPGN93) Great Gonerby and the Viking Gas Terminal, Theddlethorpe. ....	5

## Summary

This report describes the results of three gravity measurements made by the British Geological Survey (BGS) for ConocoPhillips Ltd., Viking Gas Terminal, Theddlethorpe St. Helen, Mablethorpe, Lincolnshire. The site of the measurement was on the floor of the Metering Calibration Laboratory, adjacent to the deadweight testing machines. The measurement was made by means of a series of links between the site and a British Precise Gravity Network (BPGN93) base station at St Sebastian's Church, Great Gonerby, using a Lacoste and Romberg type G gravity meter.

The values of gravity 'g' established for the measurement points at the Viking Gas Terminal are shown below:

$$9.813\ 529\ 8 \pm 0.000\ 000\ 3\ \text{ms}^{-2}$$

# 1 Introduction

At the request of Phil Devereux of ConocoPhillips Ltd., the British Geological Survey (BGS) undertook to provide three measurements of the acceleration due to gravity ('g') at the Viking Gas Terminal, Theddlethorpe St Helen, Mablethorpe, Lincolnshire.

In order to establish a value of 'g' simply and swiftly it is necessary to measure a gravity difference between the specified site and a site where an absolute value of 'g' has been previously determined. Such absolute values are available on the British Precise Gravity Net 1993 (Charles and Hipkin 1995) which is linked to a number of points at which gravity has been measured using a high accuracy FG5 absolute gravity meter.

Gravity differences may be determined using portable gravity meters, which are effectively high-sensitivity spring balances, contained in a temperature and pressure controlled box. Gravity meters are subject to 'drift' as a result of the main measuring spring deforming over time. In order to compensate for this effect, data are collected within closed loops starting and finishing at a point of known gravity. Having made a correction for earth tides, which result from the gravitational effect of the sun and moon and which cause a daily cyclical variation in 'g', any differences in reading are attributed to drift and distributed linearly with time around the loop. Normally a series of three base readings and two station readings are made, a so-called A-B-A-B-A link. Additional A-B-A loops may be performed if the initial series of readings does not produce a result of sufficient quality, for example due to excessive instrument drift or noisy ground conditions.

## 2 The Survey

The instrument used for these measurements was Lacoste and Romberg series G gravity meter #G456, which has a long record of proven reliability and small, regular drift. The calibration was checked in 1996 (Chacksfield, 1996) and 1999 (Chacksfield, 1999) and found to conform to the original maker's calibration factor of 0.010540 mGal per scale division ( $1\text{mGal} = 10^{-5} \text{ m s}^{-2}$ ). Further calibrations have been carried out, the most recent in November 2013 confirming continued reliable performance of the meter, but the calibration factor was revised to 0.010543 (Morgan Personal Communication).

The BPGN93 Great Gonerby site was used, located at the St Sebastian's Church, Great Gonerby, Lincolnshire at National Grid Reference 489800 338100, 75 km to the southwest of the Viking Gas Terminal site. The site is illustrated in Figures 1 and 2. The BPGN93 site was located on the ground, on the outer step of porch on the south side of the building and access was simple. Reading conditions were stable on the first loop; the readings are consistent, with a maximum variation of 0.01 mGal.

The point for which the value was determined is in the metering calibration laboratory, as shown in Figure 3. The spot was marked with marker pen, which should be replaced by a permanent feature shortly. A small amount of vibration was observed, which may have been caused by a mobile crane operating outside the building. This did not seriously affect the readings, but may have contributed to the error. Each measurement was repeated at least twice, with the meter clamped and moved off-level between each one. The readings are consistent, with a maximum variation of 0.02 mGal. A series of loops from BPGN93 Great Gonerby were measured, sufficient to confirm the reliability of the readings within a reasonable amount of drift. The survey was conducted over a period of some 10.5 hours during the day of 17<sup>th</sup> June 2014.

The instrument readings are shown in Table 1, which also indicates the earth tide correction and the resulting gravity values in meter units. Figure 4 shows the plot of instrument readings against time. A linear drift rate was assumed between successive occupations of each station. The

differences between the measured value at the Laboratory and the value interpolated from the two base station values were determined graphically and the mean was calculated.

**Table 1: Gravity measurements for link between British Precise Gravity Network 1993 (BPGN93) Great Gonerby and the Viking Gas Terminal, Theddlethorpe. Meter units are approximately 0.01 mGal ( $10^{-7} \text{ ms}^{-2}$ ).**

Site	Time	Observed Value (meter units)	Tide Correction (meter units)	Tide Corrected Value (meter units)
Great Gonerby	07:33	481092	-7	481085
Great Gonerby	07:35	481092	-7	481085
Great Gonerby	07:37	481092	-7	481085
Great Gonerby	07:39	481092	-7	481085
Theddlethorpe	10:32	485234	-5	485229
Theddlethorpe	10:37	485234	-5	485229
Theddlethorpe	10:39	485234	-5	485229
Theddlethorpe	10:44	485235	-5	485230
Great Gonerby	12:55	481082	0	481082
Great Gonerby	12:58	481082	0	481082
Great Gonerby	12:59	481082	0	481082
Theddlethorpe	15:20	485225	4	485229
Theddlethorpe	15:26	485225	4	485229
Theddlethorpe	15:31	485224	4	485228
Great Gonerby	17:59	481077	2	481079
Great Gonerby	18:03	481079	2	481081
Great Gonerby	18:05	481078	2	481080

**Table 2: Gravity differences between British Precise Gravity Network 1993 (BPGN93) Great Gonerby and the Viking Gas Terminal, Theddlethorpe.**

Site	Time	Mean reading	Mean reading – Great Gonerby (drift corrected)
Great Gonerby	07:36	481085.0	
Theddlethorpe	10:38	485229.3	485229.3 - 481083.2 = 4146.1
Great Gonerby	12:57	481082.0	
Theddlethorpe	15:26	485228.7	485228.7 - 481081.0 = 4147.7
Great Gonerby	18:02	481080.0	

## Results

### 2.1 METERING CALIBRATION LABORATORY FLOOR

The mean difference between Great Gonerby BPGN93 Base Station and the Metering Calibration Laboratory floor was:

$$+4147 \pm 3 \text{ dial units}$$

This was converted to gravity by multiplying by the instrument calibration factor 0.010543:

$$+4147 \times 0.010543 = +43.72 \pm 0.03 \text{ mGal.}$$

The absolute value at Great Gonerby BPGN93 Base Station is given as:

$$981\,309.2562 \pm 0.0043 \text{ mGal.}$$

The value of ‘g’ on the floor of the Metering Calibration Laboratory is obtained by adding the difference to the absolute value at Great Gonerby BPGN93 Base Station

$$(981\,309.2562 \pm 0.0043) \text{ mGal} + (43.72 \pm 0.03) \text{ mGal} = 981\,352.98 \pm 0.03 \text{ mGal}$$

The value of ‘g’ in SI units (i.e.  $\text{ms}^{-2}$ ) is obtained by multiplying the value in mGal by  $10^{-5}$ .

$$(981\,352.98 \pm 0.03) \times 10^{-5} = 9.813\,529\,8 \pm 0.000\,000\,3 \text{ ms}^{-2}$$

## 3 Use of the Value

The measurements were made on the floor of the Metering Calibration Laboratory. The value of gravity determined therefore refers to those points. The gravity values at other points, small distances from the measured points, will vary due to a number of factors:

- The height of the point relative to the measured point (the free air effect)
- The regional variation of the gravity field due to density variations in the earth's crust (the Bouguer gravity anomaly)
- The North-South position of the point relative to the measured point (the latitude effect)
- Local gravity variations due to severe local topography (natural or man-made – e.g. cuttings/embankments) (the terrain effect)
- Local density variations in the vicinity of the laboratory e.g. cellars, pits or large, high-density objects.

### 3.1 HEIGHT CORRECTION

The value of gravity above a measured point will be reduced due to the free-air effect. The correction which must be applied to determine the value of gravity above the measured point is:

**$-3.086 \times 10^{-6} \text{ ms}^{-2}$  per metre.**

A 1 metre high bench (of negligible density) would give a value 0.31 mGal lower than a point directly below it.

### 3.2 BOUGUER GRAVITY ANOMALY

Bouguer gravity anomalies show the gravity variation which is due to variations in subsurface densities (i.e. the variations which are of interest to earth scientists etc.) These anomalies are calculated by removing the effects of Elevation, Latitude, and local terrain from the observed gravity values.

The data for an area several kilometres around the Viking Gas Terminal have been processed in this way and are shown as a contoured plot in Figure 5. This shows a negative Bouguer gravity anomaly of -11.9 mGal, and indicates that there is a consistent, relatively gentle anomaly gradient in the vicinity of the site, with the direction of maximum gradient being north to south (increasing to the south). The lateral variation of the Bouguer gravity anomaly field in the vicinity of the site is estimated to be of the order of:

**$0.10 \text{ mGal} (1 \times 10^{-6} \text{ m s}^{-2})$  per km in an southerly direction**

A point some **10m** to the **south** of the measured point in the laboratory would result in an **increase** of the gravity field of approximately **0.001 mGal**, due to the Bouguer gravity anomaly i.e. less than the observational error.

### 3.3 LATITUDE CORRECTION

The value of gravity at some horizontal distance from the measured point increases by approximately  **$1 \times 10^{-8} \text{ ms}^{-2}$**  per metre in a northerly direction (due to the Earth's radius decreasing to the north). The latitude correction is therefore less than observational error for distances of less than 10 metres in a northerly direction. The east-west latitude correction is zero.

### **3.4 TERRAIN EFFECT**

No severe topography, cuttings etc. were observed in the immediate vicinity of the site.


### **3.5 LOCAL ON-SITE ANOMALIES**

No cellars, pits or large, massive, high density objects are known in the vicinity of the laboratory, however, without detailed knowledge of the site the possibility of local anomalies cannot be completely dismissed.

### **3.6 CONCLUSIONS**

The gravity values refer to measured points at their positions relative to ground level and relative to Ordnance Datum. The Free-Air correction should be applied for work carried out at any other height. The work should be carried out on benches which have a low total mass. If the work platform is constructed of high density materials, for example solid concrete or massive iron/steel, consideration must be given to the density of the platform.

The gravity values calculated for the measured points should only be used for high precision work within a small distance (10m) of the point. If used other than at the measured point consideration should be given to local variations, e.g. high density objects, basements etc.

<b>Edinburgh University – Gravity Station Information</b>		
<b>Reference# 205</b>		
County	ENGLAND	
Region/County	LINCOLNSHIRE	
Nearest Town	Grantham	
Name	<b>St. Sebastian's Church, Great Gonerby</b>	
Latitude	+52.93200°	Grid Reference
Longitude	-0.66400°	489800 338100
<b>Station Description</b>		
<p>Leave the Aa1 at the services 1 mile north of Grantham. Take the B1174 into Great Gonerby. The church is at the south end of the village on the east side of the road, next to the primary school. The site is on the outer step of the porch which is on the south side of the building.</p> <p>For access contact: Rev. Peter Hopkins, The Rectory, Long Street. Tel. 01476 565737</p>		
 <p>The diagram is divided into two parts. The left part, titled 'Location Diagram', shows a road network starting from A1 (r) near Newark, heading south to Grantham, then turning east onto B1174. A north arrow is present. The right part, titled 'CHURCH and PORCH', shows a detailed view of the church building and its porch. A school is located to the north of the church. A scale bar for the porch is shown with a length of 20 meters. A north arrow is also present in this section.</p>		
<b>Figure 1: Details of Great Gonerby British Precise Gravity Network (BPGN) at St Sebastian's Church, Great Gonerby.</b>		



**Figure 2: Photograph showing the position of gravity measurement at St Sebastian's Church, Great Gonerby BPGN93 Gravity station.**



**Figure 3: Photographs showing the position of gravity measurement on the floor of the Metering Calibration Laboratory, Viking Gas Terminal. The measurement point is under the meter: at the midpoint between the two deadweight tester benches (to the left and right), and 1.70m from the back wall.**




Figure 4: Plot of instrument readings against time



**Figure 5: Regional Bouguer gravity anomaly field for the Viking Gas Terminal, Theddlethorpe St Helen and surrounding area with 0.1mGal contours, in red. Regional gravity stations shown as red points, position of the gravity measurement shown as a green point.**

Based on 1:50,000 scale Ordnance Survey Maps. © Crown Copyright and database rights 2014. Ordnance Survey Licence No. 100021290.

# References

British Geological Survey holds most of the references listed below, and copies may be obtained via the library service subject to copyright legislation (contact [libuser@bgs.ac.uk](mailto:libuser@bgs.ac.uk) for details). The library catalogue is available at: <http://geolib.bgs.ac.uk>.

CHACKSFIELD, B.C 1996. Results of a gravity meter inspection and calibration run using the British Precise Gravity Network (BPNG93) in April 1996. *British Geological Survey, Regional Geophysics Group Project Note PN/96/02*.

CHACKSFIELD, B.C 1999. Current status of the BGS model G gravity meters, April 1999. *British Geological Survey Regional Geophysics Group Project Note PN/99/06*.

CHARLES, L. AND HIPKIN, R. 1995. British Precise Gravity Net 1993. Department of Geology and Geophysics, University of Edinburgh.