

ISLE OF WIGHT

Mineral Resource Information in Support of National, Regional and Local Planning
Mineral Resources
Scale 1:50 000

Compiled by F.M. McEvoy, A.J. Bloodworth, D.G. Cameron, E.L. Bartlett, S.F. Hobbs, G.K. Lott, D.J. Evans and D.E. Highley.
Project Leader: D.E. Highley.
Digital cartography by N.A. Spencer, British Geological Survey.
Published 2002.
This map comprises part of a summary of the 'Mineral Resources of South East England Region'. For further information see www.mineralsUK.com

BIBLIOGRAPHIC REFERENCE
McEvoy, F.M. and 7 others. 2002. Mineral Resource Information in Support of National, Regional and Local Planning: Isle of Wight. British Geological Survey Commissioned Report CR02/03001

Production of this map was commissioned and funded by the Office of the Deputy Prime Minister (Contract MP0677)

BGS maps covering Isle of Wight

ISLE OF WIGHT SPECIAL SHEET

1:50 000 map published

Current digital availability of these sheets can be found at the British Geological Survey website www.bgs.ac.uk

SAND & GRAVEL

Superficial deposits

- Sub-alluvial: Inferred resources
- River terrace deposits
- Storm beach deposits
- Clay-with-flints
- Blown sand

Bedrock deposits

- Construction Sand
- Lower Greensand: Sandrock Formation

CHALK

- High purity chalk (93-98% CaCO₃)
- Low purity chalk (<93% CaCO₃)

White Chalk Subgroup
Grey Chalk Subgroup

LIMESTONE

- Limestone

Oligocene: Bembridge Limestone Formation

BRICK CLAY

- Weald Clay Formation

Cretaceous

MINERAL PLANNING PERMISSIONS (as at 01.01.02)

Source: Mineral Planning Authorities

- Surface planning permission (valid and expired)

MINERAL WORKINGS

- Prospect: Active Site
- Luccombe: Inactive, worked-out and/or restored Site
- Planning Permission undefined
- Active Marine Sand and Gravel Wharf

Mineral commodity

Ch	Chalk	Sg	Sand and Gravel	Lst	Limestone
Fl	Flint	Pt	Peat	Sst	Sandstone
MSg	Marine Sand and Gravel	Cl	Common clay and shale		

ENVIRONMENTAL DESIGNATIONS

- National nature conservation designations (SSSIs and NNRs)
- International nature conservation designations (SACs, SPAs and Ramsar sites)
- Area of Outstanding Natural Beauty (AONB): Isle of Wight
- Heritage Coast
- Scheduled Monument

PLANNING PERMISSIONS FOR MINERAL EXTRACTION

The extent of all known extract and former planning permissions for the extraction of minerals is shown on the map, irrespective of their current planning or operational status. The polygons were digitised by BGS from Planning Sheets and other documents supplied by Isle of Wight Council and any queries regarding the sites shown should be directed to the authority at the address shown below. The polygons cover active, former and restored mineral workings and, occasionally, unworked deposits.

Planning Permissions represent areas where a commercial decision to work mineral has been made, a successful application has been dealt with through the provisions of the Town and Country Planning legislation and the permitted resource will have been depleted to a greater or lesser extent. Current planning status is not qualified on the map but is available in the underlying database.

Contact address:
Isle of Wight Council, Directorate of Development, Council Offices, Seaclose, Fairlee Road, Newport, PO30 2QS, Tel: 01983 821000, Fax: 01983 823551, Web page: www.isleofwight.gov.uk

BRICK CLAY

The term 'brick clay' is used to describe clay used predominantly in the manufacture of bricks and, to a lesser extent, roof tiles and clay pipes. These clays may sometimes be used in cement manufacture, as a source of construction fill and for firing and sealing landfill sites. The suitability of a clay for the manufacture of bricks depends principally on its behaviour during shaping, drying and firing. This will dictate the properties of the fired brick such as strength and frost resistance and, importantly, its architectural appearance.

Most facing bricks, engineering bricks and related clay-based building products are manufactured in large automated factories. These represent a high capital investment and are increasingly dependent therefore on raw materials with predictable and consistent firing characteristics in order to achieve high yields of saleable products. Blending different clays to achieve improved durability and to provide a range of fired colours and textures is an increasingly common feature of the brick industry. Continuity of supply of consistent raw materials is of paramount importance.

Brick clay is not currently produced on the Isle of Wight. Historically, a variety of clays were extracted for brickmaking at many localities throughout the island. The Weald Clay Formation, a principal brick clay in south-east England is shown as a resource on the map. It consists of red, purple, green, and variegated clays and calcareous mudstones with numerous intercalated beds of sand, sandstone and sandy limestone of variable thickness. The Weald Clay Formation was previously extracted at Sandown for the manufacture of bricks. Brickworks once existed in the Gault Formation at both Rookley, and at Bisleigh near Niton. Other clays previously utilised for the manufacture of bricks and tiles include the clays of the Hamstead Beds and Quaternary 'brickhearts'. These clay resources are only of local importance and are thus not shown on the face of the map.

LIMESTONE

The Oligocene in the Isle of Wight contains a fresh-water limestone called the Bembridge Limestone Formation. It comprises two or more beds of massive limestone and intercalated, fissile, greenish clays and calcareous mudstones. It is characterised by its whiteness, partly brecciated structure, and molluscs that are normally represented by clasts or moulds. It outcrops in the west of the island between Scores Point and Calbourne, in the north at Cowes and in the east, south of Bembridge. The thickness of the Bembridge Limestone Formation varies from 2.5 to 7.5 m or more on the coast, and averages about 3 m.

It was formerly of importance as a building stone and was once used for cement making at Brading. It is currently extracted at Prospect Quarry for crushed rock aggregate.

BUILDING STONE

The Isle of Wight has no commercially significant building stone resources, hence their absence from the face of the map. However, there has been extensive use of a number of local stones for building in the past.

The Upper Greensand (Lower Cretaceous) furnishes by far the best building stone in the Isle of Wight. It has been quarried from time to time in many places, principally in the areas of Ventnor-St. Boniface-Shanklin in the south-east and Whitcombe-Galcombe further north.

Chalk from the Upper Cretaceous was quarried as a local source of building stone across much of its crop. As elsewhere in south-east England, flint (also obtained from the Chalk) has been used as a local building material.

In the Tertiary succession the fresh-water Bembridge Limestone, known locally as Quarr Stone for centuries ranked among the chief natural products of the island. The principal quarries were at Quarr and Binstead and most of the rock obtained was sent to the mainland.

Quarrying has declined during the last 50 years, owing partly to the lessened demand for new buildings and partly to the use of brick in place of stone.

CHALK

Chalk is a relatively soft, fine-grained, white limestone, consisting mostly of the debris of planktonic algae. The Chalk runs the length of the Isle of Wight from the Needles in the west to Culver Cliff in the east, known as the Central Downs. The Central Downs comprises both low and high dipping strata. The low dipping strata between Middlestone and Carisbrook form a comb-ribbed upland and where the dips are higher, the chalk forms a sinuous ridge. In the south of the island, a large outlier of slightly inclined chalk forms the higher parts of the 'Southern Downs'. Approximately 85% of the chalk outcrop lies within the Isle of Wight AONB.

The Chalk is divided into the Grey and White Chalk subgroups and on the island it attains its maximum known thickness for the British Isles, namely about 500 m. The White Chalk Subgroup (formerly Middle and Upper Chalk) is the thickest of the subgroups, decreasing in thickness eastwards from 450 m at the Needles to 370 m at Culver Cliff. The Grey Chalk Subgroup (formerly Lower Chalk) shows a decrease in thickness westwards from 64 m at Culver Cliff to 50 m at Compton Bay.

The Grey Chalk Subgroup is characterised by relatively high clay content, particularly toward the base, and is classified as 'low purity' (<93% CaCO₃). The overlying White Chalk Subgroup is of a higher purity (93-98% CaCO₃). Flints are common in the White Chalk Subgroup.

Approximately 40,000 tonnes of chalk are produced annually in the Isle of Wight (1999) from up to five quarries within the Central Downs. The majority of extraction is from the White Chalk Subgroup at Arretton, Duxmore and Newbam. At Cheverton and Shorewell chalk is extracted from both subgroups. Approximately three-quarters of the chalk extracted is used as construction fill material. The remainder is used as agricultural lime and for industrial purposes. Approximately 12 million tonnes of permitted chalk reserves currently exist.

The Chalk is a major aquifer and is the most important source of groundwater on the island.

Hydrocarbon Well

PELDR WEXSEA

PELDR13 BLACK ROCK

PELDR BLACK ROCK

Petroleum Exploration and Development Licence issued under the Petroleum (Production) Act 1934 (as at March 2002)

HYDROCARBONS

Conventional Oil and Gas

The Isle of Wight sits astride two important structural features that influenced the sedimentation and structural evolution of the area during Mesozoic and Tertiary times. Beneath the island to the north lies the Hampshire-Deepp High and to the south the Wessex-Channel Basin, separated by the important east-west trending and on echelon Purbeck-Wight and Wight-Stratford zones. Some 50 km to the west, the Wytch Farm Oilfield is located a short distance to the north of the fault zone and offshore extensions to the east towards the Isle of Wight are now known and accessed from onshore drilling sites. The oil is sourced from mature source rocks in Jurassic sequences south of the zone and has migrated north across the fault zone to be trapped in both Triassic Sherwood Sandstone and Jurassic Bridport Sands reservoirs.

With this knowledge a total of seven exploration wells (see inset map) and a network of seismic reflection surveys, illustrates that much of the Isle of Wight has been explored for oil and gas since the early 1970s. Most wells have been drilled in positions structurally similar to those of Wytch Farm. To date, however, there have been no significant hydrocarbon shows and no producing oil or gasfields occur on the island.

Consequently, despite geological conditions similar to those of the Wytch Farm Oilfield, there appears to be limited oil and gas prospectivity on the Isle of Wight. It is likely, given the present understanding of the hydrocarbon systems that any oil and gas discoveries will only be small in nature and probably confined to the central, north-west and northern parts of the island north of the Purbeck-Wight Fault Zone. Significant tracts of the island were licensed for exploration by the end 2001. To the north-west of the island is part of licence PELDR18 (Wessex) awarded in the 9th Onshore Licensing Round and covering a large area on the mainland north-west of the Solent. The main licence area on the island is PELDR13, awarded to Black Rock Resources during the 10th Onshore Licensing Round. It mainly covers the area to the south of the Purbeck-Wight Fault Zone.

Coal Mine Methane, Abandoned Mine Methane and Coalbed Methane potential

The basement rocks to the Permian-Tertiary rocks of Isle of Wight comprise strata of Devonian to Lower Carboniferous (Dinantian) in age. There are no recordings of Carboniferous Westphalian Coal Measures encountered in the available deep hydrocarbon exploration wells. The Tertiary succession of the Hampshire-Deepp High area contains scattered lignite occurrences, particularly within the Bucklesham Group. To the south-west of Southampton, the Ramnor Inclosure Borehole encountered one lignite band at the same stratigraphic level in the Wealden Formation as a lignite band found to the southeast at Whitecliff Bay on the Isle of Wight. Traces of gas were encountered during drilling, although the quantities were minimal. Consequently, it is thought that little or no potential exists for mine gas drainage, coal mine methane and coalbed methane development in the Isle of Wight.

Licensing

The Department of Trade and Industry grants licences for exclusive rights to explore and exploit oil and gas onshore within Great Britain. The rights granted by landward licences do not include any rights of access, and the licensees must also obtain any consent under current legislation, including planning permissions.

SAND AND GRAVEL

Sand and gravel are defined on the basis of particle size rather than composition. In current usage, the term 'gravel' is used for material that is coarser than 5 mm, with a maximum size of 40 mm, and the term 'sand' for the material that is finer, but coarser than 0.075 mm. Most sand and gravel is composed of particles that are rich in quartz, quartzite and flint, but other rock types may occur locally.

The principal uses of sand are as fine aggregate in concrete, mortar and asphalt. The main use of gravel is as coarse aggregate in concrete. Unwashed sand and gravel can also be used for construction fill and as 'hoggin' for surfacing tracks and paths. A principal source of sand and gravel is marine-dredged material.

Sand and gravel resources occur in a variety of geological environments. In the Isle of Wight, these resources fall into two categories:

- superficial or 'drift' deposits, subdivided into river sand and gravel, storm beach gravel and blown sand;
- bedrock, or 'solid' deposits represented by the Sandrock Formation of the Cretaceous Lower Greensand Group.

Superficial deposits

On the map, generally only exposed sand and gravel is defined, although sub-alluvial inferred resources of sand and gravel occurring beneath modern river flood plains may be extensive in some places. Narrow (<200 m) spreads of sub-alluvial deposits are mainly excluded from the map. Their limited width is likely to preclude economic working of any sand and gravel present.

River terrace deposits

River terrace deposits occur at several levels in most of the major valleys in the island. These broadly comprise older, raised river terrace sequences (sometimes called Plateau Gravels) and younger, flood plain terrace deposits associated with, and underlying, present day alluvium.

In the Isle of Wight, the older river terraces are generally high-level deposits forming caps to flat-topped hills, from 30 to 100 m above sea level. They occur in patches, with irregular boundaries indented by spring-combes, and in most cases are evidently remnants of larger spreads. They consist mainly of water-worn material, and where thick, are usually stratified. They occur mostly in the north and west but small patches do occur scattered throughout. South of Newport, older river terraces are worked for crushed rock aggregate, roadstone and for the manufacture of concrete products.


The younger, low-lying terraces are well developed along the valleys of the Eastern and Western Yar. The river terraces of the Eastern Yar range in thickness up to 4 m and are generally loose and stony. In the lower part of the Eastern Yar, approaching the river mouth, there are no terraces. In the south-west of the island, gravel terraces of the Western Yar cap the sea cliffs in the vicinities of Chalk, Brook and Freshwater. These terraces occur along what was previously the northern side of the 'Yar Valley' prior to the encroachment of the sea. They are of variable thickness ranging from 2 m to 8 m and are often overlain by thick alluvial and brecciated deposits. In the Medina Valley, north of Shide, gravel occurs on both sides of the river and is predominantly derived from the Upper Greensand strata.

Sub-alluvial gravel

Sub-alluvial gravels are encountered beneath the alluvium of the major valleys throughout the island and are compositionally similar to river terrace deposits. The deposits rest on an irregular channelled surface and are thus of very variable thickness. These deposits are generally saturated and require wet working.

Storm beach gravel

Storm beach gravels occur from Scores Point to Bouldnor in the west of the island. The form of these deposits is dictated by the east-west longshore drift which prevails along this coast. They are generally made up of fine to coarse flint gravels and grade seawards into sands and laminated silty clays. These deposits are not currently worked.



Aims and Limitations

The purpose of the maps in this series is to show the broad distribution of those mineral resources which may be of current or potential economic interest and to relate these to selected nationally-recognised planning designations. The maps are intended to assist in the consideration and preparation of development plan policies in respect of mineral extraction and the protection of important mineral resources against sterilisation. They bring together a wide range of information, much of which is scattered and not always available in a convenient form.

The maps have been produced by collation and interpretation of mineral resource data principally held by the British Geological Survey. Information on the extent of mineral planning permissions has been obtained from the relevant Mineral Planning Authority (MPA). Some of these permissions may have lapsed or expired. The status of individual areas can be ascertained from the appropriate MPA. Local information on national planning designations has been obtained from the appropriate statutory body (Countryside Agency, English Nature and English Heritage). For further information the relevant body should be contacted.

The mineral resource data presented are based on the best available information, but are not comprehensive and their quality is variable. The inferred boundaries shown are, therefore, approximate. Mineral resources defined on the map delineate areas within which potentially workable minerals may occur. These areas are not of uniform potential and also take no account of planning constraints that may limit their working. The economic potential of specific sites can only be proved by a detailed evaluation programme. Such an investigation is an essential precursor to submitting a planning application for mineral working. Extensive areas are shown as having no mineral resource potential, but some isolated mineral workings may occur in these areas. The presence of these operations generally reflect very local or specific situations.

The maps are intended for general consideration of mineral issues and not as a source of detailed information on specific sites. The maps should not be used to determine individual planning applications or in taking other decisions on the acquisition or use of a particular piece of land, although they may give valuable background information which sets a specific proposal within context.

Topography reproduced from the OS map by British Geological Survey with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown copyright. All rights reserved. Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings. Licence number: GDZ72191/2002.

Administrative boundaries are reproduced with permission from Ordnance Survey Boundary Line. Licence number: GDZ72671.

Digital SSSI, NNR, SAC, SPA and Ramsar boundaries © English Nature 2002.
Contact address:
English Nature, Northminster House, Northminster, Peterborough, PE1 1UA, Tel: 01733 455000, Fax: 01733 455103, Web page: www.english-nature.org.uk

Positions of Scheduled Monuments at 15th August 2001 as supplied by English Heritage.
The majority of monuments are plotted using a centred NGR symbol. Consequently the actual area and/or length of a monument protected by the legal constraints of scheduling cannot be represented here. Monuments scheduled since that date are not accounted for. © Copyright English Heritage.
Contact address:
English Heritage, 23 Savile Row, London, W1S 2ET, Tel: 020 7973 3132, Web page: www.english-heritage.org.uk

Digital AONB boundaries © Countryside Commission 1986 (now Countryside Agency).
Contact address:
Countryside Agency, John Dower House, Crescent Place, Cheltenham, Gloucestershire, GL50 3RA, Tel: 01242 521381, Fax: 01242 584270, Web page: www.countryside.gov.uk

Published for the Office of the Deputy Prime Minister © Queen's Printer and Controller of Her Majesty's Stationery Office 2002.
Contact address:
English Heritage (excludes logos) may be reproduced free of charge in any format or medium for research, private study or circulation within an organisation. This is subject to it being reproduced accurately and not used in a misleading context. The material must be acknowledged as Crown Copyright and the title of the publication specified.

Applications for reproduction should be made in writing to: The Copyright Unit, Her Majesty's Stationery Office, St Clements House, 1-16 Colgate, Norwich NR3 1BQ. Fax: 01603 723000 or e-mail: copyright@hmsco.gov.uk