

Robust Optimization Over Time: A Critical Review

Danial Yazdani¹, *Member, IEEE*, Mohammad Nabi Omidvar, *Senior Member, IEEE*, Donya Yazdani²,
 Jürgen Branke³, *Member, IEEE*, Trung Thanh Nguyen⁴, Amir H. Gandomi⁵, *Senior Member, IEEE*,
 Yaochu Jin⁶, *Fellow, IEEE*, and Xin Yao⁷, *Fellow, IEEE*

Abstract—Robust optimization over time (ROOT) is the combination of robust optimization and dynamic optimization. In ROOT, frequent changes to deployed solutions are undesirable, which can be due to the high cost of switching between deployed solutions, limitations on the resources required to deploy new solutions, and/or the system’s inability to tolerate frequent changes in the deployed solutions. ROOT is dedicated to the study and development of algorithms capable of dealing with the implications of deploying or maintaining solutions over longer time horizons involving multiple environmental changes. This article presents an in-depth review of the research on ROOT. The overarching aim of this survey is to help researchers gain a broad perspective on the current state of the field, what has been achieved so far, and the existing challenges and pitfalls. This survey also aims to improve accessibility and clarity by standardizing terminology and unifying mathematical notions used across the field, providing explicit mathematical formulations of definitions, and improving many existing mathematical descriptions. Moreover, we classify ROOT problems based on two

ROOT-specific criteria: 1) the requirements for changing or keeping deployed solutions and 2) the number of deployed solutions. This classification helps researchers gain a better understanding of the characteristics and requirements of ROOT problems, which is crucial to systematic algorithm design and benchmarking. Additionally, we classify ROOT methods based on the approach they use for finding robust solutions and provide a comprehensive review of them. This survey also reviews ROOT benchmarks and performance indicators. Finally, we identify several future research directions.

Index Terms—Dynamic optimization problems (DOPs), evolutionary algorithms (EAs), optimization, robust optimization over time (ROOT), robust optimization.

I. INTRODUCTION

FINDING robust solutions is an important aspect of many optimization problems with many practical ramifications [1]. In many situations, the theoretical global optimum may not necessarily coincide with the desired solution due to modeling approximations and environmental uncertainties. Temporal changes of the environmental parameters can also change the previous conditions under which a solution is obtained. Other considerations such as maintenance and sustainability implications and the overall operational cost may also make a suboptimal solution preferable over the global optimum.

The goal of robust optimization is to guard against sensitivity to fluctuations caused by modeling restrictions and environmental uncertainties which are pervasive in a wide range of application areas. In linear programming for instance, the notion of sensitivity or post-optimal analysis is primarily concerned with finding robust solutions to guard against drastic changes in the solution quality caused by changes in the coefficients of the objective function or its constraints [2]. In machine learning, it has been shown that robustness is tightly linked to generalizability [3]. In multidisciplinary design optimization [4], the subsystems of a larger complex system are optimized independently due to the prohibitive complexity of the system as a whole and the existence of potential time constraints. The inevitable coupling of the subsystems makes robust optimization the cornerstone of a seamless integration [5].

In a certain type of optimization known as dynamic optimization, uncertainties result from environmental changes. A dynamic optimization problem (DOP) can be defined as

$$\left\{ f(\mathbf{x}, \alpha^{(t)}) \right\}_{t=1}^{t_{\max}} = \left\{ f(\mathbf{x}, \alpha^{(1)}), f(\mathbf{x}, \alpha^{(2)}), \dots, f(\mathbf{x}, \alpha^{(t_{\max})}) \right\} \quad (1)$$

Manuscript received 7 December 2022; revised 12 March 2023 and 5 June 2023; accepted 1 August 2023. Date of publication 17 August 2023; date of current version 3 October 2024. This work was supported in part by the National Natural Science Foundation of China under Grant 62250710682; in part by the Program for Guangdong Introducing Innovative and Entrepreneurial Teams under Grant 2017ZT07X386; and in part by the Research Institute of Trustworthy Autonomous Systems, the Guangdong Provincial Key Laboratory under Grant 2020B121201001. The work of Yaochu Jin was supported by the Alexander von Humboldt Professorship for Artificial Intelligence endowed by the German Ministry of Education and Research. (*Corresponding author: Xin Yao.*)

Danial Yazdani is with the Data Science Institute, Faculty of Engineering and Information Technology, University of Technology Sydney, Ultimo, NSW 2007, Australia (e-mail: danial.yazdani@gmail.com).

Mohammad Nabi Omidvar is with the School of Computing and the Leeds University Business School, University of Leeds, LS2 9JT Leeds, U.K. (e-mail: m.n.omidvar@leeds.ac.uk).

Donya Yazdani is with the AI Lab, British Antarctic Survey, CB3 0ET Cambridge, U.K. (e-mail: dny.yazdani@gmail.com).

Jürgen Branke is with the Operational Research and Management Sciences Group in Warwick Business School, University of Warwick, CV4 7AL Coventry, U.K. (e-mail: Juergen.Branke@wbs.ac.uk).

Trung Thanh Nguyen is with the Department of Maritime and Mechanical Engineering, Liverpool John Moores University, L3 3AF Liverpool, U.K. (e-mail: T.T.Nguyen@ljmu.ac.uk).

Amir H. Gandomi is with the Faculty of Engineering and Information Technology, University of Technology Sydney, Ultimo, NSW 2007, Australia, and also with the University Research and Innovation Center, Obuda University, 1034 Budapest, Hungary (e-mail: Gandomi@uts.edu.au).

Yaochu Jin is with the Faculty of Technology, Bielefeld University, 33615 Bielefeld, Germany (e-mail: yaochu.jin@uni-bielefeld.de).

Xin Yao is with the Research Institute of Trustworthy Autonomous Systems and the Guangdong Provincial Key Laboratory of Brain Inspired Intelligent Computation, Department of Computer Science and Engineering, Southern University of Science and Technology, Shenzhen 518055, China, and also with the CERCIA, School of Computer Science, B15 2TT Birmingham, U.K. (e-mail: xiny@sustech.edu.cn).

This article has supplementary material provided by the authors and color versions of one or more figures available at <https://doi.org/10.1109/TEVC.2023.3306017>.

Digital Object Identifier 10.1109/TEVC.2023.3306017

where f is the dynamic objective function,¹ $t \in [1, t_{\max}]$ is the time index, \mathbf{x} is a solution in the search space, and α is a set of time-dependent control parameters² of the objective function. The uncertainties caused by environmental changes in (1) influence the system via the α -variables [6] which cannot be removed/relaxed and must be considered in the optimization process [7]. Note that in the DOP literature, it is assumed that there is a degree of similarity between successive environments, which is prevalent in real-world applications [8], [9]. If the degree of similarity between successive environments is too low, nothing can be learned from the past; therefore, using algorithms that work based on historical information is ineffective. The only way to tackle such problems is to reoptimize by restarting the optimization algorithm after each environmental change [10].

Indeed, in DOPs, the magnitude of temporal changes to the objective function is so large that the conventional robust optimization methods cannot be used to handle the uncertainties caused by environmental changes. This creates a whole host of new problems pertaining to the notion of robustness unique to dynamic optimization. In these problems, finding and tracking of global optima across environmental changes is of concern, and the implications and limitations of deploying new solutions play a central role in maintaining robustness across all environmental changes. In these problems, robust solutions do not remain desirable forever and they need to be changed after some environmental changes. Robust optimization over time (ROOT) [11], [12] integrates the principles of both robust optimization and dynamic optimization and is dedicated to the study and development of algorithms capable of dealing with the implications of deploying or maintaining robust solutions over longer time horizons involving multiple environmental changes.

In this article, we provide an in-depth and critical review of the research in ROOT since it was first introduced in 2010 [11]. Our investigation has shown that the inherent ambiguity in the definition of robustness has caused some confusion in the field, resulting in biased comparisons due to the incorrect use of performance indicators and incongruent comparisons of ROOT algorithms. We attempt to rectify this by putting forward two taxonomies of ROOT problems and algorithms, a detailed investigation of benchmarks and performance indicators, providing mathematical expressions for many definitions that have not been previously formulated, improving many existing mathematical descriptions, standardizing the terminology, unifying the mathematical notations, clarifying several misconceptions, and highlighting the pitfalls and challenges facing the field.

The organization of the remainder of this article is as follows. Section II reviews the ROOT problems. ROOT methods are reviewed in Section III. We discuss the benchmark problems and performance indicators used in the ROOT literature in Section IV. Section V provides several potential

future research directions. Finally, this survey is concluded in Section VI.

II. ROOT PROBLEMS

In this survey, we classify ROOT problems based on two different aspects.

- 1) *Requirements for Changing or Keeping Deployed Solutions:*
 - a) ROOT problems with a *quality threshold* for determining the acceptability of the deployed solution(s) (ROOT_Q).
 - b) ROOT problems with a time-window-based *temporal threshold* for deploying a new solution(s) (ROOT_T).
 - c) ROOT problems in which the benefit of switching the deployed solution(s) is jointly considered with its/their acceptability (ROOT_G).
- 2) *Number of Deployed Solution(s):*
 - a) ROOT problems in which there is one and only one deployed solution at each point in time (ROOT^S).
 - b) ROOT problems in which there are multiple deployed solutions (ROOT^M).

In the proposed taxonomy,³ we have combined these two major aspects, resulting in classifying ROOT problems into six different classes, which are shown in Fig. 1. Among different classes of ROOT problems, ROOT_T^M and ROOT_G^M have not been investigated so far, which will be discussed in Section V-A as future work. Below, we describe ROOT_Q^S [6], [11], ROOT_T^S [13], ROOT_G^S [14], and ROOT_Q^M [15] problems, which have been investigated in the literature.

A. ROOT_Q^S

ROOT_Q^S, which is a class of ROOT problems with a single deployed solution at each point in time and a quality threshold for determining the acceptability of the deployed solution, has been defined by Yu et al. [11] as the first class of ROOT problems investigated in the literature. In ROOT_Q^S problems, the main goal is to maximize the average number of successive environments where a deployed solution's fitness value remains acceptable [11], [12]. In these problems, a deployed solution will be reused in successive environments until its quality drops below an acceptable level in a new environment. In real-world applications, ROOT_Q^S problems are the ones in which "frequent changes" of the deployed solutions violate the system requirements and result in instability of the system or deterioration of some important factors, such as safety, customer satisfaction, and costs. In such circumstances, it is preferable to keep the deployed solution as long as it remains acceptable. Note that the acceptable frequency of changes in the deployed solutions can vary depending on the problem and the specific requirements of the application, such

¹For the sake of brevity, in the remainder of this survey, we use $f^{(t)}(\mathbf{x})$ instead of $f(\mathbf{x}, \alpha^{(t)})$ to represent the objective function in the t -th environment.

²Also known as "environmental parameters."

³The notation, which we are using in the proposed taxonomy for showing different classes of ROOT problems, uses the superscript to refer to the number of deployed solutions, where "S" and "M" refer to single and multiple deployed solutions, respectively. Besides, the subscript in the notation is reserved for the requirements for changing or keeping the deployed solutions, which are quality-threshold-based ("Q"), temporal-threshold-based ("T"), and gained-benefit-based ("G").




Fig. 1. Taxonomy of the ROOT problems based on the solution deployment considerations.

as the time required to adapt to a newly deployed solution, the stability of the system, the cost of deploying a new solution, denoted as the switching cost, and the impact of changes in the deployed solution on other parts of the system.

Given a DOP $f^{(t)}(\mathbf{x})$ with t_{\max} environments, the aim of ROOT_Q^S is to find a set of deployed solutions $\mathcal{S} = \{s_1, s_2, \dots, s_{|\mathcal{S}|}\}$, where $|\mathcal{S}|$ is the total number of deployed solutions over t_{\max} environments and $1 \leq |\mathcal{S}| \leq t_{\max}$. Assume $s_i \in \mathcal{S}$ is deployed in the b_i th environment, $\alpha^{(t)}(\cdot)$ is a function with $\{0, 1\}$ output that defines the acceptability of a solution based on the quality threshold in the t -th environment,⁴ where $\alpha^{(t)}(s_i) = 1$ indicates that s_i is acceptable in the t -th environment, and 0 otherwise, and n_i is the number of environmental changes beyond which s_i remains acceptable. Therefore, a deployed solution s_i remains operational for n_i environments if $\alpha^{(b_i)}(s_i) = 1, \alpha^{(b_i+1)}(s_i) = 1, \dots, \alpha^{(b_i+n_i)}(s_i) = 1$. If $\alpha^{(b_i+n_i+1)}(s_i) = 0$, then the next solution s_{i+1} is deployed in the b_{i+1} th environment, where $b_{i+1} = b_i + n_i + 1$. A deployed solution s_i is called a robust solution if its quality remains acceptable after at least one environmental change, i.e., $n_i > 0$ or at least $\alpha^{(b_i+1)}(s_i) = 1$.

B. ROOT_T^S

Another class of ROOT problems, ROOT_T^S , has been introduced by Fu et al. [13], representing real-world problems in which the system cannot handle/tolerate changes in the deployed solution sooner than a predefined time threshold. Consequently, a time window is defined in this class of ROOT problems during which the deployed solution must remain

deployed (i.e., operational). In other words, in ROOT_T^S , a solution must be chosen for deployment only at the beginning of each time window.

ROOT_T^S has a temporal threshold called time window. In the ROOT literature, each time window starts at the beginning of an environment and lasts for $t_{\text{win}} \in \{2, 3, \dots\}$ environments. In ROOT_T^S problems, a new solution must be chosen for deployment at the first environment of each time window. Each deployed solution will be kept until the end of the time window. Given a DOP $f^{(t)}(\mathbf{x})$ with t_{\max} environments and a set of time windows $\mathcal{T} = \{t_{\text{win},1}, t_{\text{win},2}, \dots, t_{\text{win},|\mathcal{T}|}\}$, the goal of the problem is to find a set of solutions $\mathcal{S} = \{s_1, s_2, \dots, s_{|\mathcal{T}|}\}$ that maximizes the average fitness over all environments. Herein, s_i is the deployed solution in the i th time window, which begins at the beginning of the b_i th environment and ends at the end of the $(b_i + t_{\text{win},i} - 1)$ th environment. Thus, in ROOT_T^S , the main goal is to choose solutions for deployment during the first environment of each time window such that

$$\text{Maximize : } \frac{1}{t_{\max}} \sum_{i=1}^{|\mathcal{T}|} \sum_{j=0}^{(t_{\text{win},i}-1)} f^{(y_i+j)}(s_i) \quad (2)$$

where

$$y_i = \begin{cases} 1, & \text{if } i = 1 \\ \sum_{k=1}^{i-1} t_{\text{win},k} & \text{otherwise.} \end{cases} \quad (3)$$

Note that unlike ROOT_Q^S in which there is a quality threshold to define the acceptability of the deployed solutions, there is no such a threshold in ROOT_T^S and the goal is to maximize the average of the fitness values over each time window. It is worth mentioning that in the ROOT literature, only a special case of ROOT_T^S problems has been investigated in which the length of all time windows are equal and fixed over time [13].

C. ROOT_G^S

Yazdani et al. [14] identified another class of ROOT problems, called ROOT_G^S , where the gained benefit of switching the deployed solution is taken into account. In ROOT_G^S , a quality threshold is also considered for determining the acceptability of the deployed solutions. Therefore, a new solution *must* be chosen to replace the current deployed solution when it becomes unacceptable. Besides, the deployed solution, which is still acceptable, *can* be replaced by a new solution whose fitness is significantly higher than that of the deployed solution, making the benefit of switching outweighs the cost. If such a qualified solution is found, regardless of the acceptability of the current deployed solution, this new solution will be deployed.

The goal of ROOT_G^S is to find a set of deployed solutions $\mathcal{S} = \{s_1, s_2, \dots, s_{|\mathcal{S}|}\}$ that maximizes the total benefit, which is defined in [14] as the total fitness minus total switching costs across all environments. Assuming that the deployed solution $s_i \in \mathcal{S}$ is used from b_i th to $(b_i + n_i)$ th environment, the goal of ROOT_G^S can be defined as

$$\text{Maximize : } \sum_{i=1}^{|\mathcal{S}|} \sum_{j=b_i}^{(b_i+n_i)} f^{(j)}(s_i) - \sum_{i=1}^{(|\mathcal{S}|-1)} c(s_i, s_{i+1}) \quad (4)$$

⁴Both quality threshold and $\alpha^{(t)}(\cdot)$ are components of the problem and problem-specific.

where $c(s_i, s_{i+1})$ ⁵ calculates the switching cost between the deployed solutions s_i and s_{i+1} , and each deployed solution must be acceptable in all environments in which it remained operational, i.e., $\alpha^{(b_i)}(s_i) = 1$, $\alpha^{(b_{i+1})}(s_i) = 1, \dots, \alpha^{(b_{i+n_i})}(s_i) = 1$. In (4), the fitness of a deployed solution in each environment can be interpreted as revenue, while the switching cost can be considered an outlay. Note that in each environment in which the previously deployed solution is reused, the switching cost is zero.

D. ROOT_Q^M

As previously mentioned, in ROOT^M problems, multiple solutions are deployed concurrently. This class of ROOT problems arises in applications where there are multiple decision-makers with different preferences. For instance, in many cases, customers act as decision-makers, and the solutions deployed are lists of nondominated services or products for the same purpose.

Among the various possible ROOT^M problems, only the multiobjective ROOT_Q^M has been studied in the existing literature [15], [16], [17], [18], where the set of deployed solutions consists of Pareto-optimal solutions (POSS). However, it is important to note that ROOT^M is not exclusively limited to multiobjective problems, and there are other classes of ROOT^M problems, such as multimodal ones [19], where the search space contains multiple moving global optima [20], [21].

In multiobjective ROOT_Q^M problems, the deployed POS is retained until it becomes unacceptable according to a quality-based threshold. A multiobjective ROOT_Q^M can be described as

$$F^{(t)}(\mathbf{x}) = \left(f_1^{(t)}(\mathbf{x}), f_2^{(t)}(\mathbf{x}), \dots, f_{\hat{m}}^{(t)}(\mathbf{x}) \right) \quad (5)$$

where F is a multiobjective problem, $f_i^{(t)}(\mathbf{x}) = f(\alpha_i^{(t)}, \mathbf{x})$ is the i th dynamic objective function, where $\alpha_i^{(t)}$ is a set of time-dependent control parameters of the i th objective function in the t -th environment, and \hat{m} is the number of objective functions. Given a multiobjective ROOT_Q^M problem $F(\mathbf{x}, \alpha^{(t)})$ with t_{\max} environments, the aim is to find a sequence of deployed sets of solutions $\hat{\mathcal{P}} = \{\mathcal{P}_1, \mathcal{P}_2, \dots, \mathcal{P}_{|\hat{\mathcal{P}}|}\}$ where \mathcal{P}_i is the i th deployed set of solutions, $|\hat{\mathcal{P}}|$ is the total number of deployed sets of solutions over t_{\max} environments and $1 \leq |\hat{\mathcal{P}}| \leq t_{\max}$. Similar to ROOT_Q^S, the main goal in solving ROOT_Q^M problems is to minimize the number of times a new set of solutions must be deployed, i.e., minimizing $|\hat{\mathcal{P}}|$.

E. Discussion on ROOT Problems

1) *Comparing ROOT and Other Types of Optimization Problems:* In the discussions provided in this part, we compare ROOT problems with other related classes of optimization problems, including tracking moving optimum (TMO) in DOPs [10], [22], [23], [24], robust optimization [1], [25], and multiscenario optimization [26], [27]. The aim of this section is to clarify the key differences between ROOT and other

optimization problems, as well as to highlight situations where they may exhibit similar behaviors.⁶

a) *Comparing ROOT and TMO:* Both ROOT and TMO problems involve dynamic environments [28] where deployed solutions change over time to react to environmental changes. An effective evolutionary dynamic optimization algorithm (EDO) for TMO must address specific challenges, including how to deal with local and global diversity loss to maintain exploration and exploitation abilities over time, and how to react efficiently to environmental changes and quickly track desirable solutions in a new environment [10], [29]. To address these challenges, EDOs (the state-of-the-art ones in particular) are complex algorithms that are constructed by assembling multiple components. ROOT problems typically share the challenges of TMO since, similar to a TMO algorithm, a ROOT method needs to handle optimization in dynamic environments [30]. Therefore, ROOT methods include components that are adapted from EDOs [28].

To solve both ROOT and TMO problems, algorithms need to gather historical information, which is used for various purposes, such as improving and accelerating the search process in the current environment [10]. This historical information is only useful if there are degrees of similarities and relations between successive environments [8], which typically depend on the magnitude of environmental changes [9]. In problems with low to moderate changes, where adequate degrees of similarities and relatedness exist, some aspects of the problems can be learned. For instance, some dynamical and morphological characteristics of promising regions can be identified and used in tracking the global optimum in TMO [10] and finding robust solutions in ROOT [30]. It is worth noting that as stochastic characteristics in environmental changes are prevalent in practice [9], what can be learned from historical information can typically be used for predicting some aspects of the problem, such as the approximate locations [31] or likelihood of reliability and robustness [32] of promising regions. However, due to the stochastic nature of environmental changes, the future fitness of solutions or the location of the next global optimum cannot be predicted with acceptable accuracy [9], [10]. In circumstances where there are no or a very low degree of similarity between successive environments, the historical information would be almost useless. Consequently, the mechanisms and components of the TMO and ROOT algorithms that work based on historical information would be ineffective, including those used in ROOT algorithms to predict the future robustness of solutions and promising regions [6], [32]. In such cases, which mostly happen in ROOT and TMO problems with abrupt environmental changes, i.e., those with huge spatial changes, perhaps the only option is to use restart methods, where the algorithm is restarted at the beginning of each environment [9]. Therefore, ROOT and TMO problems with severe changes share similar characteristics. However, note that such severe environmental changes are usually the result of cataclysmic events, such

⁵ $c(\cdot)$ is part of the problem definition, i.e., it is problem-specific.

⁶Note that to avoid distraction and simplify the presentation, the analysis and descriptions provided in this section are based on single-objective problems with single deployed solution at each point in time.

as failures in parts of the system. In many real-world DOPs, including ROOT and TMO problems, there are similarities and relatedness between successive environments, which can be learned and then used to solve these problems [9], [10], [33].

One main difference between ROOT and TMO is the notion of robustness over time in ROOT, which is not considered in TMO. In TMO, the focus is on finding a solution suitable for the current environment, while in ROOT, the focus is on finding and deploying a robust solution that may not be the best in the current environment but is acceptable for the current environment and will also remain acceptable for a number of future environments. In addition, in comparison to TMO problems, solving ROOT problems requires additional historical information, which is used to estimate the robustness of solutions and search space regions. Gathering, processing, and utilizing the obtained knowledge for robustness prediction and decision-making processes are challenging and make the ROOT algorithms more complex than TMO algorithms.

b) Comparing ROOT and multiscenario optimization problems: Many real-world optimization problems aim to find a solution against a predefined set of scenarios [34]. Such problems, called multiscenario optimization, consider a solution desirable only if its fitness values across the given scenarios are satisfactory [35], [36]. To tackle multiscenario optimization problems, the objective values across the scenarios are usually aggregated [26], or different scenarios are considered as multiple objectives [37], [38].

At first glance, ROOT problems may appear similar to multiscenario optimization problems, where each of the current and future environments can be treated as a scenario. However, considering that the number of scenarios is predetermined and known in multiscenario optimization, ROOT_Q and ROOT_G problems differ from multiscenario optimization since the number of environments in which the deployed solution will be reused, i.e., the number of scenarios, is not known in these subclasses of ROOT problems. In addition, the sequence of environments is important for ROOT_Q and ROOT_G problems, while the order of scenarios in multiscenario optimization is usually not important.

In ROOT_T problems, however, the number of environments in which the deployed solution will be retained is available in the form of the size of the time window. Therefore, the size of the time window can be used as an equivalent of the number of scenarios in multiscenario optimization. In addition, in ROOT_T problems, the goal is to maximize the average fitness value over each time window, which is not affected by the order of the environments/scenarios.

If we consider the current and $t_{\text{win}} - 1$ future environments in ROOT_T as a multiscenario optimization problem with t_{win} scenarios, we may be able to use multiscenario optimization algorithms to find a solution that is desirable over the t_{win} environments/scenarios. However, having knowledge of the $t_{\text{win}} - 1$ future environments (i.e., future objective functions) in ROOT_T is essential for this approach to be successful. One group of problems where future environments are known is reappearing/cyclic problems in which the landscape visits a finite set of environmental states repeatedly [33]. Therefore, under such special conditions, ROOT_T problems

are similar to multiscenario optimization. Note that when computational resources over t_{win} environments are sufficient (i.e., in problems with low change frequencies), a multiscenario optimization algorithm can be used during the current time window to find a solution for deployment in the next time window.

In addition, certain ROOT_T problems with some *deterministic* dynamic characteristics [39], where accurately predicting future fitness values⁷ of solutions is possible, might be translated into multiscenario problems. However, it is important to note that for accurately predicting the future fitness values in these ROOT_T problems, we need sufficient samples in each environment to train accurate approximation and prediction models [6]. While in problems with regular and smooth morphological characteristics, we can train accurate models with smaller numbers of samples (i.e., solutions and their fitness values), in problems with rugged and irregular morphological characteristics, we need larger numbers of well-distributed samples for training accurate models [40], [41]. This will be more challenging in problems with high change frequencies, where the optimization algorithm is already struggling with a limited fitness evaluation budget in each environment to perform the search process. Consequently, using multiscenario methods to solve such ROOT_T problems would be inefficient. Some existing ROOT methods use aggregation approaches employed in multiscenario optimization and optimize multiple environments/scenarios simultaneously (see Section III-A1). Nevertheless, studies in [28] and [32] showed that these methods are inefficient due to error-prone predictions and the lack of advanced dynamic handling components in the optimization algorithm's structure.

Finally, most real-world ROOT problems involve stochastic changes [9], [10] for which knowledge of future environments is unavailable. Predicting future fitness values of solutions and objective functions becomes highly error-prone in the presence of stochastic changes in such cases. Therefore, these problems cannot be solved using multiscenario optimization, which requires knowledge of future environments beforehand. To overcome these challenges, a ROOT method is needed that can gather and process historical information to predict some aspects of the environment, such as the likelihood of reliability and robustness of promising regions, without attempting to predict the future fitness of solutions (i.e., future objective functions) [28].

c) Comparing ROOT and robust optimization problems: Robust optimization refers to a type of optimization that searches for a solution that is robust to various sources of uncertainty [25]. The desirable solution is usually deployed once, after completing the optimization process. In contrast, ROOT is the combination of robust optimization and optimization in dynamic environments that considers tracking, deploying, and switching robust solutions over time instead of just deploying a single solution in robust optimization [11], [42]. ROOT problems are typically ongoing optimization problems in dynamic environments, which means

⁷By predicting the future fitness values of any solution in the search space, we predict the future environments.

that the algorithm usually runs in an online manner.⁸ Unlike robust optimization, in ROOT, the algorithm must respond to environmental changes and find desirable solutions based on the current and predicted future status of the problem.

In addition, uncertainties in robust optimization problems usually differ from those in ROOT problems, which arise due to environmental changes. In ROOT, the cumulative effect of these changes over time often results in significant uncertainties [9], [11], making it impossible to find a solution that remains robust to all environmental changes. Therefore, instead of searching for a single solution that can handle all uncertainties, in ROOT, we must switch the deployed solution(s) over time as needed. Decisions about which solution(s) to deploy and when to switch the deployed solution(s) are made sequentially over time, and the uncertainty set is updated at each environmental state based on the relevant parameters and any new information that becomes available. This task becomes more challenging when uncertainties also change over time, such as in heterogeneous DOPs [10], where factors like the severity of changes, frequency of changes, and type of dynamics can all evolve over time.

Although ROOT and robust optimization problems differ in their characteristics and requirements, they can exhibit similar behavior in certain cases, such as in ROOT problems with both small change severity and insignificant cumulative environmental changes over time. However, it is important to note that not all ROOT problems with small change severity are similar to robust optimization problems. To illustrate this point, we provide an example in Fig. 2. In this example, we show the movement of the optimum positions in two cases over 500 environmental changes, with both cases having a small change severity of 0.1 and an initial optimum position of (0, 0). As shown, while both cases have identical small change severity, the cumulative changes in case 1 are large, making robust optimization methods inapplicable to tackle it. By contrast, in case 2, the optimum position shifts randomly back-and-forth, resulting in a much smaller cumulative change over time compared with case 1. Thus, case 2 displays behavior similar to that of robust optimization problems because it is likely that there is a solution that remains acceptable across all environments. In general, any ROOT problem that has at least one solution whose performance remains desirable across all environments can be classified as a robust optimization problem. Nonetheless, many real-world problems do not have a solution that meets this criterion, i.e., there is no solution that is robust to all environmental changes. Thus, solutions deployed in such problems must be changed over time in response to environmental changes and to cope with the current status of the problem.

Furthermore, in the context of ROOT_T, each time window can be considered as an individual robust optimization problem. However, since a solution must be chosen for deployment at the beginning of each time window, the robust optimization process for a specific time window needs to be conducted during the preceding time window. This approach




Fig. 2. Comparison of optimum position movements in problems with different cumulative changes over time. The figure shows the movement of optimum positions in two cases over 500 environmental changes, with both cases having a small change severity of 0.1 and an initial optimum position of (0, 0). While case 1 exhibits large cumulative changes over time, case 2 shows random back-and-forth movements resulting in smaller cumulative changes.

necessitates prior knowledge of the future environments in the subsequent time window, which is typically unavailable. Moreover, as discussed in Section II-E1b, accurately predicting multiple future environments is usually impractical. Additionally, if we treat each time window as a distinct robust optimization problem and restart the optimization process in each time window, we would forfeit the opportunity to utilize historical information for enhancing the search process. Consequently, adopting an approach that treats each time window as an individual robust optimization problem may not be an effective strategy for tackling ROOT_T problems.

2) *Discussions on Requirements for Changing or Keeping Solutions:* Based on the definition of ROOT_Q, the quality threshold and $\alpha^{(t)}(\cdot)$ function determine the acceptability of the deployed solution(s) in the t -th environment. Both the quality threshold and $\alpha^{(t)}(\cdot)$ function are part of the problem definition and form a constraint that defines the feasibility of the deployed solution(s). Depending on the requirements and characteristics of the problem/system, the quality threshold value can be fixed or vary over time. An example of ROOT_Q is crowd monitoring and management [43] which can be classified as a dynamic covering location problem [44]. In this problem, the desirable locations of field agent units change over time based on the current and predicted status of the dynamic crowd. However, in this problem, frequent relocation of field agent units is undesirable. To clarify the terms “undesirable” and “frequent changes” in this problem, assume that if the base station commands the field agent units to relocate every few seconds, the monitoring task is hindered as they are disturbed frequently. Therefore, in solving this problem, we seek solutions that remain acceptable for longer periods. A solution (e.g., the locations of the field agent units) in this problem is considered acceptable based on security and safety criteria. For instance, if the average distance between field agent units and people in the crowd exceeds a threshold, the location of the field agent units must be updated to a new position determined by the optimization algorithm. Note that in this specific application, the threshold value can change over time based on the current level of risk, such as the likelihood of incidents of crowd crushes or terrorism [45].

⁸That is, both the problem/system and the algorithm run simultaneously over time.

According to the definition of $ROOT_T$ problems, there is a temporal constraint that prevents switching a deployed solution (or a set of solutions in $ROOT_T^M$) before a specified end time. Various reasons may cause this temporal constraint in real-world problems.

- 1) Insufficient resources to deploy a new solution until the end of the time window. For example, if changing the deployed solution requires specialized human resources who are only available every 24 h, the current solution will have to remain in place until the next available shift.
- 2) Time required to adapt to a new solution. For instance, in certain applications, users may need time to learn and practice before they can fully benefit from a new solution.
- 3) Completion of information gathering. In some scenarios, after deploying a new solution, some information needs to be gathered before the solution can be switched. For example, in a commercial system, it may take time to gather market feedback on a newly produced product. Such information is usually necessary for decision-making about the next deployed solution.
- 4) Impact of changes on other parts of the system. Changing certain aspects of a system in response to environmental changes may have negative consequences. For instance, investment plans provided to customers should remain fixed for a certain period (e.g., one year), despite changes in economic conditions, to avoid customer dissatisfaction and confusion.

Note that, in real-world $ROOT_T$ problems, the size of the time window is usually finite, i.e., the problem-specific restrictions that define the time window during which we are unable to deploy a new solution are not permanent. Therefore, when the restrictions are lifted, i.e., when the current time window is finished, a new solution needs to be chosen for deployment to cope with the status of the problem/system during the new time window. In addition, the length of the time window may be fixed or may change over time, depending on the system and problem specifications and requirements.

Furthermore, in $ROOT_G$ problems, the switching cost is a critical aspect of the problem that must be taken into account by the algorithm. This cost is problem-specific, which is defined as the practical expenses incurred during the preparation and implementation of a new solution, and it can vary depending on the specific requirements of the problem. The switching cost is a crucial factor that is used for determining whether to switch to a new solution or retain the existing one. For instance, if a more efficient product is designed, the costs associated with updating the production line and the projected future sales must be evaluated and compared to the revenue generated by the current product, i.e., the solution currently in use. This comparison helps determine whether the benefits of adopting the new solution outweigh the costs associated with the transition.

The degree of difference between the previously deployed solution and the new one can also affect the switching cost, with larger differences resulting in higher costs [8], [46]. For instance, longer relocations involving transportation and logistics require more fuel/energy and result in higher costs. In

previous work, the parameters used to calculate the switching cost, such as fuel cost, were considered fixed over time. However, in practice, these parameters usually change over time, making it impracticable to treat them as fixed values.

Note that in problems where the switching cost is small, $ROOT_G^S$ problems behave more like a TMO problem where the best-found solution in each environment is chosen for deployment [14]. On the other hand, in circumstances where the switching cost is very high, $ROOT_G^S$ problems behave similarly to $ROOT_Q^S$, i.e., due to the high switching cost, the current deployed solution is likely to be kept as long as it remains acceptable [28]. However, it is important to note that we cannot consider $ROOT_Q^S$ as a special case of $ROOT_G^S$ with high switching costs because, unlike $ROOT_G^S$, many $ROOT_Q^S$ problems do not consider switching costs as a primary factor to avoid frequent changes in the deployed solutions.

3) *Limitations of Existing Research on ROOT Problems:* While $ROOT_Q^S$ has received significant attention, $ROOT_T^S$ and $ROOT_G^S$ have not been adequately investigated among $ROOT^S$ problems. Additionally, out of the different types of $ROOT^M$ problems, only multiobjective $ROOT_Q^M$ problems have been explored, and no attention has been paid to multimodal $ROOT_Q^M$ or any other type of $ROOT_T^M$ or $ROOT_G^M$. Due to the prevalence of $ROOT_T$ and $ROOT_G$ problems in practice, there is a gap between real-world problems and academic research in the field.

Moreover, the majority of existing work in the field focus on problems with continuous search space. In addition, apart from the quality threshold, which can be considered a quality-based constraint, no other constraints, dynamic ones in particular, have been considered. It was also noted that all studies in the ROOT literature work on problems whose environmental changes occur only at discrete time steps, while the search space of many real-world problems continuously changes over time [47]. Finally, while the variable structure of many real-world problems is partially separable [48], [49], the majority of studies, particularly those focusing on $ROOT^S$ problems, have focused on fully nonseparable problems.

It should also be noted that not all multiobjective ROOT problems are $ROOT^M$. In fact, multiobjective ROOT problems can be classified as either $ROOT^M$ or $ROOT^S$ based on the number of deployed solutions. There are usually *several* decision-makers with different preferences in multiobjective $ROOT^M$ problems. In such problems, the main aim is to seek a robust POS. By providing and implementing the POS, each decision-maker can pick a solution for deployment according to his/her own preferences. In multiobjective $ROOT^S$ problems, on the other hand, there is one deployed solution at each point in time, which is chosen by a solo decision-maker whose preferences may change over time.

III. ROOT METHODS

In this section, we review the methods developed for solving ROOT problems. To have a better understanding of how these methods work and their advantages and disadvantages for solving different classes of ROOT problems, instead of




Fig. 3. Taxonomy of the ROOT methods.

classifying them according to the type of problems, we propose a taxonomy for these methods based on the approaches applied to finding robust solutions. This taxonomy also allows us to analyze these approaches independent of the type of ROOT problems since some of them can be used for multiple classes of ROOT problems. In this taxonomy, these approaches are classified into:

- 1) approaches that use the predicted fitness of the candidate solutions to predict their robustness;
- 2) approaches that work based on the estimated robustness of the promising regions instead of the robustness of the candidate solutions;
- 3) approaches that take additional objective functions into account for finding robust solutions.

The proposed taxonomy for ROOT methods is illustrated in Fig. 3. In the following, we provide an in-dept technical review⁹ of the developed ROOT methods according to the proposed taxonomy.

A. Finding Robust Solutions Based on Predicted Fitness of Candidate Solutions

These methods use historical data to predict the fitness values of candidate solutions in the forthcoming environments. The robustness of a candidate solution is then determined based on its predicted fitness values. In these ROOT methods, the main objective function is replaced by a *substitute* objective function to find robust solutions. This class is further classified into: *fitness accumulation/average*-based, and *survival-time*-based methods.

⁹Since we aim to make this survey self-contained for readers who may be new to the field or have limited knowledge of the topic, and because we aim to do a deep analysis of the main methods in the field, our review includes comprehensive details and descriptions.

In the fitness accumulation/average-based methods, the search space is constructed based on the accumulation/average of the solutions' fitness values in the current environment, a predefined number of previous environments (which are constructed by the historical data and approximation component [50]), and a predefined number of future environments [6], [12] (constructed by prediction component). On the other hand, in the survival-time-based approaches, the search space is constructed based on the survival time of solutions, which is normally the number of successive upcoming environments that a solution remains acceptable, determined based on the predicted fitness values of the candidate solutions and acceptability criteria. In the following, we describe these methods.

1) *Fitness Accumulation/Average-Based Approach*: Jin et al. [6] proposed the first fitness-accumulation-based framework that searches for robust solutions by means of fitness approximation and prediction. The goal of this method, which essentially tackles $ROOT_Q^S$ problems, is to find solutions that remain acceptable after several environmental changes. This method uses the predicted fitness values of the candidate solutions in a predefined number of forthcoming environments to evaluate their robustness. The main components of this method include a population-based optimizer, an archive, an approximator (also known as a surrogate model [51]), and a predictor. The optimizer has two main responsibilities which are gathering data for training the predictor and performing optimization. In each iteration, all candidate solutions of the optimizer, their fitness values, and the associated environment number are archived in the archive. The archived information is then used to train a prediction method to estimate the future fitness values of the candidate solutions. More specifically, for a candidate solution, a time series of its fitness values over a predefined previous environments plus the current environment are used to train a predictor for estimating its future fitness values in the upcoming q environments. Since the past fitness values of a solution may not be in the archive, an approximator is used to estimate these past fitness values. The aforementioned components cooperate through the following metric:

$$\check{f}^{(t)}(\mathbf{x}) = \sum_{i=t-p}^{t-1} f^{(i)}(\mathbf{x}) + f^{(t)}(\mathbf{x}) + \sum_{j=t+1}^{t+q} f''^{(j)}(\mathbf{x}) \quad (6)$$

where \check{f} is the substitute objective function, t is the index of the current environment, f' is the approximation function where $f'^{(t-j)}(\mathbf{x})$ estimates the fitness value of \mathbf{x} in the $(t-j)$ th environment, $f^{(t)}$ is the actual objective function in the current environment t , f'' is the prediction function where $f''^{(t+j)}(\mathbf{x})$ estimates the fitness value of \mathbf{x} in the $(t+j)$ th environment, and p and q are the numbers of considered past and future environments, respectively. In this method, a particle swarm optimization (PSO) [52] that randomizes a predefined portion of the population after each environmental change [53] is used as the optimization component, a radial basis function is used as the approximator [40], and autoregression is used as the predictor. In [54], the impact of different predictor methods on the performance of the framework in [6] is investigated. It

is shown in [54] that the results are not significantly different when more advanced predictors are used.

As shown in (6), the substitute objective function considers p past approximated fitness values of a candidate solution. However, robustness is defined based on both current and future fitness values. Moreover, the past approximated fitness values are implicitly taken into account when training the predictor. Therefore, further studies are needed to investigate the necessity and effectiveness of including past approximated fitness values in (6).

As stated before, the method in [6] is used to tackle $ROOT_Q^S$ problems. This method keeps the deployed solution for as long as it remains acceptable and tries to maximize the average survival time of the deployed solutions. However, according to the substitute objective function in (6), this method does not consider the *acceptability* of solutions in the current and upcoming environments. In other words, only the accumulation of the fitness values of a candidate solution from p past environments to q future environments are taken into account in (6). For example, an *unacceptable* solution in the current environment with high predicted future fitness values can be chosen for deployment if its accumulated fitness value is the highest. However, such a solution is infeasible for deployment due to its unacceptable current fitness value. Since the method in [6] does not consider the current and future acceptability of candidate solutions and focuses on the fitness values, it is more suitable for solving $ROOT_T^S$ problems.

Later, Fu et al. [13] proposed a method for tackling $ROOT_T^S$ problems by modifying the method in [6]. With the exception of the substitute objective function, all the components of the method in [6] are also used in the $ROOT_T^S$ method in [13]. For tackling $ROOT_T^S$ problems, this method tries to find a solution for deployment at the first environment of each time window to maximize the average fitness over the time window. The following substitute objective function has been used in this method:

$$\check{f}^{(t)}(\mathbf{x}) = \frac{1}{t_{win}} \left(f^{(t)}(\mathbf{x}) + \sum_{j=t+1}^{t+t_{win}-1} f''^{(j)}(\mathbf{x}) \right). \quad (7)$$

As can be seen, the substitute objective function in (7) is similar to that of the method in [6] when we set $p = 0$ and $q = t_{win} - 1$ in (6).

In [55] and [56], the performance of the $ROOT_T^S$ method in [13] is investigated where different differential evolution (DE) algorithms [57] are used as the optimization component. In addition, the impact of different approximation components on the performance of the $ROOT_T^S$ method in [13] is investigated in [58]. It is shown in this article that more advanced approximation methods can improve the performance of the $ROOT_T^S$ method in [13]. However, since the empirical study has been conducted on a limited set of 2-D problems, the impact of different approximation methods on problem instances with a higher number of dimensions is still unclear.

Fitness accumulation/average-based approaches have also been used to find multiple solutions for deployment simultaneously. In [15], a framework for solving multiobjective $ROOT_Q^M$ problems was introduced where the goal is to find

a robust POS for deployment. A robust POS may not be the true POS in an environment, but it remains relatively close to the true POS for at least two successive environments. To solve multiobjective $ROOT_Q^M$ problems, the problem shown in (5) is transformed into a substitute one based on the multiobjective robust solution definitions introduced by Deb and Gupta [59]

$$\check{F}^{(t)}(\mathbf{x}) = \left(\check{f}_1^{(t)}(\mathbf{x}), \check{f}_2^{(t)}(\mathbf{x}), \dots, \check{f}_m^{(t)}(\mathbf{x}) \right) \quad (8)$$

where the i th substitute objective function $\check{f}_i^{(t)}(\mathbf{x})$ is

$$\check{f}_i^{(t)}(\mathbf{x}) = \frac{1}{q} \left(f_i^{(t)}(\mathbf{x}) + \sum_{j=t+1}^{t+q-1} f_i''^{(j)}(\mathbf{x}) \right) \quad (9)$$

where $f_i^{(t)}$ is the actual i th objective function in the current environment t , f'' is a prediction function where $f_i''^{(t+j)}(\mathbf{x})$ estimates the i th fitness value of \mathbf{x} in the $(t+j)$ th environment, and $q - 1$ defines the numbers of considered future environments. According to (9), this method works based on the predicted fitness of candidate solutions in the upcoming environments. Similar to the method in [6], an archive and an approximation component are used for each objective function to provide data for training the predictors. Besides, an evolutionary multiobjective optimization method is used in this framework (MOEA/D [60] is used in [15]). This framework is also used in [16], [17], [18], and [61] for solving $ROOT_Q^M$ problems. In [16], ensemble prediction methods are used in this framework to improve the prediction accuracy. In [17] and [61], a grid-based multiobjective brain storming algorithm [62] with hybrid mutation operation and a modified version of nondominated sorting genetic algorithm [63] were used as the optimization component in this framework, respectively. In [18], an alternative prediction component is used to estimate the future fitness values of the candidate solutions. In this method, instead of using time series of previous fitness values of candidate solutions for predicting their future fitness values, future environmental parameters (i.e., α -variables) are predicted. Then, using the predicted environmental parameters and the baseline functions, the future fitness values of candidate solutions are estimated and then used in (9).

2) *Survival-Time-Based Approach*: Fu et al. [12], [13], [42] proposed a survival-time-based framework to tackle $ROOT_Q^S$ problems. The main components of this framework are the same as the method in [6], however, the substitute objective function is different

$$\check{f}^{(t)}(\mathbf{x}) = \begin{cases} 0, & \text{if } f^{(t)}(\mathbf{x}) < \mu \\ 1 + \max\{n \mid \forall i \in \{1, 2, \dots, n\} : f_i''^{(t+i)}(\mathbf{x}) \geq \mu\}, & \text{otherwise} \end{cases} \quad (10)$$

where μ is the quality threshold. According to (10), if the current fitness value (i.e., in the t -th environment) of a candidate solution is less than μ , it is considered as a nonrobust solution. On the other hand, for a candidate solution whose fitness value in the current environment is acceptable, its robustness value is the number of forthcoming successive environments in which its fitness values are predicted to remain above μ . Using (10),




Fig. 4. (a) Contour plot of the actual current landscape made using the Generalized Moving Peaks Benchmark (GMPB) [66], [67] with randomly generated ten promising regions. (b)–(d) Generated search space by (10) using the current environment in (a) and its future environments, where μ is set to 40, 45, and 50, respectively. Note that actual future fitness values are used to generate (b)–(d) instead of the predicted values. This is done to remove the prediction error impact on the constructed search spaces shown in these figures.

the ROOT_Q^S method in [13] searches for solutions with higher estimated robustness since future acceptability of the candidate solutions is taken into account in the substitute objective function. In [64], the performance of the ROOT_Q^S method in [13] is investigated where DE is used as the optimization component.

Since (10) considers the robustness of candidate solutions, it seems to be a more suitable substitute objective function to tackle ROOT_Q^S in comparison to (6). However, (10) suffers from a significant issue which is best explained by several illustrative examples. Fig. 4 illustrates search spaces generated by (10) using different quality threshold values $\mu = \{40, 45, 50\}$. As can be seen, the search spaces generated by (10) contain vast plateau regions and a few narrow peaks. Moreover, Fig. 4(b)–(d) shows that by increasing the quality threshold value, the regions containing robust solutions shrink, and the plateau regions expand. Such landscapes are extremely challenging for the optimizers due to the stagnation and premature convergence issues [65]. These challenges are intensified by increasing the problem dimensionality. It is shown in [30] that PSO fails to find any promising region in a 10-D problem generated by (10) where $\mu = 40$.

B. Finding Robust Solutions Based on Estimated Robustness of Promising Regions

Yazdani [28] proposed a class of ROOT methods that focused on the robustness of promising regions instead of candidate solutions. In addition, this class operates on the landscape generated by the actual objective function instead of searching for robust solutions in the search space constructed by a substitute objective function. These methods rely on advanced components of multipopulation EDOAs to handle the challenges caused by environmental changes, locate and track multiple moving promising regions over time, monitor these promising regions, and gather some information about them, which is used to estimate the likelihood of reliability and robustness of each covered promising region. We further classify these ROOT methods into those that consider the morphological and dynamical characteristics of promising regions and those that rely on the robustness history of promising regions.

1) *Considering the Morphological and Dynamical Characteristics of Promising Regions:* Yazdani et al. [68]

proposed a ROOT_Q^S framework which estimates the robustness of the promising regions based on some *reliability* factors. In this framework, the robustness of the promising regions is estimated based on some information gathered by the optimization component. Unlike the ROOT methods described in Section III-A that operate on the search space of a substitute objective function to find robust solutions, this framework works on the search space of the *actual* objective function. The components of this framework include a multipopulation EDOA capable of locating and tracking multiple moving promising regions, an archive for each subpopulation that is used for storing some historical information about each covered promising region, and a decision-maker that chooses solutions for deployment. Thus, this framework does not rely on any approximated and/or predicted fitness values of candidate solutions.

Fitness fluctuation degrees after each environmental change is one of the main pieces of information gathered in [68] about the moving promising regions. To estimate the fitness fluctuation of each promising region that is covered by the i th subpopulation, the following calculation is done after each environmental change:

$$\tau_i^{(t)} = \left| f^{(t-1)}(\mathbf{g}_i^{*(t-1)}) - f^{(t)}(\mathbf{g}_i^{*(t-1)}) \right| \quad (11)$$

where $\tau_i^{(t)}$ is the fitness fluctuation at the t -th environmental change and $\mathbf{g}_i^{*(t-1)}$ is the best-found position by the i th subpopulation in the $t-1$ th environment. τ_i values are stored in the i th subpopulation's archive. Thereafter, the average values of τ_i in the past environments ($\bar{\tau}_i$) are used for estimating the robustness of the covered promising region by the i th subpopulation using

$$\tau(\mathbf{g}_i^{*(t)}, \bar{\tau}_i) = \begin{cases} 1, & \text{if } f^{(t)}(\mathbf{g}_i^{*(t)}) - \bar{\tau}_i \geq \mu \\ 0, & \text{otherwise.} \end{cases} \quad (12)$$

If $\tau(\mathbf{g}_i^{*(t)}, \bar{\tau}_i) = 1$, it means that $\mathbf{g}_i^{*(t)}$ is likely robust to at least one upcoming environmental change, i.e., it is expected that its next fitness value will remain above the threshold μ . In the t -th environment, if a new solution must be chosen for deployment, the algorithm first forms a set \mathcal{C} that contains the robust promising regions (i.e., $\{i \in \mathcal{C} | \tau(\mathbf{g}_i^{*(t)}, \bar{\tau}_i) = 1\}$). In the next step, a decision-making process is used to choose

a promising region from \mathcal{C} based on a predefined strategy. In [68], the following strategy is used:

$$c^{*(t)} = \arg \max_{i \in \mathcal{C}} \left(f^{(t)}(\mathbf{g}_i^{*(t)}) - \bar{\tau}_i \right) \quad (13)$$

where $c^{*(t)}$ is the chosen promising region in the t -th environment which is the one from \mathcal{C} whose best-found position has the highest worst-estimated future fitness value. Next, the best-found position in the promising region $c^{*(t)}$, which is likely near the summit position, is chosen for deployment. The reason behind choosing the best-found position is that robust solutions usually exist around the summits of the robust promising regions [69], [70].

Some other strategies that work based on the estimated shift and height severity values are proposed in [30]. In this approach, some additional information is gathered and archived by subpopulations to estimate shift and height severity values. In each pair of successive environments t and $t + 1$, the following values are calculated and archived for the promising region covered by the i th subpopulation:

$$s^{(t)}_i = \left\| \mathbf{g}_i^{*(t)} - \mathbf{g}_i^{*(t+1)} \right\| \quad (14)$$

and

$$h^{(t)}_i = \left| f^{(t)}(\mathbf{g}_i^{*(t)}) - f^{(t+1)}(\mathbf{g}_i^{*(t+1)}) \right| \quad (15)$$

where $s^{(t)}_i$ and $h^{(t)}_i$ are estimated relocation length and height difference of the best-found position by the i th subpopulation in the t -th and $t + 1$ th environments. For each subpopulation i , the *average* values of archived $s^{(t)}_i$ and $h^{(t)}_i$ show the estimated shift (\bar{s}'_i) and height (\bar{h}'_i) severity values of its covered promising region, respectively.

The idea behind using estimated shift and height severity values in these strategies is that choosing the summit positions of the promising regions with smaller shift and/or height severity values for deployment can be more robust to environmental changes. More specifically, smaller shift severity values in a promising region during environmental changes result in smaller fitness drops when the summit position is chosen for deployment. On the other hand, larger shift severity values lead to more severe fitness drops, which result in lower robustness. Moreover, promising regions with smaller height severity values are unlikely to suffer from significant fitness drops caused by decreased height values. On the other hand, the promising regions with larger height severity degrees may suffer from large fitness drops after environmental changes that result in lower robustness. Therefore, if the best-found position in a promising region with smaller shift and/or height severity values is chosen for deployment, its likelihood of remaining acceptable after upcoming environmental changes will be higher.

The following three strategies were presented in [30] based on the estimated shift and height severity values of the promising regions in \mathcal{C} :

$$c^{*(t)} = \arg \min_{i \in \mathcal{C}} (\bar{s}'_i) \quad (16)$$

$$c^{*(t)} = \arg \min_{i \in \mathcal{C}} (\bar{h}'_i) \quad (17)$$

and

$$c^{*(t)} = \arg \min_{i \in \mathcal{C}} \left(\frac{\bar{s}'_i}{\bar{s}'_{\max}} + \frac{\bar{h}'_i}{\bar{h}'_{\max}} \right) \quad (18)$$

where \bar{s}'_{\max} and \bar{h}'_{\max} are the largest \bar{s}' and \bar{h}' values among promising regions in \mathcal{C} , respectively. The experimental results in [28] and [30] demonstrate that solutions chosen by (18), which considers both shift and height severity values, have longer survival times in comparison to the ones chosen by (16) and (17). Finally, in [14], a strategy is used that works based on the switching cost between the previously deployed solution \mathbf{s} and the best-found positions in the promising regions in \mathcal{C}

$$c^{*(t)} = \arg \min_{i \in \mathcal{C}} \left(c(\mathbf{s}, \mathbf{g}_i^{*(t)}) \right) \quad (19)$$

where $c(\mathbf{s}, \mathbf{x})$ calculates the switching cost between the deployed solution \mathbf{s} and \mathbf{x} . In [14], the Euclidean distance between the deployed solution and \mathbf{x} is used as the switching cost.

2) *Considering the History of the Robustness of Promising Regions:* One useful piece of information about each promising region is its robustness history, which can be used in the decision-making process for choosing a promising region from which a solution is chosen for deployment. A ROOT framework is proposed in [32], which, like the proposed framework in [30], includes a decision-maker, a multipopulation EDOA for finding and tracking moving promising regions, and an archive for each subpopulation. The main differences between these two frameworks are the archived information and the decision-making process. In [32], the historical knowledge stored in each archive includes the best-found solutions in the covered promising region in previous environments, as well as the environment number associated with each solution. The degree of robustness of each covered promising region is estimated in this framework after each environmental change. To this end, the archived solutions are reevaluated after each environmental change, and their acceptability is determined using (S-12) in the current environment. The estimated robustness degree shows the number of successive environments for which, if any of the previous best-found solutions in the promising region were deployed, they would have continued to remain acceptable up until the current environment. It is worth mentioning that efficiently managing the archives and controlling the computational burden of the robustness estimation process in this framework are challenging and complex tasks that involve several additional mechanisms.

After determining the estimated robustness degree for all covered promising regions, a decision-maker is responsible for selecting one promising region from which the next solution for deployment is chosen. In [32], the decision-maker simply selects the promising region with the highest estimated robustness degree. It is shown in [32] that the promising regions with larger values of the estimated robustness have some suitable morphological and dynamical characteristics that increase the likelihood of their robustness to the upcoming environmental changes.

C. Multiobjectivization

In these methods, while the problem is single-objective by nature, some additional objectives are also considered to find a desirable solution for deployment. Since these multiobjective methods are developed for solving single-objective ROOT problems, they usually need to choose one solution for deployment from the POS.

A double-layered biobjective ROOT^S method is proposed in [71]. In the first layer, the algorithm tries to find POS based on the substitute objective functions in (7) and (10) for each environment. Therefore, this algorithm tries to tackle ROOT_Q^S and ROOT_T^S simultaneously. Afterward, in the second layer, the algorithm tries to find the best sequence of robust solutions based on the found POSs over different environments in the first layer. Such an approach for finding POSs in the first step and then selecting a sequence of solutions from them is more suitable for problems in which the sequence of environments recurs [9], [72]. Therefore, the set of solutions chosen in the second layer of this method can be reused in future reappearing environments. The concept of multiobjectivization by simultaneously considering ROOT_Q^S and ROOT_T^S is also used in [61].

In [73], a multiobjective approach called ROOT/SC is proposed for optimizing two objectives, including survival time maximization in (10) and switching cost minimization. The switching cost was defined as the Euclidean distance between the deployed solution and a candidate solution. The algorithm keeps the deployed solution until it becomes unacceptable. When a previously deployed solution becomes unacceptable, a new solution must be chosen from the POS for deployment. From the aspect of requirements for changing or keeping the deployed solution, this method can be considered a ROOT_Q^S method. However, from the aspect of choosing a new solution for deployment, depending on the defined preferences, this method can also be considered as ROOT_G^S since it tries to minimize the switching cost.

Note that since ROOT/SC uses (10) as its ROOT_Q^S objective, it also suffers from the difficulty of the search space generated by this objective function in higher dimensions (see Fig. 4). An improved version of ROOT/SC, called ROOT/SCII, is proposed in [74]. In this algorithm, a helper objective, which is the actual objective function, is also considered, which helps in ameliorating the difficulty caused by (10) in higher dimensions.

D. Discussion on ROOT Methods

1) *Optimization Techniques Used in ROOT Methods:* ROOT methods are complex algorithms composed of multiple components, including those related to change reactions, information gathering, prediction, and decision-making. One important component of ROOT methods is the optimization component.

The majority of the work in the field utilizes evolutionary algorithms (EAs) as the optimization engine in ROOT methods. Using EAs in ROOT methods has several advantages.

1) *No Prior Knowledge Required:* EAs do not require any prior knowledge about the problem being solved. This

is particularly advantageous in solving ROOT problems, where the underlying dynamics of the problem may be unknown or changing over time.

- 2) *Flexibility:* EAs are highly flexible and can be easily adapted to different types of optimization problems, including constrained, multiobjective, discrete, and continuous. They are also able to handle nonlinear and nonconvex optimization problems, which can be challenging for other optimization methods. In addition, EAs can be used in conjunction with controller components, which can control EAs to adapt to various situations over time, such as change reaction components that prepare EAs for new environments.
- 3) *Effective Information Gathering:* EAs are mostly population-based algorithms, allowing them to explore vast areas of the search space, which is beneficial for gathering information needed for predicting robustness.
- 4) *Multipopulation:* EAs can be easily parallelized into multiple populations using population division and management components [10], allowing them to cover various regions of the landscape in order to improve information gathering and quicker reactions to environmental changes.

PSO and DE are the most commonly used EA approaches in ROOT methods. Several studies have shown that EAs are effective in addressing ROOT problems, including those with complex morphological and dynamical characteristics [32], [66]. However, it is important to note that there may be limitations or drawbacks to using EAs in ROOT algorithms, such as high computational costs or difficulty in handling large-scale problems [48], [49]. To the best of our knowledge, random sampling [69] is the only non-EA optimization technique used in ROOT methods. However, its effectiveness is limited to low-dimensional problems.

2) *EDOAs' Components Used in ROOT Algorithms:* The majority of challenges associated with TMO in DOPs can also be observed in ROOT problems. Similar to TMO approaches, all ROOT methods also need to overcome challenges such as global and local diversity loss and limited computational resources in each environment [10]. Almost all ROOT methods use the components of EDOAs that are designed to address these challenges. In fact, a ROOT method is constructed by combining components of EDOAs with explicit archives and some specific components for finding robust solutions, such as the approximation and prediction components in [6] and [13] and the decision-maker component in [30]. The performance of ROOT methods is highly affected by the effectiveness of the EDOA used in these methods. Consequently, using a less effective EDOA deteriorates the performance of the ROOT methods.

For example, in [6] and [13], a very simple single-population restart-based PSO (RPSO) from [53] and [75] is used. It is shown in [76], [77], and [78] that this EDOA is ineffective in optimizing many DOPs. This inefficiency of RPSO is not surprising, as this EDOA is constructed by only integrating a simple change-reaction-based global diversity control component, which randomizes a predefined portion of the inferior individuals after environmental changes, to a single

population PSO.¹⁰ By only using a simple global diversity control component, RPSO is not capable of performing adequate exploration and exploitation in the new environments and addressing the specific challenges of DOPs. As RPSO suffers from several shortcomings, it negatively impacts the performance of ROOT methods in [6] and [13]. Therefore, in designing ROOT methods, we must consider that the role of the used EDOA is crucial and that using more efficient EDOAs results in better performance. It is worth mentioning that to further improve the efficiency of ROOT methods, instead of using generic EDOAs that are particularly developed for TMO, researchers should pay more attention to developing EDOAs specifically designed for ROOT. For example, in most computational resource allocation methods used in EDOAs, the objective function values of solutions, in particular that of the best individual, are considered, which is suitable for TMO. However, in solving ROOT problems, instead of objective function values, the robustness of solutions and promising regions should be taken into account in the computational resource allocation components [32].

3) *Approximation Component*: In this part, we provide a discussion of the approximation component used for providing previous approximated fitness values in the ROOT methods that work based on the estimated future fitness of candidate solutions. In [6], [12], [13], and [15], in the t -th environment, a surrogate models generated by the approximation component are used for approximating $(t-a)$ th to $(t-1)$ th environments. The $(t-j)$ th surrogate model ($j \in \{1, \dots, a\}$) is responsible for approximating the fitness values of candidate solutions in the $(t-j)$ th environment. Using these surrogate models, the previous fitness values of a candidate solution are estimated to form a time series for training the prediction component.

To have more accurate surrogate models, it is crucial to have sufficient samples with adequate distribution stored in the archive for each environment. EDOAs' candidate solutions over the optimization process are the main source of the archived samples. However, since the EDOAs quickly converge to the promising regions in each environment, the provided samples are not always well-distributed to build an accurate surrogate model. As a result, there are usually areas without adequate samples. To address this issue, a specific hypercube design [79] is used in [6] for initializing a predefined portion of the population after each environmental change. However, systematically initializing the population in each environment will also become challenging for problems with larger numbers of dimensions or search ranges. The reason is that the search space can become overly large in comparison to the population size that even systematically distributing individuals cannot properly provide the necessary samples to build an accurate surrogate model. One way to ameliorate this problem is that, besides the EDOA's candidate solutions, the algorithm also systematically evaluates some additional solutions to improve the surrogate modeling in each environment. This way, however, may be prohibitive

or ineffective when the available computational resources are limited in each environment (e.g., problems with high change frequency). This ineffectiveness would be a consequence of the additional usage of the computational resources (i.e., fitness evaluation burden) by the sampling process, while the optimization component is usually struggling with the shortage of the available computational resources to perform sufficient exploration/exploitation [78].

The effectiveness of an approximation component is vital as it can negatively impact the effectiveness of the prediction component. Considering the aforementioned issues and challenges in using the approximation component, careful considerations should be made to decide if and how this component, at least in its current form, should be used. The approximation component for ROOT methods is first used in [6] since it is assumed that the algorithm in the t -th environment has no access to $f^{(t-j)}$ for evaluating the fitness of a candidate solution in the $(t-j)$ th environment. However, this assumption is not true for many real-world problems, because in many of these problems, access to the previous objective functions is available. For example, while the baseline function in the problem shown in (1) does not usually change over time, the environmental changes are actually the result of changes in the environmental parameters α . In many real-world DOPs and ROOT problems, access to the previous environmental parameters $\alpha^{(t-j)}$, such as previous costs, temperature, pressure, speed, available resources, positions, the number of customers, and lists of tasks, is possible. As a result, by using the baseline function and the previous environmental parameters, we can evaluate the previous fitness values of a candidate solution. Consequently, in cases like the above, it may not be necessary to use the approximation component if the available computational resources in each environment suffice to also evaluate previous fitness values. Furthermore, in cases where we need to use the approximation component due to limited computational resources, using the previous environmental parameters, we can improve the accuracy of the surrogate models in the current environment by providing additional samples from important areas (e.g., in areas containing high-quality robust solutions).

To address the challenges of using the approximation component in providing the time-series data for predicting the future fitness values of candidate solutions, α -variables (i.e., environmental parameters) are predicted in [18]. In this approach, using the baseline function $f(\cdot)$ and predicted α -variables, the fitness values of candidate solutions in future environments are calculated. Therefore, by using this approach, we no longer need an approximation component. However, the computational burden of this approach is huge because it performs fitness evaluations in order to calculate the predicted fitness values. In fact, this prediction approach consumes at least 50% of the fitness evaluations.

4) *Error of Future Fitness Prediction*: In this part, we discuss the error of the prediction component, which is used in the ROOT methods that work based on the predicted fitness values of candidate solutions. To train a predictor for estimating the future fitness of a candidate solution, the current and approximated previous fitness values of the candidate solution

¹⁰RPSO also has a change detection component, which is usually redundant as in most real-world DOPs, the algorithms are informed about environmental changes by other parts of the system, such as sensors [28].




Fig. 5. (a)–(c) Three successive 2-D environments generated by GMPB [66], [67] after 15th, 16th, and 17th environmental changes, respectively. Note that the changes are generated by random-based dynamics [47]. To generate each figure, we used 40000 points. True environments 1–15 are used to train predictors to estimate the future fitness values of the 40000 points in environments 16–18, which are shown in (d)–(f), respectively. More specifically, for training the predictors that generate (d)–(f), we used the true fitness values in the 1–15th environments, the true fitness values in the 2–15th environments as well as the predicted fitness values in the 16th environment, and the true fitness values in the 3–15th environments plus the predicted fitness values in the 16–17th environments, respectively. We use the autoregressive integrated moving average (ARIMA) model [82] as the predictor. For each predicted plot, we also report the mean-squared error (MSE) to the related true environment.

are used as the training data. As stated in Section III-D3, using approximation methods for estimating the previous fitness values of a candidate solution in its current form is error-prone and sometimes impractical. In addition, as shown in [28], even if the true previous fitness values of solutions are used for training the predictor, using prediction to estimate the future fitness values of candidate solutions is still error-prone. Fig. 5 depicts the error of predicting the future fitness values of solutions in three consecutive environments with random dynamics. Although the predictors are trained using the true previous fitness values, the error of prediction is significant and grows even larger when we extrapolate further into future environments, as shown in Figs. 5(d)–(f). Note that the prediction error will be even larger when the approximated previous fitness values are used instead of the true previous fitness values for training.

The scale of the prediction error in methods that work based on the predicted fitness values of solutions depends heavily on the type of dynamics. In problems whose environmental changes pose some regular and deterministic characteristics, such as circular or linear dynamics [80], [81], these methods can be effective. However, in problems with stochastic environmental changes, the error in the prediction models can be significant, hindering the methods from finding robust solutions.

5) *Challenges in Predicting Robustness of Promising Regions:* As described in Section III-B, for predicting the robustness of the promising regions, the methods/strategies use some historical knowledge, such as the average fitness fluctuation, shift severity, height change severity, and robustness. Using the aforementioned historical knowledge, the heuristic approaches used in these methods try to determine the promising regions that are *likely* (i.e., not *guaranteed*) robust to the upcoming environmental changes. In fact, the heuristic approaches used do not guarantee the future robustness of solutions chosen for deployment from the promising regions in \mathcal{C} . As a matter of fact, the future robustness of solutions cannot be generally guaranteed by any other approach. It is worth mentioning that these heuristics run the risk of losing some actual robust promising regions whose $\tau(\cdot) = 0$ [30] or have smaller estimated robustness degrees [32]. However, when $\tau(\cdot) = 0$ for a promising region or its estimated robustness degree is small, both of which are considered negative observations, the likelihood of its robustness decreases significantly. From a Bayesian perspective, such negative observations make the robustness of the promising region less plausible. Despite the fact that these methods may miss some robust promising regions, the reported results of solving several ROOT_Q^S problems using these methods in [28], [30], and [68] indicate their superiority to methods that work based on the predicted fitness

values of candidate solutions. However, there are still further concerns about these methods.

- 1) The performance of these methods highly depends on how well the multiple moving promising regions can be tracked. Therefore, in cases where the tracking performance drops, the performance of these methods will deteriorate as well. For example, in problems with a large number of promising regions, performing efficient tracking is very challenging or even impossible.
- 2) In some real-world problems, a considerable amount of data is available that can be used for predicting some other aspects of the future environments (e.g., data that can be used for predicting the next positions of optima). However, these ROOT methods only work on the basis of some specific gathered knowledge about the covered promising regions, they cannot benefit from the available data in such DOPs in their current form.
- 6) *Multiobjective Methods Developed for ROOT^S Problems:* Multiobjective methods, ROOT/SC [73] and ROOT/SCII [74] in particular, can be used for tackling both ROOT^S problems that are multiobjective problems with one decision-maker and the ones that are single-objective by nature but are coupled with additional objectives in order to customize the search process based on some preferences. These methods search for POS in each environment and choose a solution from POS for deployment when the previously deployed solution is no longer acceptable. This strategy is more suitable for solving multiobjective ROOT^S problems in which the preferences also change over time. Therefore, after knowing new preferences, a solution can be chosen from the POS. In [73] and [74], the preferences are considered predefined and fixed. In such a circumstance, searching for POS may not be necessary. That is because the problem can be transformed into a single-objective problem by aggregating objectives based on the given preferences [83], [84]. Based on this alternative strategy, the ROOT method can focus on finding a solution for deployment in the resulting single-objective search space. Currently, there is no study that has investigated the strengths and weaknesses of these two strategies.

IV. BENCHMARKING ROOT METHODS

To evaluate the efficiency of ROOT methods, a variety of configurable benchmark generators and performance indicators have been used in the field. Configurable benchmark test suites are particularly useful in generating problem instances with controllable dynamical and morphological characteristics, making them essential for evaluating the performance of ROOT methods and investigating their strengths and weaknesses under various conditions. Besides, measuring the performance of ROOT methods is crucial to their development [85]. Performance indicators are used to evaluate the efficiency of ROOT methods, analyze their behavior in solving problems with varying characteristics, and compare their performance with existing methods. We provide a comprehensive review of the ROOT benchmarks and performance

indicators used in the field in Sections S-I and S-II of the supplementary document, respectively.

V. FUTURE RESEARCH DIRECTIONS

By critically reviewing the current state of ROOT literature, we identify the following potential future research directions, which can broaden the field and dwindle some gaps between academic research and practice.

A. ROOT Problems to Investigate

1) *ROOT^S/ROOT_G^S With Changing Quality Threshold:* In real-world ROOT^S/ROOT_G^S problems, the quality threshold may change over time due to factors such as cost or demand fluctuations. Changing the quality threshold affects the algorithms' search process as they work based on this value [see (10) and (12)]. Consequently, to tackle such problems, an algorithm needs to find several solutions that are suitable for various ranges of estimated future quality threshold values, which is computationally expensive. Tackling ROOT^S/ROOT_G^S problems with changing quality thresholds is a challenging future research direction.

2) *ROOT_T^S With Changing Time Window:* In ROOT_T^S, a deployed solution must be kept until the end of the time window. This temporal constraint is a result of some limitations, such as the lack of necessary resources (e.g., financial and/or human resources) for deploying a new solution until the end of the time window. Since the available and/or required resources for deploying a new solution may change over time, the length of the time window can also change and be revealed at the beginning of each time window. This will be challenging since the best solutions for deployment can be different for various sizes of time window. Thus, different solutions must be located where each of them is best for a specific estimated future time window size. Tackling ROOT_T^S problems with a changing time window size over time is a potential area for future research.

3) *Multimodal ROOT^M:* A multimodal ROOT problem with multiple decision-makers with various preferences can be categorized as a ROOT^M problem. In these problems, there are multiple regions in the search space that contain global or near-global optima. These regions can be considered promising because they likely contain robust solutions that are candidates for deployment. However, since the regions containing each global optimum position can have different morphological and dynamical characteristics, it is important to evaluate the robustness and reliability of these regions to be used in determining the set of deployed solutions. Evaluating the robustness of these regions can help ensure that the deployed solutions are stable and reliable. Solving these problems is an interesting future direction.

4) *ROOT in Constrained DOPs:* Despite the importance of constrained ROOT problems, little attention has been paid to them in the ROOT literature. In fact, most real-world applications are subject to some constraints. These problems are challenging as their objective functions and constraints usually change over time [31]. They can become further challenging when there are several disjointed moving feasible regions [86].

In constrained $\text{ROOT}_Q^S/\text{ROOT}_G^S$, in addition to the quality threshold that can be considered a constraint, there are also other constraints, which usually change over time. Consequently, the ROOT method not only needs to find feasible solutions in the current environment, but it also needs to take the feasibility of solutions in forthcoming environments into account. Solving constrained ROOT_T^S problems can be more challenging since the deployed solution must remain feasible for the entire duration of the time window because it cannot be changed during the time slot. Furthermore, constrained ROOT^M can be very challenging, as we also need to consider the future feasibilities of the deployed set of solutions. In fact, the quality of the deployed set of solutions can drop quickly if it loses many of its solutions due to becoming infeasible in the new environments. Hence, an important and challenging future direction is to investigate different types of constrained ROOT problems.

5) *ROOT^S Problems With Large Number of Promising Regions (Peaks)*: The performance of all existing ROOT^S methods has only been tested on problems with a relatively small number of promising regions. Note that although the number of promising regions in benchmarks, such as mMPB, has been set to values up to 200, the number of visible promising regions in the landscape is considerably lower than this number. The reason is that the shape of promising regions is conical, and many smaller promising regions are covered by the larger ones.

In problem instances with a large number of promising regions, the performance of the methods that work based on estimating the robustness of promising regions will deteriorate because they cannot cover all promising regions [87]. Furthermore, as the problem becomes highly multimodal, the efficiency of methods that work based on estimating the future fitness/robustness of candidate solutions also drops due to the increased prediction error. In addition, performing exploration will be challenging in such problems due to the existence of a large number of promising regions. Working on ROOT^S problems with a large number of promising regions will be an interesting future work.

6) *Time-Linkage ROOT*: In problems with time-linkage property, the deployed solution in one environment influences the upcoming environments [88]. Among ROOT problems, ROOT_G problems, whose switching cost is defined based on the deployed and candidate solutions, possess the time-linkage feature [28]. However, in all existing works in the ROOT literature that consider the switching cost, the time-linkage property is not taken into account, which deteriorates the total gain over time [46]. Besides the time-linkage property caused by the switching cost, many real-world applications also have the time-linkage property, such as dynamic covering location problems [89], [90] in which the current positions of facilities affect the current and future search spaces and optimal solutions. Taking the time-linkage property into account in ROOT problems that possess this feature in order to improve the overall performance is a potential future direction.

7) *ROOT in Partially Separable Problems*: Most existing works are focused on fully nonseparable problems. However, the variable structure in many real-world applications is

partially separable [91], [92]. It is shown in [77] and [93] that the number of promising regions grows exponentially in partially separable objective functions. This results in an increase in the future fitness prediction error of the methods that work based on the estimated robustness of candidate solutions due to the roughness of the search space. These problems are also challenging for methods that work based on the estimated robustness of promising regions because tracking multiple moving promising regions will be less effective. To tackle partially separable ROOT problems, in the first step, the variable structure of the problem should be uncovered using a variable grouping method such as DG2 [94]. Thereafter, an EDOA must be assigned to each subfunction. To choose a solution for deployment, the ROOT algorithm must consider several factors for each subfunction, such as spatial severity, temporal severity, the contribution to the overall fitness value, and the optimization progress. Investigating partially separable ROOT problems is a potential future work.

8) *ROOT in Heterogeneous DOPs*: Existing research in the literature has focused primarily on addressing problems with regular characteristics, such as fixed change frequencies and severities, and identical dynamics during environmental changes. However, in the real world, many DOPs exhibit irregular dynamics over time, with changes in severity, timing, and patterns over time. These DOPs are referred to as heterogeneous [10], and they present a significant challenge for finding robust solutions. In heterogeneous DOPs, the dynamical behavior of the problem changes over time, and the landscape can be subject to multiple types of dynamics. This means that deployed solutions need to be robust against various types of environmental changes. Furthermore, predicting the robustness of solutions in these problems is challenging due to the irregularity of their dynamics. The development of methods for solving heterogeneous DOPs represents an important area for future work.

9) *ROOT Problems With Predictable Characteristics*: The majority of the existing works focus on problems with random-based dynamics for generating environmental changes. However, there are real-world problems with predictable characteristics, such as the reappearing ones [9], [72], [95], or the ones whose promising regions' movements are fully correlated, e.g., linear movements [80]. Indeed, if a ROOT method can benefit from the predictability properties of such problems, it may have some advantages over methods that do not take such properties into account. Investigating ROOT problems with predictable characteristics is a potential future direction.

10) *Multiobjective ROOT_Q^S Problems With Changing Preferences*: In any online multiobjective ROOT_Q^S problem with one decision-maker, regardless of the number of objective functions, only one solution is chosen for deployment when a new solution needs to be deployed. In solving multiobjective ROOT_Q^S with *stationary* preferences, finding the POS may not be necessary since the multiobjective problem can be transformed into a single-objective one based on the preferences. However, in multiobjective problems whose preferences also change over time, searching for the POS is necessary. In such problems, the deployed solution can also become

unacceptable due to changes in preferences. When a solution is deployed, the algorithm continues exploitation and exploration for the next solution. Since the preferences are also changing over time, the algorithm needs to find the POS or a part of it according to the predicted range of the next preferences. Once the new preferences are known, the algorithm can focus on exploitation around the best solution in POS according to the current preferences. A future work will be to study multiobjective $ROOT_Q^S$ problems with changing preferences.

11) $ROOT_T^M$ and $ROOT_G^M$: As stated in Section II, only $ROOT_Q^M$ problems have been studied so far among $ROOT^M$ problems, while $ROOT_T^M$ and $ROOT_G^M$ problems are also important because they can be found in the real world. $ROOT_T^M$ represents real-world problems in which multiple solutions are deployed simultaneously at the beginning of each time window and must remain operational until the end of the time window because changing the deployed set of solutions before that time is not possible. $ROOT_G^M$, on the other hand, represents problems in which the costs and gains of switching the deployed set of solutions are considered. In such problems, the deployed set of solutions is replaced with a new set if either the quality of the previously deployed set is unacceptable or the benefit of switching outweighs the cost. Two important future research directions are designing ROOT methods for solving $ROOT_T^M$ and $ROOT_G^M$ problems.

B. Gaps in ROOT Methods

1) *Designing Specified EDOAs for ROOT*: Almost all existing ROOT methods use generic EDOAs, which were originally designed for tracking the moving optimum. Although the role of EDOAs in the ROOT methods is crucial, little attention has been given to designing components of EDOAs that take ROOT's considerations into account. For example, new EDOAs should be developed that can prioritize the areas containing robust solutions. Designing specialized EDOAs to be embedded in ROOT frameworks is an important future direction.

2) *Quick Recovery*: Most existing ROOT methods choose a solution(s) for deployment at the *end of the environment* when a new solution(s) needs to be deployed, which is impractical [8], [32]. After an environmental change, if the deployed solution(s) is no longer acceptable in $ROOT_Q$ and $ROOT_G$, or a new time window has been started in $ROOT_T$, a new solution(s) must be chosen for deployment before a *deadline* (i.e., a temporal threshold). This requirement, known as *quick recovery*, can be found in many real-world problems [8], [96], [97]. To consider the quick recovery feature, an algorithm should focus on the areas containing robust solutions to improve the chosen solution for deployment before the deadline. Designing components for ROOT algorithms that consider quick recovery is a future direction.

3) *Using Both Predicted Fitness Values of Candidate Solutions and Estimated Robustness of the Promising Regions*: Hybridizing the ROOT methods that work based on the predicted future fitness of candidate solutions and estimated robustness of the promising regions in order to benefit from the strengths of both methods is another interesting future research

direction. To this end, each subpopulation that covers a promising region can have its own archive and local approximation component. The algorithm can use the predicted fitness values to increase the accuracy of determining the robustness of promising regions. Besides, the algorithm can also exploit the identified robust promising regions considering both current and predicted fitness values.

4) *Multitasking*: Multitask optimization [98], [99] studies how to solve multiple optimization problems concurrently. These optimization problems, denoted as "tasks," are assumed to be related in some way, allowing for cross-task knowledge transfer that can improve the performance of solving each task independently [100]. In the context of ROOT problems, if there are multiple ROOT problems with a degree of relatedness, there are various information to gather and knowledge to acquire in each problem that can be used for improving the performance of finding robust solutions in other problems. By designing multitask ROOT methods, it may be possible to leverage this knowledge to improve the performance of finding robust solutions in multiple ROOT problems simultaneously. It is important to note that while a multitask ROOT solver may find multiple solutions for deployment simultaneously, each solution belongs to a separate ROOT problem. Therefore, the multitask ROOT method does not change the class of those independent problems. Designing multitask ROOT methods to solve multiple related ROOT problems is an interesting direction for future work.

C. Works to Be Done in Benchmarking and Assessment of ROOT Methods

1) *New Performance Indicator(s) for $ROOT_Q$* : As stated in Section S-II-E of the supplementary document, the average survival time, which is the most well-known and commonly used performance indicator for $ROOT_Q^S$ and $ROOT_Q^M$, suffers from several flaws. Consequently, an important future work will be to design new performance indicators for $ROOT_Q^S$ and $ROOT_Q^M$. In designing new performance indicators, different factors should be taken into account, such as:

- 1) the ratio between the number of deployed solutions/POSSs and the total number of environments, and/or
- 2) a penalty value for changing the deployed solutions/POSSs in successive environments.

2) *Designing New ROOT Benchmark Problems*: Benchmark test suites play an important role in the development of dynamic optimization algorithms, including ROOT methods. As stated before, all continuous-space benchmarks used in the field are artificial. The field also lacks ROOT-specific benchmarks with discrete search space [101]. Designing ROOT-specific benchmark test suites that simulate or model real-world problems will provide a paradigm shift away from the current focus on artificial problems to solve real-world applications.

D. Challenges and Progress in Solving Real-World ROOT Problems

The field of ROOT aims to solve real-world problems, but it is still in its early stages. While progress has been

made in developing algorithms, much work remains to be done before the field can fully address the challenges of real-world problems. Currently, the performance of algorithms is typically evaluated using artificial benchmark problems and some existing ROOT methods have been applied to real-world-based benchmark problems, including nonlinear dynamic stochastic optimization problems for stochastic energy management [102], [103] and dynamic customer location-allocation [104], [105]. One of the main challenges in solving real-world problems is that dynamic handling components are not yet capable of handling the complexities of these problems, such as irregular changes over time, multiple types of environmental changes, local and hard-to-detect environmental changes, and continuously changing environments. Addressing these challenges will require the development of more complex algorithms. While the field works toward developing more complex algorithms, simpler scenarios of important real-world optimization problems, such as dynamic covering location problems [44], can be tackled as future work. Solving these problems will provide valuable insight into how ROOT can be used to tackle more complex real-world problems in the future.

VI. CONCLUSION

In this survey, we provided an in-depth review of ROOT [11]. We aimed to help researchers and practitioners gain a broad perspective on the current state of the field, what has been achieved since ROOT was first introduced in 2010 [11], and the shortcomings and issues of the field. In this survey, we proposed two taxonomies for ROOT problems and methods, respectively. We then comprehensively reviewed these problems and methods according to the proposed taxonomies. We also reviewed commonly used benchmark problems and performance indicators. By gaining insights from reviewing the current state of the ROOT literature, we finally highlighted some important potential research directions that can broaden the field.

REFERENCES

- [1] H.-G. Beyer and B. Sendhoff, "Robust optimization—A comprehensive survey," *Comput. Methods Appl. Mech. Eng.*, vol. 196, nos. 33–34, pp. 3190–3218, 2007.
- [2] J. E. Ward and R. E. Wendell, "Approaches to sensitivity analysis in linear programming," *Ann. Oper. Res.*, vol. 27, no. 1, pp. 3–38, 1990.
- [3] H. Xu and S. Mannor, "Robustness and generalization," *Mach. Learn.*, vol. 86, no. 3, pp. 391–423, 2012.
- [4] M. Kalsi, K. Hacker, and K. Lewis, "A comprehensive robust design approach for decision trade-offs in complex systems design," in *Proc. Int. Design Eng. Tech. Conf. Comput. Inf. Eng. Conf.*, 1999, pp. 1343–1354.
- [5] J. K. Allen, C. Seepersad, H. Choi, and F. Mistree, "Robust design for multiscale and multidisciplinary applications," *J. Mech. Design*, vol. 128, no. 4, pp. 832–843, 2006.
- [6] Y. Jin, K. Tang, X. Yu, B. Sendhoff, and X. Yao, "A framework for finding robust optimal solutions over time," *Memetic Comput.*, vol. 5, no. 1, pp. 3–18, 2013.
- [7] J. C. Helton, "Uncertainty and sensitivity analysis in the presence of stochastic and subjective uncertainty," *J. Stat. Comput. Simulat.*, vol. 57, nos. 1–4, pp. 3–76, 1997.
- [8] T. T. Nguyen, "Continuous dynamic optimisation using evolutionary algorithms," Ph.D. dissertation, Doctor Philosophy, Univ. Birmingham, Birmingham, U.K., 2011.
- [9] J. Branke, *Evolutionary Optimization in Dynamic Environments*, vol. 3. New York, NY, USA: Springer, 2012.
- [10] D. Yazdani, R. Cheng, D. Yazdani, J. Branke, Y. Jin, and X. Yao, "A survey of evolutionary continuous dynamic optimization over two decades—Part A," *IEEE Trans. Evol. Comput.*, vol. 25, no. 4, pp. 609–629, Aug. 2021.
- [11] X. Yu, Y. Jin, K. Tang, and X. Yao, "Robust optimization over time—A new perspective on dynamic optimization problems," in *Proc. IEEE Congr. Evol. Comput.*, 2010, pp. 1–6.
- [12] H. Fu, B. Sendhoff, K. Tang, and X. Yao, "Robust optimization over time: Problem difficulties and benchmark problems," *IEEE Trans. Evol. Comput.*, vol. 19, no. 5, pp. 731–745, Oct. 2015.
- [13] H. Fu, B. Sendhoff, K. Tang, and X. Yao, "Finding robust solutions to dynamic optimization problems," in *Proc. Eur. Conf. Appl. Evol. Comput.*, 2013, pp. 616–625.
- [14] D. Yazdani, J. Branke, M. N. Omidvar, T. T. Nguyen, and X. Yao, "Changing or keeping solutions in dynamic optimization problems with switching costs," in *Proc. Genet. Evol. Comput. Conf.*, 2018, pp. 1095–1102.
- [15] M. Chen, Y. Guo, H. Liu, and C. Wang, "The evolutionary algorithm to find robust Pareto-optimal solutions over time," *Mathematical Problems in Engineering*, vol. 2015, Apr. 2015, Art. no. 814210.
- [16] Y. Guo, H. Yang, M. Chen, J. Cheng, and D. Gong, "Ensemble prediction-based dynamic robust multi-objective optimization methods," *Swarm Evol. Comput.*, vol. 48, pp. 156–171, Aug. 2019.
- [17] Y. Guo, H. Yang, M. Chen, D. Gong, and S. Cheng, "Grid-based dynamic robust multi-objective brain storm optimization algorithm," *Soft Comput.*, vol. 24, no. 10, pp. 7395–7415, 2020.
- [18] M. Chen, Y. Guo, Y. Jin, S. Yang, D. Gong, and Z. Yu, "An environment-driven hybrid evolutionary algorithm for dynamic multi-objective optimization problems," *Complex Intell. Syst.*, vol. 9, no. 1, pp. 659–675, 2023.
- [19] X. Li, M. G. Epitropakis, K. Deb, and A. Engelbrecht, "Seeking multiple solutions: An updated survey on Niching methods and their applications," *IEEE Trans. Evol. Comput.*, vol. 21, no. 4, pp. 518–538, Aug. 2017.
- [20] X. Lin, W. Luo, P. Xu, Y. Qiao, and S. Yang, "PopDMMO: A general framework of population-based stochastic search algorithms for dynamic multimodal optimization," *Swarm Evol. Comput.*, vol. 68, Feb. 2022, Art. no. 101011.
- [21] A. Ahrari, S. Elsayed, R. Sarker, D. Essam, and C. A. Coello Coello, "Static and dynamic multimodal optimization by improved covariance matrix self-adaptation evolution strategy with repelling subpopulations," *IEEE Trans. Evol. Comput.*, vol. 26, no. 3, pp. 527–541, Jun. 2022.
- [22] C. Cruz, J. R. González, and D. A. Pelta, "Optimization in dynamic environments: A survey on problems, methods and measures," *Soft Comput.*, vol. 15, no. 7, pp. 1427–1448, 2011.
- [23] M. Mavrouniotis, C. Li, and S. Yang, "A survey of swarm intelligence for dynamic optimization: Algorithms and applications," *Swarm Evol. Comput.*, vol. 33, pp. 1–17, Apr. 2017.
- [24] T. T. Nguyen, S. Yang, and J. Branke, "Evolutionary dynamic optimization: A survey of the state of the art," *Swarm Evol. Comput.*, vol. 6, pp. 1–24, Oct. 2012.
- [25] Y. Jin and J. Branke, "Evolutionary optimization in uncertain environments—A survey," *IEEE Trans. Evol. Comput.*, vol. 9, no. 3, pp. 303–317, Jun. 2005.
- [26] L. Zhu, K. Deb, and S. Kulkarni, "Multi-scenario optimization using multi-criterion methods: A case study on Byzantine agreement problem," in *Proc. IEEE Congr. Evol. Comput.*, 2014, pp. 2601–2608.
- [27] B. Shavazipour, J. H. Kwakkel, and K. Miettinen, "Multi-scenario multi-objective robust optimization under deep uncertainty: A posteriori approach," *Environ. Model. Softw.*, vol. 144, 2021, Art. no. 105134.
- [28] D. Yazdani, "Particle swarm optimization for dynamically changing environments with particular focus on scalability and switching cost," Ph.D. dissertation, Doctor Philosophy, Liverpool John Moores Univ., Liverpool, U.K., 2018.
- [29] Z.-H. Zhan, L. Shi, K. C. Tan, and J. Zhang, "A survey on evolutionary computation for complex continuous optimization," *Artif. Intell. Rev.*, vol. 55, pp. 59–110, Jan. 2022.
- [30] D. Yazdani, T. T. Nguyen, and J. Branke, "Robust optimization over time by learning problem space characteristics," *IEEE Trans. Evol. Comput.*, vol. 23, no. 1, pp. 143–155, Feb. 2019.
- [31] T. T. Nguyen and X. Yao, "Continuous dynamic constrained optimization—The challenges," *IEEE Trans. Evol. Comput.*, vol. 16, no. 6, pp. 769–786, Dec. 2012.

- [32] D. Yazdani, D. Yazdani, J. Branke, M. N. Omidvar, A. H. Gandomi, and X. Yao, "Robust optimization over time by estimating robustness of promising regions," *IEEE Trans. Evol. Comput.*, vol. 27, no. 3, pp. 657–670, Jun. 2023.
- [33] K. De Jong, "Evolving in a changing world," in *Proc. 11th Int. Symp. Found. Intell. Syst.*, Warsaw, Poland, 1999, pp. 512–519.
- [34] C. D. Laird and L. T. Biegler, "Large-scale nonlinear programming for multi-scenario optimization," in *Proc. 3rd Int. Conf. High Perform. Sci. Comput. Model., Simulat. Optim. Complex Processes*, 2008, pp. 323–336.
- [35] H. Wang, J. Doherty, and Y. Jin, "Hierarchical surrogate-assisted evolutionary multi-scenario airfoil shape optimization," in *Proc. IEEE Congr. Evol. Comput.*, 2018, pp. 1–8.
- [36] K. Deb, L. Zhu, and S. Kulkarni, "Multi-scenario, multi-objective optimization using evolutionary algorithms: Initial results," in *Proc. IEEE Congr. Evol. Comput.*, 2015, pp. 1877–1884.
- [37] W. Li, R. Wang, T. Zhang, M. Ming, and H. Lei, "Multi-scenario microgrid optimization using an evolutionary multi-objective algorithm," *Swarm Evol. Comput.*, vol. 50, Nov. 2019, Art. no. 100570.
- [38] X. Zhou, H. Wang, W. Peng, B. Ding, and R. Wang, "Solving multi-scenario cardinality constrained optimization problems via multi-objective evolutionary algorithms," *Sci. China Inf. Sci.*, vol. 62, Jul. 2019, Art. no. 192104.
- [39] J. Branke and H. Schmeck, "Designing evolutionary algorithms for dynamic optimization problems," in *Advances in Evolutionary Computing* (Natural Computing Series), A. Ghosh and S. Tsutsui, Eds. Heidelberg, Germany: Springer, 2003, pp. 239–262.
- [40] Y. Jin, H. Wang, and C. Sun, *Data-Driven Evolutionary Optimization*. Cham, Switzerland: Springer, 2021.
- [41] S. Chatterjee and A. S. Hadi, *Regression Analysis by Example*. Hoboken, NJ, USA: Wiley, 2006.
- [42] H. Fu, "Finding robust solutions against environmental changes," Ph.D. dissertation, School Comput. Sci., Univ. Birmingham, Birmingham, U.K., 2014.
- [43] C. Martella, J. Li, C. Conrado, and A. Vermeeren, "On current crowd management practices and the need for increased situation awareness, prediction, and intervention," *Safety Sci.*, vol. 91, pp. 381–393, Jan. 2017.
- [44] F. Plastria, "Continuous covering location problems," in *Facility Location: Applications and Theory*, vol. 1. New York, NY, USA: Springer-Verlag, 2002, pp. 37–79.
- [45] M. Haghani, E. Kuligowski, A. Rajabifard, and P. Lentini, "Fifty years of scholarly research on terrorism: Intellectual progression, structural composition, trends and knowledge gaps of the field," *Int. J. Disast. Risk Reduct.*, vol. 68, Jan. 2022, Art. no. 102714.
- [46] D. Yazdani, T. T. Nguyen, J. Branke, and J. Wang, "A multi-objective time-linkage approach for dynamic optimization problems with previous-solution displacement restriction," in *Applications of Evolutionary Computation*, K. Sim and P. Kaufmann, Eds. Cham, Switzerland: Springer Int., 2018, pp. 864–878.
- [47] D. Yazdani, R. Cheng, D. Yazdani, J. Branke, Y. Jin, and X. Yao, "A survey of evolutionary continuous dynamic optimization over two decades—Part B," *IEEE Trans. Evol. Comput.*, vol. 25, no. 4, pp. 630–650, Aug. 2021.
- [48] M. N. Omidvar, X. Li, and X. Yao, "A review of population-based metaheuristics for large-scale black-box global optimization—Part I," *IEEE Trans. Evol. Comput.*, vol. 26, no. 5, pp. 802–822, Oct. 2022.
- [49] M. N. Omidvar, X. Li, and X. Yao, "A review of population-based metaheuristics for large-scale black-box global optimization—Part II," *IEEE Trans. Evol. Comput.*, vol. 26, no. 5, pp. 823–843, Oct. 2022.
- [50] Y. Jin, H. Wang, T. Chugh, D. Guo, and K. Miettinen, "Data-driven evolutionary optimization: An overview and case studies," *IEEE Trans. Evol. Comput.*, vol. 23, no. 3, pp. 442–458, Jun. 2019.
- [51] Y. Jin, "A comprehensive survey of fitness approximation in evolutionary computation," *Soft Comput.*, vol. 9, no. 1, pp. 3–12, 2005.
- [52] J. Kennedy and R. C. Eberhart, "Particle swarm optimization," in *Proc. Int. Conf. Neural Netw.*, vol. 4, 1995, pp. 1942–1948.
- [53] R. C. Eberhart and Y. Shi, "Tracking and optimizing dynamic systems with particle swarms," in *Proc. IEEE Congr. Evol. Comput.*, vol. 1, 2001, pp. 94–100.
- [54] M. Fox, S. Yang, and F. Caraffini, "An experimental study of prediction methods in robust optimization over time," in *Proc. IEEE Congr. Evol. Comput.*, 2020, pp. 1–7.
- [55] J.-Y. Guzmán-Gaspar and E. Mezura-Montes, "Robust optimization over time with differential evolution using an average time approach," in *Proc. IEEE Congr. Evol. Comput.*, 2019, pp. 1548–1555.
- [56] J.-Y. Guzmán-Gaspar and E. Mezura-Montes, "Differential evolution variants in robust optimization over time," in *Proc. Int. Conf. Electron., Commun. Comput. (CONIELECOMP)*, 2019, pp. 164–169.
- [57] S. Das and P. N. Suganthan, "Differential evolution: A survey of the state-of-the-art," *IEEE Trans. Evol. Comput.*, vol. 15, no. 1, pp. 4–31, Feb. 2011.
- [58] P. Novoa-Hernández, D. A. Pelta, and C. C. Corona, "Approximation models in robust optimization over time—an experimental study," in *Proc. IEEE Congr. Evol. Comput.*, 2018, pp. 1–6.
- [59] K. Deb and H. Gupta, "Introducing robustness in multi-objective optimization," *Evol. Comput.*, vol. 14, no. 4, pp. 463–494, 2006.
- [60] Q. Zhang and H. Li, "MOEA/D: A multiobjective evolutionary algorithm based on decomposition," *IEEE Trans. Evol. Comput.*, vol. 11, no. 6, pp. 712–731, Dec. 2007.
- [61] I. O. Essiet and Y. Sun, "Tracking variable fitness landscape in dynamic multi-objective optimization using adaptive mutation and crossover operators," *IEEE Access*, vol. 8, pp. 188927–188937, 2020.
- [62] Y. Shi, "Brain storm optimization algorithm," in *Advances in Swarm Intelligence*, Y. Tan et al., Eds. Heidelberg, Germany: Springer, 2011, pp. 303–309.
- [63] W. Mkaouer et al., "Many-objective software modularization using NSGA-III," *ACM Trans. Softw. Eng. Methodol.*, vol. 24, no. 3, pp. 1–45, 2015.
- [64] J.-Y. Guzmán-Gaspar, E. Mezura-Montes, and S. Domínguez-Isidro, "Differential evolution in robust optimization over time using a survival time approach," *Math. Comput. Appl.*, vol. 25, no. 4, p. 72, 2020.
- [65] R. Poli, "Mean and variance of the sampling distribution of particle swarm optimizers during stagnation," *IEEE Trans. Evol. Comput.*, vol. 13, no. 4, pp. 712–721, Aug. 2009.
- [66] D. Yazdani, M. N. Omidvar, R. Cheng, J. Branke, T. T. Nguyen, and X. Yao, "Benchmarking continuous dynamic optimization: Survey and generalized test suite," *IEEE Trans. Cybern.*, vol. 52, no. 5, pp. 3380–3393, May 2022.
- [67] D. Yazdani et al., "IEEE CEC 2022 competition on dynamic optimization problems generated by generalized moving peaks benchmark," 2021, *arXiv:2106.06174*.
- [68] D. Yazdani, T. T. Nguyen, J. Branke, and J. Wang, "A new multi-swarm particle swarm optimization for robust optimization over time," in *Applications of Evolutionary Computation*, G. Squillero and K. Sim, Eds. Cham, Switzerland: Springer Int., 2017, pp. 99–109.
- [69] L. Adam and X. Yao, "A simple yet effective approach to robust optimization over time," in *Proc. IEEE Symp. Series Comput. Intell. (SSCI)*, 2019, pp. 680–688.
- [70] H. Fu, B. Sendhoff, K. Tang, and X. Yao, "Characterizing environmental changes in robust optimization over time," in *Proc. IEEE Congr. Evol. Comput.*, 2012, pp. 1–8.
- [71] Y.-N. Guo, M. Chen, H. Fu, and Y. Liu, "Find robust solutions over time by two-layer multi-objective optimization method," in *Proc. IEEE Congr. Evol. Comput.*, 2014, pp. 1528–1535.
- [72] B. Nasiri, M. Meybodi, and M. Ebadzadeh, "History-driven particle swarm optimization in dynamic and uncertain environments," *Neurocomputing*, vol. 172, pp. 356–370, Jan. 2016.
- [73] Y. Huang, Y. Ding, K. Hao, and Y. Jin, "A multi-objective approach to robust optimization over time considering switching cost," *Inf. Sci.*, vols. 394–395, pp. 183–197, Jul. 2017.
- [74] Y. Huang, Y. Jin, and K. Hao, "Decision-making and multi-objectivization for cost sensitive robust optimization over time," *Knowl.-Based Syst.*, vol. 199, Jul. 2020, Art. no. 105857.
- [75] X. Hu and R. C. Eberhart, "Adaptive particle swarm optimization: Detection and response to dynamic systems," in *Proc. IEEE Congr. Evol. Comput.*, vol. 2, 2002, pp. 1666–1670.
- [76] D. Yazdani, B. Nasiri, A. Sepas-Moghaddam, M. Meybodi, and M. Akbarzadeh-Totonchi, "mNAFSA: A novel approach for optimization in dynamic environments with global changes," *Swarm Evol. Comput.*, vol. 18, pp. 38–53, Oct. 2014.
- [77] D. Yazdani, M. N. Omidvar, J. Branke, T. T. Nguyen, and X. Yao, "Scaling up dynamic optimization problems: A divide-and-conquer approach," *IEEE Trans. Evol. Comput.*, vol. 24, no. 1, pp. 1–15, Feb. 2020.
- [78] D. Yazdani, R. Cheng, C. He, and J. Branke, "Adaptive control of subpopulations in evolutionary dynamic optimization," *IEEE Trans. Cybern.*, vol. 52, no. 7, pp. 6476–6489, Jul. 2022.
- [79] Q. Y. Kenny, W. Li, and A. Sudjianto, "Algorithmic construction of optimal symmetric Latin hypercube designs," *J. Stat. Plan. Inference*, vol. 90, no. 1, pp. 145–159, 2000.

- [80] P. Angeline, "Tracking extrema in dynamic environments," in *Evolutionary Programming VI* (Lecture Notes in Computer Science 1213), P. J. Angeline, R. G. Reynolds, J. R. McDonnell, and R. Eberhart, Eds. Heidelberg, Germany: Springer, 1997, pp. 335–345.
- [81] C. Li and S. Yang, "A generalized approach to construct benchmark problems for dynamic optimization," in *Simulated Evolution and Learning* (Lecture Notes in Computer Science 5361), X. L. et al., Eds. Heidelberg, Germany: Springer, 2013, pp. 391–400.
- [82] G. E. Box, G. M. Jenkins, G. C. Reinsel, and G. M. Ljung, *Time Series Analysis: Forecasting and Control*. Hoboken, NJ, USA: Wiley, 2015.
- [83] R. T. Marler and J. S. Arora, "The weighted sum method for multi-objective optimization: New insights," *Struct. Multidiscipl. Optim.*, vol. 41, no. 6, pp. 853–862, 2010.
- [84] S. Kaddani, D. Vanderpooten, J.-M. Vanpeperstraete, and H. Aissi, "Weighted sum model with partial preference information: Application to multi-objective optimization," *Eur. J. Oper. Res.*, vol. 260, no. 2, pp. 665–679, 2017.
- [85] Y. Huang, Y. Jin, and Y. Ding, "New performance indicators for robust optimization over time," in *Proc. IEEE Congr. Evol. Comput.*, 2015, pp. 1380–1387.
- [86] C. Bu, W. Luo, and L. Yue, "Continuous dynamic constrained optimization with ensemble of locating and tracking feasible regions strategies," *IEEE Trans. Evol. Comput.*, vol. 21, no. 1, pp. 14–33, Feb. 2017.
- [87] T. Blackwell, J. Branke, and X. Li, "Particle swarms for dynamic optimization problems," in *Swarm Intelligence: Introduction and Applications* (Lecture Notes in Computer Science), C. Blum and D. Merkle, Eds. Heidelberg, Germany: Springer, 2008, pp. 193–217.
- [88] W. Zheng, H. Chen, and X. Yao, "Analysis of evolutionary algorithms on fitness function with time-linkage property," *IEEE Trans. Evol. Comput.*, vol. 25, no. 4, pp. 696–709, Aug. 2021.
- [89] J. Brimberg, P. Hansen, N. Mladenovic, and S. Salhi, "A survey of solution methods for the continuous location-allocation problem," *Int. J. Oper. Res.*, vol. 5, no. 1, pp. 1–12, 2008.
- [90] T. T. Nguyen and X. Yao, "Dynamic time-linkage evolutionary optimization: Definitions and potential solutions," in *Metaheuristics for Dynamic Optimization*. Heidelberg, Germany: Springer, 2013, pp. 371–395.
- [91] M. N. Omidvar, X. Li, Y. Mei, and X. Yao, "Cooperative co-evolution with differential grouping for large scale optimization," *IEEE Trans. Evol. Comput.*, vol. 18, no. 3, pp. 378–393, Jun. 2014.
- [92] M. N. Omidvar, X. Li, and K. Tang, "Designing benchmark problems for large-scale continuous optimization," *Inf. Sci.*, vol. 316, pp. 419–436, Sep. 2015.
- [93] M. N. Omidvar, D. Yazdani, J. Branke, X. Li, S. Yang, and X. Yao, "Generating large-scale dynamic optimization problem instances using the generalized moving peaks benchmark," 2021, *arXiv:2107.11019*.
- [94] M. N. Omidvar, M. Yang, Y. Mei, X. Li, and X. Yao, "DG2: A faster and more accurate differential grouping for large-scale black-box optimization," *IEEE Trans. Evol. Comput.*, vol. 21, no. 6, pp. 929–942, Dec. 2017.
- [95] T. Zhu, W. Luo, and L. Yue, "Combining multipopulation evolutionary algorithms with memory for dynamic optimization problems," in *Proc. IEEE Congr. Evol. Comput.*, 2014, pp. 2047–2054.
- [96] L. Liu, S. R. Ranjithan, and G. Mahinthakumar, "Contamination source identification in water distribution systems using an adaptive dynamic optimization procedure," *J. Water Resour. Plan. Manag.*, vol. 137, no. 2, pp. 183–192, 2011.
- [97] L. Liu, E. M. Zechman, E. D. Brill Jr., G. Mahinthakumar, S. Ranjithan, and J. Uber, "Adaptive contamination source identification in water distribution systems using an evolutionary algorithm-based dynamic optimization procedure," in *Proc. Water Distrib. Syst. Anal. Symp.*, 2008, pp. 1–9.
- [98] B. Da et al., "Evolutionary multitasking for single-objective continuous optimization: Benchmark problems, performance metric, and baseline results," 2017, *arXiv:1706.03470*.
- [99] A. Gupta, Y.-S. Ong, and L. Feng, "Multifactorial evolution: Toward evolutionary multitasking," *IEEE Trans. Evol. Comput.*, vol. 20, no. 3, pp. 343–357, Jun. 2016.
- [100] X. Zheng, A. K. Qin, M. Gong, and D. Zhou, "Self-regulated evolutionary multitask optimization," *IEEE Trans. Evol. Comput.*, vol. 24, no. 1, pp. 16–28, Feb. 2020.
- [101] M. Mavrovouniotis, "Ant colony optimization in stationary and dynamic environments," Ph.D. dissertation, Dept. Comput. Sci., Univ. Leicester, Leicester, U.K., 2013.
- [102] Y. Liu and H. Liang, "A ROOT approach for stochastic energy management in electric bus transit center with PV and ESS," in *Proc. IEEE Global Commun. Conf. (GLOBECOM)*, 2019, pp. 1–6.
- [103] Y. Liu and H. Liang, "A three-layer stochastic energy management approach for electric bus transit centers with PV and energy storage systems," *IEEE Trans. Smart Grid*, vol. 12, no. 2, pp. 1346–1357, Mar. 2021.
- [104] R. Ankrah, B. Lacroix, J. McCall, A. Hardwick, and A. Conway, "Introducing the dynamic customer location-allocation problem," in *Proc. IEEE Congr. Evol. Comput.*, 2019, pp. 3157–3164.
- [105] R. Ankrah, B. Lacroix, J. McCall, A. Hardwick, A. Conway, and G. Owusu, "Racing strategy for the dynamic-customer location-allocation problem," in *Proc. IEEE Congr. Evol. Comput.*, 2020, pp. 1–8.



Danial Yazdani (Member, IEEE) received the Ph.D. degree in computer science from Liverpool John Moores University, Liverpool, U.K., in 2018.

He is currently a Research Fellow with the Data Science Institute, University of Technology Sydney, Ultimo, NSW, Australia. Prior to that, he was a Research Assistant Professor with the Department of Computer Science and Engineering, Southern University of Science and Technology, Shenzhen, China. His primary research interests include learning and optimization in dynamic environments,

where he has contributed as the first author in around 20 peer-reviewed publications in this field, nine of which were published in prestigious IEEE/ACM TRANSACTIONS.

Dr. Yazdani was a recipient of the 2023 IEEE Computational Intelligence Society Outstanding Ph.D. Dissertation Award, the Best Thesis Award from the Faculty of Engineering and Technology at Liverpool John Moores University, and the SUSTech Presidential Outstanding Postdoctoral Award from Southern University of Science and Technology.



Mohammad Nabi Omidvar (Senior Member, IEEE) received the Ph.D. degree in computer science from RMIT University, Melbourne, VIC, Australia, in 2016.

He is currently an Associate Professor of Artificial Intelligence in Financial Services affiliated with Leeds University Business School and School of Computing, University of Leeds, Leeds, U.K. His current research interests include large-scale global optimization, high-dimensional machine learning, and AI for financial services.

Dr. Omidvar is the Winner of IEEE CEC Large-Scale Global Optimization Competition in 2019, and a recipient of the IEEE TRANSACTIONS ON EVOLUTIONARY COMPUTATION Outstanding Paper Award for his research on large-scale global optimization in 2017, the Australian Postgraduate Award in 2010, and the Best Computer Science Honours Thesis Award from the School of Computer Science and IT, RMIT University. He is the Chair of the IEEE Computational Intelligence Taskforce on Large-Scale Global Optimization. He is an Associate Editor of IEEE TRANSACTIONS ON EVOLUTIONARY COMPUTATION.



Donya Yazdani received the Ph.D. degree in computer science from the University of Sheffield, Sheffield, U.K., in 2020.


She is currently working as an AI Scientist with British Antarctic Survey, Cambridge, U.K. Prior to that, she was a Lecturer with the Department of Computer Science, Aberystwyth University, Aberystwyth, U.K. Her current research interests primarily revolve around optimization and AI planning.



Jürgen Branke (Member, IEEE) received the Ph.D. degree from the University of Karlsruhe, Karlsruhe, Germany, in 2000.

He is a Professor of Operational Research and Systems with the Warwick Business School, University of Warwick, Coventry, U.K. He has been an active researcher in the area of evolutionary optimization since 1994, and his main research interests include metaheuristics and Bayesian optimization applied to problems under uncertainty, such as simulation optimization, dynamically changing problems, and multiobjective problems.

Prof. Branke is an Editor of *ACM Transactions on Evolutionary Learning and Optimization*, an Area Editor of the *Journal of Heuristics* and the *Journal on Multi-Criteria Decision Analysis*, as well as an Associate Editor of IEEE TRANSACTIONS ON EVOLUTIONARY COMPUTATION and *Evolutionary Computation*.



Trung Thanh Nguyen received the Ph.D. degree from the University of Birmingham, Birmingham, U.K., in 2011.

He is a Professor of Operational Research in Transportation and the Co-Director of the Liverpool Logistics, Offshore and Marine Research Institute, Liverpool John Moores University, Liverpool, U.K. He has led over 20 research projects in transport/logistics. He has co-organized prominent conferences, served on the technical program committees of numerous international events, edited eight

books, and delivered speeches at various conferences and events. His current research interests include operational research/dynamic optimization with a particular application to logistics/transport problems.



Amir H. Gandomi (Senior Member, IEEE) received the Ph.D. degree in engineering from the University of Akron, Akron, OH, USA, in 2015.

He is a Professor of Data Science and an ARC DECRA Fellow with the Faculty of Engineering and Information Technology, University of Technology Sydney, Ultimo, NSW, Australia. He is also affiliated with Obuda University, Budapest, Hungary, as a Distinguished Professor. His research interests are global optimization and (big) data analytics using machine learning and evolutionary computations in particular.

Prof. Gandomi has received multiple prestigious awards for his research excellence and impact, such as the 2022 Walter L. Huber Prize, the highest-level mid-career research award in all areas of civil engineering. He has been named as one of the most influential scientific minds and received the Highly Cited Researcher Award (top 1% publications and 0.1% researchers) from Web of Science for six consecutive years, from 2017 to 2022. In the recent most impactful researcher list, done by Stanford University and released by Elsevier, he is ranked among the top 1000 researchers (top 0.01%) and top 50 researchers in AI and Image Processing subfield in 2021. He also ranked 17th in GP bibliography among more than 15 000 researchers. He has served as an Associate Editor, an Editor, and a Guest Editor in several prestigious journals, such as IEEE NETWORK and IEEE INTERNET OF THINGS JOURNAL. He is active in delivering keynotes and invited talks.



Yaochu Jin (Fellow, IEEE) received the Ph.D. degree in automatic control from Zhejiang University, Hangzhou, China, in 1996, and the Dr.-Ing. degree in computer engineering from Ruhr-University Bochum, Bochum, Germany, in 2001.

He is an Alexander von Humboldt Professor of Artificial Intelligence endowed by the German Federal Ministry of Education and Research with the Faculty of Technology, Bielefeld University, Bielefeld, Germany. He is also a Surrey

Distinguished Chair and a Professor of Computational Intelligence with the Department of Computer Science, University of Surrey, Guildford, U.K. He was a Finland Distinguished Professor with the University of Jyväskylä, Jyväskylä, Finland, a Changjiang Distinguished Visiting Professor with Northeastern University, Shenyang, China, and a Distinguished Visiting Scholar with the University of Technology Sydney, Ultimo, NSW, Australia. His main research interests include evolutionary optimization and learning, data-driven evolutionary optimization, trustworthy machine learning and optimization, and evolutionary developmental artificial general intelligence.

Prof. Jin is the recipient of the 2018, 2021, and 2024 IEEE TRANSACTIONS ON EVOLUTIONARY COMPUTATION Outstanding Paper Award, and the 2015, 2017, and 2020 *IEEE Computational Intelligence Magazine* Outstanding Paper Award. He was named by the Web of Science as a Highly Cited Researcher consecutively from 2019 to 2022. He is currently the President-Elect of the IEEE Computational Intelligence Society and the Editor-in-Chief of *Complex & Intelligent Systems*. He was the Editor-in-Chief of the IEEE TRANSACTIONS ON COGNITIVE AND DEVELOPMENTAL SYSTEMS, an IEEE Distinguished Lecturer from 2013 to 2015 and from 2017 to 2019, and the Vice President for Technical Activities of the IEEE Computational Intelligence Society from 2015 to 2016. He is a member of Academia Europaea.



Xin Yao (Fellow, IEEE) received the Ph.D. degree from the University of Science and Technology of China, Hefei, China, in 1990.

He is a Chair Professor of Computer Science with the Southern University of Science and Technology, Shenzhen, China, and a part-time Professor of Computer Science with the University of Birmingham, Birmingham, U.K. His major research interests include evolutionary computation, ensemble learning, and their applications to software engineering.

Prof. Yao received a prestigious Royal Society Wolfson Research Merit Award in 2012, the IEEE Computational Intelligence Society (CIS) Evolutionary Computation Pioneer Award in 2013, and the 2020 IEEE Frank Rosenblatt Award. His paper on evolving artificial neural networks won the 2001 IEEE Donald G. Fink Prize Paper Award. He also won the 2010, 2016, and 2017 IEEE TRANSACTIONS ON EVOLUTIONARY COMPUTATION Outstanding Paper Awards, the 2011 IEEE TRANSACTIONS ON NEURAL NETWORKS Outstanding Paper Award, and many other best paper awards. He was the President of IEEE CIS from 2014 to 2015 and the Editor-in-Chief of IEEE TRANSACTIONS ON EVOLUTIONARY COMPUTATION from 2003 to 2008. He was a Distinguished Lecturer of the IEEE CIS.