

Core Runs			TH0416							Notes
Run number	Depth from	Depth to	Flush Loss	LCM Pills Applied	Pill Strength (lbm/bbl)	Pure Bore Applied	Clear Stab Applied	Nut Plug Applied	Flaked Mica Applied	
	m	m	L	#	lbm/bbl	kg	kg	kg	kg	
1.00	1.40	2.90	0.00			0.00	0.00	0.00	0.00	Losses majority from washing fallen aggregates from borehole as opposed to coring.
2.00	2.90	4.40	84.00			0.00	0.00	0.00	0.00	
3.00	4.40	5.90	84.00			0.00	0.00	0.00	0.00	
4.00	5.90	7.40	84.00			0.00	0.00	0.00	0.00	End of intermediate section. Reamed 222mm to 6m, 100% flush return
5.00	7.40	8.90	42.00			0.00	0.00	0.00	0.00	
6.00	8.90	10.40	42.00			0.00	0.00	0.00	0.00	
7.00	10.40	11.90	336.00			0.00	0.00	0.00	0.00	Running water down side of Geobor for stability so increased loss.
8.00	11.90	13.40	630.00	1.00	80.00	1.71	8.20	16.40	2.70	
9.00	13.40	14.90	252.00			0.00	0.00	0.00	0.00	
10.00	14.90	16.40	336.00			0.00	0.00	0.00	0.00	Total flush loss during core run. First LCM did not pass the flow check. Second LCM successful.
11.00	16.40	17.90	84.00			0.00	0.00	0.00	0.00	
12.00	17.90	19.40	210.00	2.00	80.00	1.71	8.20	16.40	2.70	
13.00	19.40	20.90	84.00			0.00	0.00	0.00	0.00	
14.00	20.90	22.40	294.00			0.00	0.00	0.00	0.00	
15.00	22.40	23.90	378.00			0.00	0.00	0.00	0.00	
16.00	23.90	25.40	462.00			0.00	0.00	0.00	0.00	
17.00	25.40	26.90	546.00	1.00	80.00	1.71	8.20	16.40	2.70	
18.00	26.90	28.40	504.00			0.00	0.00	0.00	0.00	
19.00	28.40	29.90	714.00			0.00	0.00	0.00	0.00	
20.00	29.90	31.40	840.00	1.00	80.00	1.71	8.20	16.40	2.70	
21.00	31.40	32.90	252.00			0.00	0.00	0.00	0.00	
22.00	32.90	34.40	378.00			0.00	0.00	0.00	0.00	
23.00	34.40	35.90	462.00			0.00	0.00	0.00	0.00	
24.00	35.90	37.40	546.00			0.00	0.00	0.00	0.00	
25.00	37.40	38.90	1344.00	1.00	80.00	1.71	8.20	16.40	2.70	
26.00	38.90	40.40	336.00			0.00	0.00	0.00	0.00	
27.00	40.40	41.90	336.00			0.00	0.00	0.00	0.00	
28.00	41.90	43.40	210.00			0.00	0.00	0.00	0.00	
29.00	43.40	44.90	294.00			0.00	0.00	0.00	0.00	
30.00	44.90	46.40	462.00			0.00	0.00	0.00	0.00	
31.00	46.40	47.90	546.00	1.00	80.00	1.71	8.20	16.40	2.70	
32.00	47.90	49.40	252.00			0.00	0.00	0.00	0.00	
33.00	49.40	50.90	504.00	1.00	80.00	1.71	8.20	16.40	2.70	
34.00	50.90	52.40	210.00			0.00	0.00	0.00	0.00	
35.00	52.40	53.90	294.00			0.00	0.00	0.00	0.00	
36.00	53.90	55.40	252.00			0.00	0.00	0.00	0.00	
37.00	55.40	56.90	210.00			0.00	0.00	0.00	0.00	
38.00	56.90	58.40	420.00			0.00	0.00	0.00	0.00	
39.00	58.40	59.90	504.00			0.00	0.00	0.00	0.00	
40.00	59.90	61.40	420.00			0.00	0.00	0.00	0.00	
41.00	61.40	62.90	462.00			0.00	0.00	0.00	0.00	
42.00	62.90	64.40	840.00			0.00	0.00	0.00	0.00	
43.00	64.40	65.90	588.00	1.00	80.00	1.71	8.20	16.40	2.70	
44.00	65.90	67.40	336.00			0.00	0.00	0.00	0.00	
45.00	67.40	68.90	420.00			0.00	0.00	0.00	0.00	
46.00	68.90	70.40	420.00			0.00	0.00	0.00	0.00	
47.00	70.40	71.90	420.00			0.00	0.00	0.00	0.00	
48.00	71.90	73.40	462.00	1.00	80.00	1.71	8.20	16.40	2.70	
49.00	73.40	74.90	126.00			0.00	0.00	0.00	0.00	
50.00	74.90	76.40	252.00			0.00	0.00	0.00	0.00	
51.00	76.40	77.90	126.00			0.00	0.00	0.00	0.00	
52.00	77.90	79.40	378.00			0.00	0.00	0.00	0.00	
53.00	79.40	80.90	504.00			0.00	0.00	0.00	0.00	
54.00	80.90	82.40	504.00	1.00	80.00	1.71	8.20	16.40	2.70	
55.00	82.40	83.90	378.00			0.00	0.00	0.00	0.00	
56.00	83.90	85.40	588.00			0.00	0.00	0.00	0.00	
57.00	85.40	86.90	672.00			0.00	0.00	0.00	0.00	
58.00	86.90	88.40	630.00	1.00	80.00	1.71	8.20	16.40	2.70	
59.00	88.40	89.90	378.00			0.00	0.00	0.00	0.00	
60.00	89.90	91.40	420.00			0.00	0.00	0.00	0.00	
61.00	91.40	92.90	378.00			0.00	0.00	0.00	0.00	
62.00	92.90	94.40	420.00			0.00	0.00	0.00	0.00	
63.00	94.40	95.90	546.00			0.00	0.00	0.00	0.00	
64.00	95.90	97.40	588.00			0.00	0.00	0.00	0.00	
65.00	97.40	98.90	378.00			0.00	0.00	0.00	0.00	
66.00	98.90	100.40	378.00			0.00	0.00	0.00	0.00	
67.00	100.40	101.90								
			882.00	2.00	80.00	1.71	8.20	16.40	2.70	

Core Runs			TH0417							Notes
Run number	Depth from	Depth to	Flush Loss	LCM Pills Applied	Pill Strength (lbm/bbl)	Pure Bore Applied	Clear Stab Applied	Nut Plug Applied	Flaked Mica Applied	
	m	m	L	#	lbm/bbl	kg	kg	kg	kg	
1.00	1.40	2.90				0.00	0.00	0.00	0.00	Loss represents filling of hoses, sump and hole volume. Not considered a true flush loss
2.00	2.90	4.40	402.00			0.00	0.00	0.00	0.00	
3.00	4.40	5.90	24.00			0.00	0.00	0.00	0.00	End of Intermediate Section. 7" casing installed to 6m
4.00	5.90	7.40	24.00			0.00	0.00	0.00	0.00	
5.00	7.40	8.90	66.00			0.00	0.00	0.00	0.00	
6.00	8.90	10.40	66.00			0.00	0.00	0.00	0.00	
7.00	10.40	11.90	0.00			0.00	0.00	0.00	0.00	
8.00	11.90	13.40	66.00			0.00	0.00	0.00	0.00	
9.00	13.40	14.90	66.00			0.00	0.00	0.00	0.00	
10.00	14.90	16.40	66.00			0.00	0.00	0.00	0.00	
11.00	16.40	17.90	234.00			0.00	0.00	0.00	0.00	
12.00	17.90	19.40	234.00			0.00	0.00	0.00	0.00	
13.00	19.40	20.90	234.00	1.00	80.00	1.71	8.20	16.40	2.70	
14.00	20.90	22.40	192.00			0.00	0.00	0.00	0.00	
15.00	22.40	23.90	150.00			0.00	0.00	0.00	0.00	
16.00	23.90	25.40	276.00	1.00	80.00	1.71	8.20	16.40	2.70	
17.00	25.40	26.90	276.00			0.00	0.00	0.00	0.00	
18.00	26.90	28.40	528.00	1.00	80.00	1.71	8.20	16.40	2.70	
19.00	28.40	29.90	192.00			0.00	0.00	0.00	0.00	
20.00	29.90	31.40	192.00			0.00	0.00	0.00	0.00	
21.00	31.40	32.90	360.00			0.00	0.00	0.00	0.00	
22.00	32.90	34.40	276.00			0.00	0.00	0.00	0.00	
23.00	34.40	35.90	528.00			0.00	0.00	0.00	0.00	
24.00	35.90	37.40	654.00			0.00	0.00	0.00	0.00	
25.00	37.40	38.90	612.00	1.00	80.00	1.71	8.20	16.40	2.70	
26.00	38.90	40.40	234.00			0.00	0.00	0.00	0.00	
27.00	40.40	41.90	276.00			0.00	0.00	0.00	0.00	
28.00	41.90	43.40	402.00			0.00	0.00	0.00	0.00	
29.00	43.40	44.90	402.00			0.00	0.00	0.00	0.00	
30.00	44.90	46.40	402.00			0.00	0.00	0.00	0.00	
31.00	46.40	47.90	276.00			0.00	0.00	0.00	0.00	
32.00	47.90	49.40	612.00	1.00	80.00	1.71	8.20	16.40	2.70	
33.00	49.40	50.90	528.00			0.00	0.00	0.00	0.00	
34.00	50.90	52.40	654.00			0.00	0.00	0.00	0.00	
35.00	52.40	53.90	654.00	1.00	80.00	1.71	8.20	16.40	2.70	
36.00	53.90	55.40	234.00			0.00	0.00	0.00	0.00	
37.00	55.40	56.90	402.00			0.00	0.00	0.00	0.00	
38.00	56.90	58.40	360.00			0.00	0.00	0.00	0.00	
39.00	58.40	59.90	402.00			0.00	0.00	0.00	0.00	
40.00	59.90	61.40	360.00			0.00	0.00	0.00	0.00	
41.00	61.40	62.90	570.00			0.00	0.00	0.00	0.00	
42.00	62.90	64.40	612.00			0.00	0.00	0.00	0.00	
43.00	64.40	65.90	570.00	1.00	80.00	1.71	8.20	16.40	2.70	
44.00	65.90	67.40	444.00			0.00	0.00	0.00	0.00	
45.00	67.40	68.90	402.00			0.00	0.00	0.00	0.00	
46.00	68.90	70.40	570.00			0.00	0.00	0.00	0.00	
47.00	70.40	71.90	360.00			0.00	0.00	0.00	0.00	
48.00	71.90	73.40	318.00			0.00	0.00	0.00	0.00	
49.00	73.40	74.90	444.00			0.00	0.00	0.00	0.00	
50.00	74.90	76.40	528.00			0.00	0.00	0.00	0.00	
51.00	76.40	77.90	612.00			0.00	0.00	0.00	0.00	
52.00	77.90	79.40	486.00			0.00	0.00	0.00	0.00	
53.00	79.40	80.90	276.00			0.00	0.00	0.00	0.00	
54.00	80.90	82.40	696.00	2.00	80.00	1.71	8.20	16.40	2.70	LCM unsuccessful. Attempted bentonite plug back to 68m also unsuccessful. Zero returns when flow checking. Borehole cored to depth with no flush return.
55.00	82.40	83.90				0.00	0.00	0.00	0.00	Flush losses not recorded
56.00	83.90	85.40				0.00	0.00	0.00	0.00	Flush losses not recorded
57.00	85.40	86.90				0.00	0.00	0.00	0.00	Flush losses not recorded
58.00	86.90	88.40				0.00	0.00	0.00	0.00	Flush losses not recorded
59.00	88.40	89.90				0.00	0.00	0.00	0.00	Flush losses not recorded
60.00	89.90	91.40				0.00	0.00	0.00	0.00	Flush losses not recorded
61.00	91.40	92.90				0.00	0.00	0.00	0.00	Flush losses not recorded
62.00	92.90	94.40				0.00	0.00	0.00	0.00	Flush losses not recorded
63.00	94.40	95.90				0.00	0.00	0.00	0.00	Flush losses not recorded
64.00	95.90	97.40				0.00	0.00	0.00	0.00	Flush losses not recorded
65.00	97.40	98.90				0.00	0.00	0.00	0.00	Flush losses not recorded
66.00	98.90	100.40				0.00	0.00	0.00	0.00	Flush losses not recorded
67.00	100.40	101.90		1.00	80.00	1.71	8.20	16.40	2.70	Approximately 1200L of LCM applied at 101.9. Unsuccessul. Geophysics confirmed large fracture at 80m. Grout grout back to ~76m. Grout dipped at 84.25m. Flow check lost ~460L although holding at surface

Core Runs			TH0422									Notes
Run number	Depth from	Depth to	Flush Loss	Ultrabore Lost	Purebore Lost	LCM Pills Applied	Pill Strength (lbm/bbl)	Pure Bore Applied	Clear Stab Applied	Nut Plug Applied	Flaked Mica Applied	
	m	m	L	kg	kg	#	lbm/bbl	kg	kg	kg	kg	
1.00	1.40	2.90		0.00	0.00			0.00	0.00	0.00	0.00	Flush loss not recorded
2.00	2.90	4.40		0.00	0.00			0.00	0.00	0.00	0.00	Flush loss not recorded
3.00	4.40	5.90		0.00	0.00			0.00	0.00	0.00	0.00	Flush loss not recorded
4.00	5.90	7.40		0.00	0.00			0.00	0.00	0.00	0.00	Flush loss not recorded
5.00	7.40	8.90	15.00	0.21	0.11			0.00	0.00	0.00	0.00	
6.00	8.90	10.40	57.00	0.81	0.41			0.00	0.00	0.00	0.00	
7.00	10.40	11.90	15.00	0.21	0.11			0.00	0.00	0.00	0.00	
8.00	11.90	13.40	15.00	0.21	0.11			0.00	0.00	0.00	0.00	
9.00	13.40	14.90	15.00	0.21	0.11			0.00	0.00	0.00	0.00	
10.00	14.90	16.40	183.00	2.61	1.30	1.00	40.00	0.86	4.10	8.20	1.35	
11.00	16.40	17.90	15.00	0.21	0.11			0.00	0.00	0.00	0.00	
12.00	17.90	19.40	15.00	0.21	0.11			0.00	0.00	0.00	0.00	
13.00	19.40	20.90	78.00	1.11	0.56			0.00	0.00	0.00	0.00	
14.00	20.90	22.40	267.00	3.80	1.90	1.00	40.00	0.86	4.10	8.20	1.35	
15.00	22.40	23.90	0.00	0.00	0.00			0.00	0.00	0.00	0.00	Flush loss not recorded
16.00	23.90	25.40	183.00	2.61	1.30			0.00	0.00	0.00	0.00	
17.00	25.40	26.90	183.00	2.61	1.30			0.00	0.00	0.00	0.00	
18.00	26.90	28.40	183.00	2.61	1.30			0.00	0.00	0.00	0.00	
19.00	28.40	29.90	57.00	0.81	0.41			0.00	0.00	0.00	0.00	
20.00	29.90	31.40	57.00	0.81	0.41			0.00	0.00	0.00	0.00	
21.00	31.40	32.90	57.00	0.81	0.41			0.00	0.00	0.00	0.00	
22.00	32.90	34.40	120.00	1.71	0.86			0.00	0.00	0.00	0.00	
23.00	34.40	35.90	204.00	2.91	1.45	1.00	40.00	0.86	4.10	8.20	1.35	
24.00	35.90	37.40	15.00	0.21	0.11			0.00	0.00	0.00	0.00	
25.00	37.40	38.90	141.00	2.01	1.00			0.00	0.00	0.00	0.00	
26.00	38.90	40.40	183.00	2.61	1.30			0.00	0.00	0.00	0.00	
27.00	40.40	41.90	225.00	3.21	1.60			0.00	0.00	0.00	0.00	
28.00	41.90	43.40	225.00	3.21	1.60			0.00	0.00	0.00	0.00	
29.00	43.40	44.90	183.00	2.61	1.30			0.00	0.00	0.00	0.00	
30.00	44.90	46.40	162.00	2.31	1.15			0.00	0.00	0.00	0.00	
31.00	46.40	47.90	120.00	1.71	0.86	1.00	40.00	0.86	4.10	8.20	1.35	
32.00	47.90	49.40	99.00	1.41	0.71			0.00	0.00	0.00	0.00	Estimate from drillers logs only
33.00	49.40	50.90	99.00	1.41	0.71			0.00	0.00	0.00	0.00	Estimate from drillers logs only
34.00	50.90	52.40	99.00	1.41	0.71			0.00	0.00	0.00	0.00	Estimate from drillers logs only
35.00	52.40	53.90	99.00	1.41	0.71			0.00	0.00	0.00	0.00	Estimate from drillers logs only
36.00	53.90	55.40	225.00	3.21	1.60	1.00	40.00	0.86	4.10	8.20	1.35	Estimate from drillers logs only
37.00	55.40	56.90	99.00	1.41	0.71			0.00	0.00	0.00	0.00	
38.00	56.90	58.40	57.00	0.81	0.41			0.00	0.00	0.00	0.00	
39.00	58.40	59.90	225.00	3.21	1.60	1.00	40.00	0.86	4.10	8.20	1.35	
40.00	59.90	61.40	78.00	1.11	0.56			0.00	0.00	0.00	0.00	
41.00	61.40	62.90	36.00	0.51	0.26			0.00	0.00	0.00	0.00	
42.00	62.90	64.40	141.00	2.01	1.00			0.00	0.00	0.00	0.00	
43.00	64.40	65.90	267.00	3.80	1.90	1.00	40.00	0.86	4.10	8.20	1.35	
44.00	65.90	67.40	36.00	0.51	0.26			0.00	0.00	0.00	0.00	
45.00	67.40	68.90	78.00	1.11	0.56			0.00	0.00	0.00	0.00	
46.00	68.90	70.40	57.00	0.81	0.41			0.00	0.00	0.00	0.00	
47.00	70.40	71.90	15.00	0.21	0.11			0.00	0.00	0.00	0.00	
48.00	71.90	73.40	57.00	0.81	0.41			0.00	0.00	0.00	0.00	
49.00	73.40	74.90	477.00	6.80	3.40	1.00	40.00	0.86	4.10	8.20	1.35	
50.00	74.90	76.40	141.00	2.01	1.00			0.00	0.00	0.00	0.00	
51.00	76.40	77.90	351.00	5.00	2.50	1.00	40.00	0.86	4.10	8.20	1.35	
52.00	77.90	79.40	183.00	2.61	1.30	1.00	40.00	0.86	4.10	8.20	1.35	
53.00	79.40	80.90	477.00	6.80	3.40	1.00	40.00	0.86	4.10	8.20	1.35	
54.00	80.90	82.40	309.00	4.40	2.20	1.00	40.00	0.86	4.10	8.20	1.35	
55.00	82.40	83.90	57.00	0.81	0.41			0.00	0.00	0.00	0.00	
56.00	83.90	85.40	99.00	1.41	0.71			0.00	0.00	0.00	0.00	
57.00	85.40	86.90	162.00	2.31	1.15			0.00	0.00	0.00	0.00	Mud tanks remixed with polymer. Core dropped multiple times, estimated loss.
58.00	86.90	88.40	141.00	2.01	1.00			0.00	0.00	0.00	0.00	
59.00	88.40	89.90	519.00	7.40	3.70	1.00	40.00	0.86	4.10	8.20	1.35	
60.00	89.90	91.40	99.00	1.41	0.71			0.00	0.00	0.00	0.00	
61.00	91.40	92.90	15.00	0.21	0.11			0.00	0.00	0.00	0.00	
62.00	92.90	94.40	57.00	0.81	0.41			0.00	0.00	0.00	0.00	
63.00	94.40	95.90	204.00	2.91	1.45			0.00	0.00	0.00	0.00	
64.00	95.90	97.40	183.00	2.61	1.30			0.00	0.00	0.00	0.00	
65.00	97.40	98.90	78.00	1.11	0.56			0.00	0.00	0.00	0.00	
66.00	98.90	100.40	162.00	2.31	1.15			0.00	0.00	0.00	0.00	
67.00	100.40	101.90		0.00	0.00			0.00	0.00	0.00	0.00	

Core Runs			TH0423									
Run number	Depth from	Depth to	Flush Loss	Ultrabore Lost	Purebore Lost	LCM Pills Applied	Pill Strength (lbm/bbl)	Pure Bore Applied	Clear Stab Applied	Nut Plug Applied	Flaked Mica Applied	Notes
	m	m	L	kg	kg	#	lbm/bbl	kg	kg	kg	kg	
1.00	1.40	2.90		0.00	0.00			0.00	0.00	0.00	0.00	Flush Loss Not Recorded
2.00	2.90	4.40		0.00	0.00			0.00	0.00	0.00	0.00	Flush Loss Not Recorded
3.00	4.40	5.90		0.00	0.00			0.00	0.00	0.00	0.00	Flush Loss Not Recorded
4.00	5.90	7.40		0.00	0.00			0.00	0.00	0.00	0.00	Flush Loss Not Recorded
5.00	7.40	8.90	402.00	5.73	2.86			0.00	0.00	0.00	0.00	Excess loss from shaker
6.00	8.90	10.40	0.00	0.00	0.00			0.00	0.00	0.00	0.00	
7.00	10.40	11.90	24.00	0.34	0.17			0.00	0.00	0.00	0.00	
8.00	11.90	13.40	192.00	2.74	1.37			0.00	0.00	0.00	0.00	
9.00	13.40	14.90	24.00	0.34	0.17			0.00	0.00	0.00	0.00	
10.00	14.90	16.40	24.00	0.34	0.17			0.00	0.00	0.00	0.00	
11.00	16.40	17.90	150.00	2.14	1.07			0.00	0.00	0.00	0.00	
12.00	17.90	19.40	150.00	2.14	1.07			0.00	0.00	0.00	0.00	
13.00	19.40	20.90	318.00	4.53	2.27	1.00	40.00	0.86	4.10	8.20	1.35	
14.00	20.90	22.40	318.00	4.53	2.27			0.00	0.00	0.00	0.00	
15.00	22.40	23.90	318.00	4.53	2.27			0.00	0.00	0.00	0.00	
16.00	23.90	25.40	276.00	3.93	1.97			0.00	0.00	0.00	0.00	
17.00	25.40	26.90	654.00	9.32	4.66			0.00	0.00	0.00	0.00	
18.00	26.90	28.40	150.00	2.14	1.07			0.00	0.00	0.00	0.00	
19.00	28.40	29.90	150.00	2.14	1.07			0.00	0.00	0.00	0.00	
20.00	29.90	31.40	192.00	2.74	1.37			0.00	0.00	0.00	0.00	
21.00	31.40	32.90	66.00	0.94	0.47			0.00	0.00	0.00	0.00	
22.00	32.90	34.40	528.00	7.52	3.76	1.00	40.00	0.86	4.10	8.20	1.35	
23.00	34.40	35.90	192.00	2.74	1.37			0.00	0.00	0.00	0.00	
24.00	35.90	37.40	192.00	2.74	1.37			0.00	0.00	0.00	0.00	
25.00	37.40	38.90	108.00	1.54	0.77			0.00	0.00	0.00	0.00	
26.00	38.90	40.40	150.00	2.14	1.07			0.00	0.00	0.00	0.00	
27.00	40.40	41.90	108.00	1.54	0.77			0.00	0.00	0.00	0.00	
28.00	41.90	43.40	192.00	2.74	1.37			0.00	0.00	0.00	0.00	
29.00	43.40	44.90	192.00	2.74	1.37			0.00	0.00	0.00	0.00	
30.00	44.90	46.40	1200.00	17.10	8.55	3.00	40.00	0.86	4.10	8.20	1.35	
31.00	46.40	47.90	486.00	6.93	3.46							Geotherm X Plug applied as 3x LCM treatments 44.90 - 47.90 unsuccessful
32.00	47.90	49.40	192.00	2.74	1.37			0.00	0.00	0.00	0.00	
33.00	49.40	50.90	192.00	2.74	1.37			0.00	0.00	0.00	0.00	
34.00	50.90	52.40	192.00	2.74	1.37			0.00	0.00	0.00	0.00	
35.00	52.40	53.90	234.00	3.33	1.67			0.00	0.00	0.00	0.00	
36.00	53.90	55.40	822.00	11.71	5.86	1.00	40.00	0.86	4.10	8.20	1.35	
37.00	55.40	56.90	234.00	3.33	1.67			0.00	0.00	0.00	0.00	
38.00	56.90	58.40	360.00	5.13	2.57	1.00	40.00	0.86	4.10	8.20	1.35	
39.00	58.40	59.90	192.00	2.74	1.37			0.00	0.00	0.00	0.00	
40.00	59.90	61.40	612.00	8.72	4.36	2.00	40.00	0.86	4.10	16.00	0.70	LCM #9 and # 10 deployed. LCM #10 a thicker mix, double but, half mica - same lbm/bbl
41.00	61.40	62.90	570.00	8.12	4.06	1.00	45.47	0.86	4.10	8.00	3.00	LCM #11 deployed. Double mica content. LCM #12 deployed using OPC grout to plug back to 37.5m
42.00	62.90	64.40	192.00	2.74	1.37			0.00	0.00	0.00	0.00	
43.00	64.40	65.90	234.00	3.33	1.67			0.00	0.00	0.00	0.00	
44.00	65.90	67.40	696.00	9.92	4.96			0.00	0.00	0.00	0.00	
45.00	67.40	68.90	1578.00	22.49	11.24	1.00	80.00	1.71	8.20	16.40	2.70	
46.00	68.90	70.40	654.00	9.32	4.66	1.00	80.00	1.71	8.20	16.40	2.70	
47.00	70.40	71.90	318.00	4.53	2.27			0.00	0.00	0.00	0.00	
48.00	71.90	73.40	192.00	2.74	1.37			0.00	0.00	0.00	0.00	
49.00	73.40	74.90	444.00	6.33	3.16			0.00	0.00	0.00	0.00	
50.00	74.90	76.40	276.00	3.93	1.97			0.00	0.00	0.00	0.00	
51.00	76.40	77.90	402.00	5.73	2.86			0.00	0.00	0.00	0.00	
52.00	77.90	79.40	360.00	5.13	2.57			0.00	0.00	0.00	0.00	
53.00	79.40	80.90	360.00	5.13	2.57			0.00	0.00	0.00	0.00	
54.00	80.90	82.40	276.00	3.93	1.97			0.00	0.00	0.00	0.00	
55.00	82.40	83.90		0.00	0.00	1.00	80.00	1.71	8.20	16.40	2.70	Flush levels not recorded.
56.00	83.90	85.40	340.00	4.85	2.42			0.00	0.00	0.00	0.00	
57.00	85.40	86.90	318.00	4.53	2.27			0.00	0.00	0.00	0.00	
58.00	86.90	88.40	360.00	5.13	2.57			0.00	0.00	0.00	0.00	
59.00	88.40	89.90	234.00	3.33	1.67			0.00	0.00	0.00	0.00	
60.00	89.90	91.40	600.00	8.55	4.28			0.00	0.00	0.00	0.00	
61.00	91.40	92.90	192.00	2.74	1.37			0.00	0.00	0.00	0.00	
62.00	92.90	94.40	234.00	3.33	1.67			0.00	0.00	0.00	0.00	
63.00	94.40	95.90	234.00	3.33	1.67			0.00	0.00	0.00	0.00	
64.00	95.90	97.40	360.00	5.13	2.57			0.00	0.00	0.00	0.00	
65.00	97.40	98.90	654.00	9.32	4.66	1.00	80.00	1.71	8.20	16.40	2.70	
66.00	98.90	100.40	654.00	9.32	4.66	2.00	80.00	1.71	8.20	16.40	2.70	
67.00	100.40	101.90		0.00	0.00			0.00	0.00	0.00	0.00	

