

**Irish Sea Bibliography 2002 -  
2009**

**Compiled and Edited  
by Andrew Kennedy,  
Head of Library,  
Proudman  
Oceanographic  
Laborary**

**2009**



# IRISH SEA BIBLIOGRAPHY

This select bibliography contains several hundred references to papers (or other information items) on the Irish Sea (including the Mersey Estuary, Liverpool Bay and Morecambe Bay areas). The items included have been compiled from a number of online resources and literature searches – most significantly, POL's Staff Publications Database, MIMAS' *Web of Knowledge* and numerous university library OPACs. Due to the diverse nature of the sources interrogated, the formatting of references is not completely uniform; for example, not all items have an author. The bibliography is not intended to be complete and gaps in coverage are inevitable. Annual updates will take place and the editor would be grateful to be informed of any omissions or inaccuracies.

The bibliography is arranged in the following manner: items without authors are listed first (in alphabetical order, by title, in ascending years – from 2002 to 2009); authored items are arranged in alphabetical sequence by the surname of the first author only – that is, there is no ordering by publication year (either ascending or descending). Author surnames incorporating a preposition or a definite article are listed according to *Anglo-American Cataloguing Rules 2*. For example, Dutch names are entered under the part following the prefix (unless the prefix is "ver"), - "Aa, Pieter van der – and Spanish names are entered under the part following the prefix, - "Figuroa, Francisco de" – unless the prefix consists of an article only – "Las Heras, Manuel Antonio"<sup>1</sup>.

## August 2009

Andrew Kennedy  
Head of Library  
Proudman Oceanographic Laboratory  
Joseph Proudman Building  
6 Brownlow Street  
Liverpool L3 5DA

Tel.: 0151 795 4919  
email: [annn@pol.ac.uk](mailto:annn@pol.ac.uk)

---

<sup>1</sup> For more detailed information consult *Anglo-American Cataloguing Rules 2*, 22.5D.

(2002). **Boat/water-based recreation in the Irish Sea**. Seminar on boat/water-based recreation in the Irish Sea, Conwy County Borough Council Offices, Conwy, North Wales, 1 May 2002, Conwy, North Wales, Liverpool University Press.

(2002). **Coastal Modelling**. Seminar on coastal modelling Foresight Centre, University of Liverpool, 4 October 2002, Liverpool, Liverpool University Press.

(2002). **'Corrigendum to Council Regulation (EC) No 254/2002 of 12 February 2002 establishing measures to be applicable in 2002 for the recovery of the stock of cod in the Irish Sea (ICES division VIIa) (OJ L 41 of 13.2.2002)'**. *Official Journal- European Communities Legislation*, L 45(45): 58.

(2002). **'Council Regulation (EC) No 254/2002 of 12 February 2002 establishing measures to be applicable in 2002 for the recovery of the stock of cod in the Irish Sea (ICES division VIIa)'**. *Official Journal- European Communities Legislation*, L 45(41): 1-3.

(2002). **'Irish Sea marginal field gets the go-ahead'**. *International Gas Engineering and Management*, 42(6): 31.

(2002). **'Late Quaternary glacial facies associated with ice-stream recession in the Irish Sea, Screen Hills, south-east Ireland'**. *Quaternary Newsletter*, (98): 51.

(2002). **'Two duals and a three in the Irish Sea Technology contributed to the installation of three offshore multilateral wells'**. *Harts E and P*, 75: 103-106.

(2002). **'Upgraded Stena ferry for Irish Sea route'**. *Naval Architect*: 11.

(2003). **'BNFL to reduce discharges to the Irish Sea'**. *Nuclear Energy-Journal of the British Nuclear Energy Society*, 42(5): 240.

(2003). **Differences between near bottom biomass spatial structure observed in the Irish Sea, the North Sea and the Barents Sea in recent years**. ICES Council Meeting Papers, CM 2003/Q: 17, 19p.

(2003). **The current position around the Irish Sea coasts**. Seminar on Nitrates: Source to the Sea, Warrington, England, Liverpool.

(2003). **Economic pressures on the marine and coastal environment**. Seminar on the economic pressures on the marine and coastal environment, University of Liverpool, 25 March 2003, Liverpool, Liverpool University Press.

- (2003). **Evidence for natural removal of nitrate-nitrogen from the Irish Sea.** Seminar on Nitrates: Source to the Sea, Warrington, England, Liverpool.
- (2003). **The Irish Sea pilot.** Seminar on Protecting and Developing the Coastal Zone: Getting the Balance Right, Dublin, Ireland, Liverpool.
- (2003). **The Irish Sea survey BIOMOR 2 project.** Seminar on Protecting and Developing the Coastal Zone: Getting the Balance Right, Dublin, Ireland, Liverpool.
- (2003). **Marine conservation areas of the Irish Sea in Ireland.** Seminar on Protecting and Developing the Coastal Zone: Getting the Balance Right, Dublin, Ireland, Liverpool.
- (2003). **'Power from the Irish Sea Arklow Bank is Ireland's first offshore wind power project and will be the first in the world to use offshore turbines over 3 MW in size'.** *Power Engineering International*, 11(10): 28-31.
- (2004). **The conservation of nationally important marine geo-science sites: a feasibility study.** Seminar on Irish Sea Sediments, Foresight Centre, University of Liverpool, Liverpool.
- (2004). **'The first offshore windfarm opens'.** *Marine Pollution Bulletin*, 48(1-2): 3.
- (2004). **Instrumentation for measuring suspended sediment transport.** Seminar on Irish Sea Sediments, Foresight Centre, University of Liverpool, Liverpool.
- (2004). **Irish national seabed surveys.** Seminar on Irish Sea Sediments, Foresight Centre, University of Liverpool, Liverpool.
- (2004). **Irish Sea sediments.** Seminar on Irish Sea sediments, Foresight Centre, University of Liverpool, 21 October 2004, Liverpool, Liverpool University Press.
- (2004). **'Lidar cross-sections of a marine boundary layer'.** *Weather*, 59(2): 42.
- (2004). **Macrofaunal assemblages and their sedimentary habitats: working toward a better understanding.** Seminar on Irish Sea Sediments, Foresight Centre, University of Liverpool, Liverpool.
- (2004). **Marine aggregates and offshore habitats.** Seminar on Irish Sea Sediments, Foresight Centre, University of Liverpool, Liverpool.

(2004). **Modelling sediment movement**. Seminar on Irish Sea Sediments, Foresight Centre, University of Liverpool, Liverpool.

(2004). **Perspectives from seabed photographs and video**. Seminar on Irish Sea Sediments, Foresight Centre, University of Liverpool, Liverpool.

(2004). **Sediment impacts on navigation and maintenance in a protected environment**. Seminar on Irish Sea Sediments, Foresight Centre, University of Liverpool, Liverpool.

(2004). **Sediments and bedforms in the Irish Sea: old and new perspectives**. Seminar on Irish Sea Sediments, Foresight Centre, University of Liverpool, Liverpool.

(2004). **'Sellafield meets its radioactive waste reduction quota two years early'**. *Marine Pollution Bulletin*, 48(11-12): 1012.

(2004). **'Technetium releases into the Irish Sea to be drastically reduced'**. *Nuclear Energy-Journal of the British Nuclear Energy Society*, 43(4): 182-183.

(2004). **The tide is turning**. Second North West Regional Coastal Conference, Merseyside Maritime Museum, Liverpool, 16 September 2004 Liverpool, Liverpool University Press.

(2005). **Amateur contributions to Irish Sea Studies**. Seminar on amateur contributions to Irish Sea studies, University of Liverpool, 15 February 2005, Liverpool, Liverpool University Press.

(2005). **'MATSIS Assessing Water Quality in the Irish Sea'**. *Aquaculture Ireland*: 9.

(2005). **'Mortality of Pacific oysters in the Irish Sea: Biotic and abiotic influences'**. *Journal of Shellfish Research*, 24(2): 648.

(2005). **'Resource and risk assessment of mussel seed in the Irish Sea - Overview, reproduction, and settlement'**. *Journal of Shellfish Research*, 24(1): 317.

(2005). **'The Use of Hydrodynamic Modelling to Predict Dispersion of Mussel Larvae in the Irish Sea'**. *Aquaculture Ireland*: 15.

(2006). **'2006/C 165/04 Case C-459/03: Judgment of the Court (Grand Chamber) of 30 May 2006 - Commission of the European Communities v Ireland (Failure of a Member State to fulfil obligations - United Nations Convention on the Law of the Sea - Part XII'**. *Official Journal- European Union Information and Notices*, C 49(165): 2.

- (2006). 'Gape morphology of cod *Gadus morhua* L., haddock *Melanogrammus aeglefinus* (L.) and whiting *Merlangius merlangus* (L.) through metamorphosis from larvae to juveniles in the western Irish Sea'. *Journal of Fish Biology*, 69(5): 1379-1395.
- (2006). 'Irish Sea Urchins-An Overview'. *Aquaculture Magazine*, 32: 15-17.
- (2006). **Marine aggregate dredging: helping to determine good practice.** Marine Aggregate Levy Sustainability Fund (ALSF) conference proceedings: September 2006.
- (2006). 'No transfer of radioactivity from Irish Sea'. *Marine Pollution Bulletin*, 52(6): 602.
- (2007). 'Commission of the European Communities v. Ireland (Cesare P. R. Romano): European Court of Justice judgment regarding Irish submission of MOX plant dispute with United Kingdom to arbitration under the UN Convention on the Law of the Sea'. *American Journal of International Law*, 101: 171-178.
- (2007). 'Dual Power Project: PEi takes a look at the world's first offshore gas-wind hybrid project that will enable the generation of electricity from currently undeveloped wind and gas resources in the East Irish Sea'. *Power Engineering International*, 15(9): 49-51.
- (2007). 'Irish Sea studies 900-1200'. *Medium Aevum*, 76(1): 188.
- (2007). 'Isle of Man: Ten of the best places to meet on the thriving Irish Sea island'. *Conference and Incentive Travel*: 63-68.
- (2007). 'Seatruck expands its services on Irish Sea network'. *Cargo Systems*: 15-15.
- (2007). 'Small-scale variability in growth and condition of dab *Limanda limanda* (L.) larvae in relation to an Irish Sea tidal-mixing front off the west coast of the Isle of Man'. *Journal of Fish Biology*, 71(4): 1056-1068.
- (2007). 'VTS systems ordered for Scandinavia and Irish Sea'. *Lloyds Ship Manager*: 39.
- (2008). 'Settlement of gilthead sea bream *Sparus aurata* L. in a southern Irish Sea coastal habitat'. *Journal of Fish Biology*, 72(1): 287-291.
- (2009). 'Power surge across Irish Sea'. *Professional Engineering*, 22(7): 5.

**Abpmer** (2003). Estuaries database 2003. A spatio-temporal GIS database of environmental data for 6 UK estuaries.

**Agatha, S. and S. F. Tsai** (2008). 'Redescription of the tintinnid *Stenosemella pacifica* Kofoid and Campbell, 1929 (Ciliophora, Spirotricha) based on live observation, protargol impregnation, and scanning electron microscopy'. *Journal of Eukaryotic Microbiology*, 55(2): 75-85.

**Alagarsamy, R.** (2009). 'Environmental magnetism and application in the continental shelf sediments of India'. *Marine Environmental Research*, 68(2): 49-58.

**Al-Bokari, M., C. Boothman, et al.** (2006). Responses of U and Pu to microbially driven nitrate reduction in sediments. 10th International Symposium on Environmental Radiochemical Analysis III, Oxford, ENGLAND.

**Aldahan, A., V. Alfimov, et al.** (2007). '129I anthropogenic budget: Major sources and sinks'. *Applied Geochemistry*, 22(3): 606-618.

**Aldridge, J. N., P. Kershaw, et al.** (2003). 'Transport of plutonium (Pu-239/240) and caesium (Cs-137) in the Irish Sea: comparison between observations and results from sediment and contaminant transport modelling'. *Continental Shelf Research*, 23(9): 869-899..

**Allen, B. M., D. Brophy, et al.** (2008). 'Hatching times, larval duration, settlement and larval growth of Plaice (*Pleuronectes Platessa* (L.)) in Galway Bay determined using otolith microstructure'. *Biology and Environment- Proceedings of the Royal Irish Academy*, 108B(3): 127-134.

**Allen, J. R. L., A. L. Lamb, et al.** (2007). 'Seasonality of delta C-13 and C/N ratios in modern and mid-holocene sediments in the Severn Estuary levels, SW Britain'. *Holocene*, 17(1): 139-144.

**Alvarado Bustos, R., J. M. Huthnance, et al.** (2008). Mixing in the Gulf of Cadiz using XBT data. ALSO/AUG/TOS Ocean sciences meeting 2008: from the watershed to the global ocean, 7 March 2008. Orlando, Florida, USA, American Society of Limnology and Oceanography: p. 11 (abstract).

**Alvarez-Iglesias, P., B. Quintana, et al.** (2007). 'Sedimentation rates and trace metal input history in intertidal sediments from San Simon Bay (Ria de Vigo, NW Spain) derived from Pb-210 and (CS)-C-137 chronology'. *Journal of Environmental Radioactivity*, 98(3): 229-250.

**Ambar, I., R. Alvarado Bustos, et al.** (2008). Gulf of Cadiz oceanography for comparison with seismic imaging. ALSO/AUG/TOS Ocean sciences meeting 2008: from the watershed to the global ocean, 7 March 2008. Orlando, Florida, USA, American Society of Limnology and Oceanography: p. 12 (abstract).

**Amezcuca, F., R. D. M. Nash, et al.** (2003). 'Feeding habits of the Order Pleuronectiformes and its relation to the sediment type in the north Irish Sea'. *Journal of the Marine Biological Association of the United Kingdom*, 83(3): 593-601.

**Andreu-Burillo, I., J. T. Holt, et al.** (2007). 'Assimilation of sea surface temperature in the POL Coastal Ocean Modelling System'. *Journal of Marine Systems*, 65(1-4): 27-40.

**Andreu-Burillo, I., M. J. Howarth, et al.** (2008). Assimilating HF radar currents to improve coastal predictions. ALSO/AUG/TOS Ocean sciences meeting 2008: from the watershed to the global ocean, 7 March 2008. Orlando, Florida, USA, American Society of Limnology and Oceanography: p.15 (abstract).

**Anninou, P. and R. R. Cave** (2009). 'How conservative is arsenic in coastal marine environments? A study in Irish coastal waters'. *Estuarine Coastal and Shelf Science*, 82(3): 515-524.

**Araujo, I. B., J. M. Dias, et al.** (2008). 'Model simulations of tidal changes in a coastal lagoon, the Ria de Aveiro (Portugal)'. *Continental Shelf Research*, 28(8): 1010-1025.

**Archer, A. W. and M. S. Hubbard** (2003). 'Highest tides of the world'. Book section in *Extreme depositional environments: mega end members in geologic time*: 151-173.

**Aretxabaleta, A. L., D. J. McGillicuddy, et al.** (2008). 'Model simulations of the Bay of Fundy Gyre: 1. Climatological results'. *Journal of Geophysical Research-Oceans*, 113(C10).

**Armstrong, M. J., H. D. Gerritsen, et al.** (2004). 'Variability in maturity and growth in a heavily exploited stock: cod (*Gadus morhua* L.) in the Irish Sea'. *Ices Journal of Marine Science*, 61(1): 98-112.

**Atarashi-Andoh, M., C. Schnabel, et al.** (2007). 'I-129/I-127 ratios in surface waters of the English Lake District'. *Applied Geochemistry*, 22(3): 628-636.

**Atkins, S.** (2004). 'Marine nature conservation and sustainable development'. *Marine Conservation*, 6(5): 22-23.

**Aveytua, L., V. F. Camacho-Ibar, et al.** (2007). Modeling of nutrient dynamics in a coastal lagoon through ecosystem model. Science and management: observations/syntheses/solutions, 19th biennial conference of the Estuarine Research Federation, November 4-8, 2007, Providence, Rhode



Island. Conference abstracts. Port Republic, MD, Estuarine Research Foundation.

**Ayranov, M., U. Krahenbuhl, et al.** (2009). 'Sensitivity of DF-ICP-MS, PERALS and alpha-spectrometry for the determination of actinides: A comparison'. *Journal of Radioanalytical and Nuclear Chemistry*, 279(2): 475-480.

**Baldwin, J. R.** (2009). 'Harvesting Seabirds and their Eggs on the Irish Sea Islands (Part 1: The Welsh islands, Lundy and Scilly)'. *Folk Life*, 47: 76-96.

**Bale, A. J., R. J. Uncles, et al.** (2007). 'An assessment of the potential impact of dredging activity on the Tamar Estuary over the last century: Bathymetric and hydrodynamic changes'. *Hydrobiologia*, 588: 83-95.

**Balfour, C. A., M. J. Howarth, et al.** (2007). 'The use of ships of opportunity for Irish sea based oceanographic measurements'. Book section in *Oceans 2007 - Europe, Vols 1-3*: Piscataway, IEEE: 111-116.

**Ballantyne, C. K., D. McCarroll, et al.** (2007). 'The Donegal ice dome, northwest Ireland: dimensions and chronology'. *Journal of Quaternary Science*, 22(8): 773-783.

**Ballantyne, C. K., J. O. Stone, et al.** (2008). 'Dimensions and chronology of the last ice sheet in Western Ireland'. *Quaternary Science Reviews*, 27(3-4): 185-200.

**Bamber, R. N.** (2009). 'Two new species of Sericosura Fry & Hedgpeth, 1969 (Arthropoda: Pycnogonida: Ammotheidae), and a reassessment of the genus'. *Zootaxa*, (2140): 56-68.

**Bashir, W., F. McGovern, et al.** (2008). 'Chemical trends in background air quality and the ionic composition of precipitation for the period 1980-2004 from samples collected at Valentia Observatory, Co. Kerry, Ireland'. *Journal of Environmental Monitoring*, 10(6): 730-738.

**Bastin, J. C., T. Boycott-Brown, et al.** (2003). 'The South Morecambe Gas Field, Blocks 110/2a, 110/3a, 110/7a and 110/8a, East Irish Sea'. *Memoirs-Geological Society of London*, 20: 107-120.

**Batlle, J. V. I., S. Bryan, et al.** (2008). 'A process-based model for the partitioning of soluble, suspended particulate and bed sediment fractions of plutonium and caesium in the eastern Irish Sea'. *Journal of Environmental Radioactivity*, 99(1): 62-80.

**Batlle, J. V. I., R. C. Wilson, et al.** (2008). 'Dynamic model for the assessment of radiological exposure to marine biota'. *Journal of Environmental Radioactivity*, 99(11): 1711-1730.

- Beggs, S. E. and R. D. Nash** (2007). 'Variability in settlement and recruitment of 0-group dab *Limanda limanda* L. in Port Erin Bay, Irish Sea'. *Journal of Sea Research*, 58(1): 90-99.
- Beresford, N. A., B. J. Howard, et al.** (2007). 'The transfer of radionuclides from saltmarsh vegetation to sheep tissues and milk'. *Journal of Environmental Radioactivity*, 98(1-2): 36-49.
- Berges, J. A., C. E. Gibson, et al.** (2004). 'Physiological responses of phytoplankton communities in the Irish Sea to simulated upwelling'. *Hydrobiologia*, 517(1-3): 121-132.
- Betteridge, K. F. E., P. D. Thorne, et al.** (2008). 'Calibrating multi-frequency acoustic backscatter systems for studying near-bed suspended sediment transport processes'. *Continental Shelf Research*, 28(2): 227-235.
- Bielewski, M., J. Himbert, et al.** (2008). 'Nondestructive spectrometric study on a radioactive particle embedded in a marine sediment'. *Microscopy and Microanalysis*, 14(4): 321-327.
- Bilgin, S., O. Ozen, et al.** (2008). 'Spatial and temporal variation of *Palaemon adspersus*, *Palaemon elegans*, and *Crangon crangon* (Decapoda: Caridea) in the southern Black Sea'. *Estuarine Coastal and Shelf Science*, 79(4): 671-678.
- Bilgin, S., O. Ozen, et al.** (2009). 'Sexual seasonal growth variation and reproduction biology of the rock pool prawn, *Palaemon elegans* (Decapoda: Palaemonidae) in the southern Black Sea'. *Scientia Marina*, 73(2): 239-247.
- Bilgin, S., O. Samsun, et al.** (2009). 'Seasonal growth and reproduction biology of the Baltic prawn, *Palaemon adspersus* (Decapoda: Palaemonidae), in the southern Black Sea'. *Journal of the Marine Biological Association of the United Kingdom*, 89(3): 509-519.
- Binding, C. E.** (2003). The derivation of suspended sediment concentrations in the Irish Sea from in situ and remotely-sensed ocean colour. Bangor, University of Wales Bangor. PhD.
- Binding, C. E., D. G. Bowers, et al.** (2003). 'An algorithm for the retrieval of suspended sediment concentrations in the Irish Sea from SeaWiFS ocean colour satellite imagery'. *International Journal of Remote Sensing*, 24(19): 3791-3806.
- Bingham, R. J. and C. W. Hughes** (2008). 'The relationship between sea-level and bottom pressure variability in an eddy permitting ocean model'. *Geophysical Research Letters*, 35(3): Art. No. L03602.

**Bissinger, J. E., D. J. S. Montagnes, et al.** (2008). 'Predicting marine phytoplankton maximum growth rates from temperature: improving on the Eppley curve using quantile regression'. *Limnology and Oceanography*, 53(2): 487-493.

**Blott, S. J., K. Pye, et al.** (2006). 'Long-term morphological change and its causes in the Mersey Estuary, NW England'. *Geomorphology*, 81(1-2): 185-206.

**Bochdansky, A. B., P. Gronkjaer, et al.** (2008). 'Food limitation in larval fish: ontogenetic variation in feeding scope and its potential effect on survival'. *Marine Ecology-Progress Series*, 367: 239-248.

**Bogan, Y. M., D. J. Kennedy, et al.** (2007). 'Variation in domoic acid concentration in king scallop (*Pecten maximus*) from fishing grounds around the Isle of Man'. *Harmful Algae*, 6(1): 81-92.

**Bois, P. B. D. and F. Dumas** (2005). 'Fast hydrodynamic model for medium- and long-term dispersion in seawater in the English Channel and southern North Sea, qualitative and quantitative validation by radionuclide tracers'. *Ocean Modelling*, 9(2): 169-210.

**Bolanos, R., P. Osuna, et al.** (2008). The POLCOMS-WAM Wave-Current Interaction Model: development and performance in the NW Mediterranean. Maritime industry, ocean engineering and coastal resources: proceedings of the 12th International Congress of the International Maritime Association of the Mediterranean, (IMAM 2007), Varna, Bulgaria, 2-6 September 2007. C. Guedes Soares and P. N. Kolev (eds.). London, Taylor Francis. 2: 685-691.

**Bolanos, R., J. Wolf, et al.** (2008). Comparison of wave-current interaction formulation using the POLCOMS-WAM wave-current model. 31st International Conference on Coastal Engineering, Hamburg, Germany.

**Booth, C. A., M. A. Fullen, et al.** (2008). 'Problems and potential of mineral magnetic measurements as a soil particle size proxy'. *Journal of Environmental Engineering and Landscape Management*, 16(3): 151-158.

**Booth, C. A., C. M. Winspear, et al.** (2007). 'A pilot investigation into the potential of mineral magnetic measurements as a proxy for urban roadside particulate pollution'. Book section in *Air Pollution Xv*. C. A. Borrego and C. A. Brebbia (eds.). Southampton, WIT Press. 101: 391-400.

**Bos, M. S., R. M. S. Fernandes, et al.** (2008). 'Fast error analysis of continuous GPS observations'. *Journal of Geodynamics*, 82(3): 157-166.

**Bowers, D. G.** (2003). 'A simple turbulent energy-based model of fine suspended sediments in the Irish Sea'. *Continental Shelf Research*, 23(16): 1495-1505.

**Bowers, D. G. and C. E. Binding** (2006). 'The optical properties of mineral suspended particles: a review and synthesis'. *Estuarine, Coastal and Shelf Science*, 67(1-2): 219-230.

**Bowers, D. G., C. E. Binding, et al.** (2007). 'Satellite remote sensing of the geographical distribution of suspended particle size in an energetic shelf sea'. *Estuarine Coastal and Shelf Science*, 73(3-4): 457-466.

**Bowers, D. G., K. M. Ellis, et al.** (2005). 'Isolated turbidity maxima in shelf seas'. *Continental Shelf Research*, 25(9): 1071-1080.

**Bowers, D. G., S. Gaffney, et al.** (2002). 'Turbidity in the southern Irish Sea'. *Continental Shelf Research*, 22(15): 2115-2126.

**Bowers, D. G., E. Kyte, et al.** (2007). 'Spectral fitting techniques in turbid water'. Book section in *Oceans 2007 - Europe*. Piscataway, IEEE: 585-588.

**Boyce, M. R.** (2005). 'Report on the sea fisheries of the district and the work of the joint committee for the period 1st March 2005 to 30th June 2005'. North Western & North Wales Sea Fisheries Committee March 2005 - June 2005: 1-24.

**Boyes, S. J., M. Elliott, et al.** (2007). 'A proposed multiple-use zoning scheme for the Irish Sea.: An interpretation of current legislation through the use of GIS-based zoning approaches and effectiveness for the protection of nature conservation interests'. *Marine Policy*, 31(3): 287-298.

**Bradley, S. L., G. A. Milne, et al.** (2009). 'Glacial isostatic adjustment of the British Isles: new constraints from GPS measurements of crustal motion'. *Geophysical Journal International*, 178(1): 14-22.

**Bradshaw, C., P. Collins, et al.** (2003). 'To what extent does upright sessile epifauna affect benthic biodiversity and community composition?' *Marine Biology*, 143(4): 783-791.

**Bradshaw, C., L. O. Veale, et al.** (2002). 'The role of scallop-dredge disturbance in long-term changes in Irish Sea benthic communities: a re-analysis of an historical dataset'. *Journal of Sea Research*, 47(2): 161-184.

**Bradwell, T., M. Stoker, et al.** (2007). 'Geomorphological signature and flow dynamics of The Minch palaeo-ice stream, northwest Scotland'. *Journal of Quaternary Science*, 22(6): 609-617.

**Brander, K. and R. Mohn** (2004). 'Effect of the North Atlantic Oscillation on recruitment of Atlantic cod (*Gadus morhua*)'. *Canadian Journal of Fisheries and Aquatic Sciences*, 61(9): 1558-1564.

**Braungardt, C. B., E. P. Achterberg, et al.** (2007). 'Chemical speciation of dissolved Cu, Ni, and Co in a contaminated estuary in southwest Spain and its influence on plankton communities'. *Environmental Science & Technology*, 41(12): 4214-4220.

**Bravo-Linares, C. M., S. M. Mudge, et al.** (2007). 'Occurrence of volatile organic compounds (VOCs) in Liverpool Bay, Irish Sea'. *Marine Pollution Bulletin*, 54(11): 1742-1753.

**Brazier, P., K. Birch, et al.** (2007). 'When the tide goes out. The biodiversity and conservation of the shores of Wales - results from a 10 year intertidal survey of Wales'. Bangor, Countryside Council for Wales.

**Bremner, J., S. I. Rogers, et al.** (2006). 'Matching biological traits to environmental conditions in marine benthic ecosystems'. *Journal of Marine Systems*, 60(3-4): 302-316.

**Brennan, R. E. and L. D. Rodwell** (2008). 'Sustainable management of wild Irish Atlantic salmon: Keys found through the looking-glass'. *Marine Policy*, 32(6): 1072-1079.

**Briggs, R. P., M. J. Armstrong, et al.** (2002). 'The application of fecundity estimates to determine the spawning stock biomass of Irish Sea Nephrops norvegicus (L.) using the annual larval production method'. *ICES Journal of Marine Science*, 59(1): 109-119.

**Briggs, R. P. and M. McAliskey** (2002). 'The prevalence of Hematodinium in Nephrops norvegicus from the western Irish Sea'. *Journal of the Marine Biological Association of the United Kingdom*, 82(3): 427-433.

**Brinza, L., C. A. Nygard, et al.** (2009). 'Cadmium tolerance and adsorption by the marine brown alga *Fucus vesiculosus* from the Irish Sea and the Bothnian Sea'. *Bioresource Technology*, 100(5): 1727-1733.

**Brookfield, M. E.** (2008). 'Palaeoenvironments and palaeotectonics of the arid to hyperarid intracontinental latest Permian- late Triassic Solway basin (UK)'. *Sedimentary Geology*, 210(1-2): 27-47.

**Brooks, A. J., S. L. Bradley, et al.** (2008). 'Postglacial relative sea-level observations from Ireland and their role in glacial rebound modelling'. *Journal of Quaternary Science*, 23(2): 175-192.

**Brown, J., L. Carrillo, et al.** (2003). 'Observations of the physical structure and seasonal jet-like circulation of the Celtic Sea and St. George's Channel of the Irish Sea'. *Continental Shelf Research*, 23(6): 533-561.

**Brown, J. M. and J. Wolf** (2009). 'Coupled wave and surge modelling for the eastern Irish Sea and implications for model wind-stress'. *Continental Shelf Research*, 29(10): 1329-1342.

**Brown, J. M., J. Wolf, et al.** (2008). 'Wave-current modeling in the Irish Sea and coastal flood impacts'. PECS 2008: Physics of Estuaries and Coastal Seas. Liverpool, UK.

**Brunel, T. and J. Boucher** (2007). 'Long-term trends in fish recruitment in the north-east Atlantic related to climate change'. *Fisheries Oceanography*, 16(4): 336-349.

**Bryan, S. E., P. McDonald, et al.** (2008). 'Sea to land transfer of anthropogenic radionuclides to the North Wales coast, Part I: External gamma radiation and radionuclide concentrations in intertidal sediments, soil and air'. *Journal of Environmental Radioactivity*, 99(1): 7-19.

**Bunn, N. and C. J. Fox** (2004). 'Spring plankton surveys of the Irish Sea in 2000: hydrography and the distribution of fish eggs and larvae'. Lowestoft, Centre for Environment Fisheries and Aquaculture Science (CEFAS): 131.

**Bunn, N., C. J. Fox, et al.** (2004). 'Spring plankton surveys of the eastern Irish Sea in 2001, 2002 and 2003: hydrography and the distribution of fish eggs and larvae'. Lowestoft, Centre for Environment Fisheries and Aquaculture Science (CEFAS): 213.

**Bunnell, D. B., S. R. David, et al.** (2009). 'Decline in bloater fecundity in Southern Lake Michigan after decline of *Diporeia*'. *Journal of Great Lakes Research*, 35(1): 45-49.

**Burger, J., M. Gochfeld, et al.** (2007). 'Mercury levels and potential risk from subsistence foods from the Aleutians'. *Science of the Total Environment*, 384(1-3): 93-105.

**Burger, J., M. Gochfeld, et al.** (2007). 'Radionuclide concentrations in benthic invertebrates from Amchitka and Kiska islands in the Aleutian Chain, Alaska'. *Environmental Monitoring and Assessment*, 128(1-3): 329-341.

**Burger, J., M. Gochfeld, et al.** (2007). 'Radionuclides in marine fishes and birds from Amchitka and Kiska Islands in the Aleutians: Establishing a baseline'. *Health Physics*, 92(3): 265-279.

**Burke, N., D. Brophy, et al.** (2008). 'Otolith shape analysis: its application for discriminating between stocks of Irish Sea and Celtic Sea herring (*Clupea harengus*) in the Irish Sea'. *ICES Journal of Marine Science*, 65(9): 1670-1675.

- Burke, N., D. Brophy, et al.** (2008). 'Shape analysis of otolith annuli in Atlantic herring (*Clupea harengus*); a new method for tracking fish populations'. *Fisheries Research*, 91(2-3): 133-143.
- Burrows, R., T. Hedges, et al.** (2008). 'Tapping the tidal potential of the eastern Irish Sea'. Liverpool marine science symposium, climate change: the science and the impacts - a Liverpool perspective, January 8th - January 9th, 2008. Liverpool, University of Liverpool: abstract.
- Burton, L. R.** (2003). 'The Mersey Basin: an historical assessment of water quality from an anecdotal perspective'. *Science of the Total Environment*, 314: 53-66.
- Burton, L. R., A. Howard, et al.** (2003). 'Construction of a historical Water Pollution Index for the Mersey Basin'. *Area*, 35(4): 438-448.
- Butler, P. G., J. D. Scourse, et al.** (2009). 'Continuous marine radiocarbon reservoir calibration and the C-13 Suess effect in the Irish Sea: Results from the first multi-centennial shell-based marine master chronology'. *Earth and Planetary Science Letters*, 279(3-4): 230-241.
- Byrne, C. J., W. R. Poole, et al.** (2002). 'The Irish sea trout enhancement programme: an assessment of the parr stocking programme into the Burrishoole catchment'. *Fisheries Management and Ecology*, 9(6): 329-341.
- Cacchione, D. A., P. D. Thorne, et al.** (2008). 'Time-averaged near-bed suspended sediment concentrations under waves and currents: Comparison of measured and model estimates'. *Continental Shelf Research*, 28(3): 470-484.
- Cameron, I. D., D. Miller, et al.** (2007). 'Offshore wind mapping using synthetic aperture radar and meteorological model data'. Book section in *Oceans 2007 - Europe, Vols 1-3*. Piscataway, IEEE:1327-1332.
- Cameron, I. D., I. H. Woodhouse, et al.** (2007). 'Novel method for estimating offshore wind fields using synthetic aperture radar and meteorological model data'. Book section from *Igarss: 2007 IEEE International Geoscience and Remote Sensing Symposium, Vols 1-12 - Sensing and Understanding Our Planet*. Piscataway, IEEE: 3273-3276.
- Cannaby, H. and Y. S. Husrevoglu** (2009). 'The influence of low-frequency variability and long-term trends in North Atlantic sea surface temperature on Irish waters'. *ICES Journal of Marine Science*, 66(7): 1480-1489.
- Carroll, B., M. Li, et al.** (2008). 'Morphodynamic impacts of a tidal barrage in the Mersey Estuary'. 31st International Conference on Coastal Engineering, Hamburg, Germany.

**Castellani, C. and I. A. N. Lucas** (2003). 'Seasonal variation in egg morphology and hatching success in the calanoid copepods *Temora longicornis*, *Acartica clausi* and *Centropages hamatus*'. *Journal of Plankton Research*, 25(5): 527-537.

**Chapman, C. S. and C. M. G. Van Den Berg** (2005). 'Microbenthic chamber with microelectrode for in-situ determination of fluxes of dissolved S(-II), I-, O<sub>2</sub>, Mn, and Fe'. *Environmental Science and Technology*, 39(8), 2769-2776.

**Chappell, A. and N. Kuszniir** (2008). 'An algorithm to calculate the gravity anomaly of sedimentary basins with exponential density-depth relationships'. *Geophysical Prospecting*, 56(2): 249-258.

**Charlesworth, M. and C. Grant** (2008). 'Marine data accessibility and use: a review of government and industry sectors in the UK'. *Hydro International*, 12(2): 22-29.

**Charlesworth, M., M. Service, et al.** (2002). 'PAH contamination of western Irish Sea sediments'. *Marine Pollution Bulletin*, 44(12): 1421-1426.

**Charlesworth, M. E., S. Chenery, et al.** (2006). 'Isotopic composition and concentration of Pb in suspended particulate matter of the Irish Sea reveals distribution and sources'. *Marine Pollution Bulletin*, 52(1): 81-88.

**Charlesworth, M. E., M. Service, et al.** (2006). 'The distribution and transport of Sellafield derived Cs-137 and Am-241 to western Irish Sea sediments'. *Science of the Total Environment*, 354(1): 83-92.

**Charrier, G., S. H. Coombs, et al.** (2007). 'Genetic structure of whiting *Merlangius merlangus* in the northeast Atlantic and adjacent waters'. *Marine Ecology Progress Series*, 330: 201-211.

**Chaumillon, E., X. Bertin, et al.** (2008). 'Multi time-scale evolution of a wide estuary linear sandbank, the Longe de Boyard, on the French Atlantic coast'. *Marine Geology*, 251(3-4): 209-223.

**Chen, Y., S. Pan, et al.** (2008). 'Effects of wind and wave forcing on modeling waves and tides in the Irish Sea'. PECS 2008: Physics of Estuaries and Coastal Seas. Liverpool, UK.

**Chevolot, M., J. R. Ellis, et al.** (2006). 'Population structure of the thornback ray (*Raja clavata* L.) in British waters'. *Journal of Sea Research*, 56(4): 305-316.

**Chevolot, M., J. R. Ellis, et al.** (2008). 'Temporal changes in allele frequencies but stable genetic diversity over the past 40 years in the Irish Sea population of thornback ray, *Raja clavata*'. *Heredity*, 101(2): 120-126.



**Choi, H. G. and T. A. Norton** (2005). 'Competition and facilitation between germlings of *Ascophyllum nodosum* and *Fucus vesiculosus*'. *Marine Biology*, 147(2): 525-532.

**Choi, H. G. and T. A. Norton** (2005). 'Competitive interactions between two fucoid algae with different growth forms, *Fucus serratus* and *Himantalia elongata*'. *Marine Biology*, 146(2): 283-291.

**Church, J. A., N. J. White, et al.** (2008). 'Understanding global sea levels: past, present and future'. *Sustainability Science*, 3: 9-22.

**Clark, J., A. M. McCabe, et al.** (2009). '10Be chronology of the last deglaciation of County Donegal, northwestern Ireland'. *Boreas*, 38(1): 111-118.

**Clark, J., A. M. McCabe, et al.** (2009). 'Cosmogenic Be-10 chronology of the last deglaciation of western Ireland, and implications for sensitivity of the Irish Ice Sheet to climate change'. *Geological Society of America Bulletin*, 121(1-2): 3-16.

**Clark, P. U., A. M. McCabe, et al.** (2004). 'Rapid rise of sea level 19,000 years ago and its global implications'. *Science*, 304(5674): 1141-1147.

**Cobelo-Garcia, A., A. Turner, et al.** (2008). 'Fractionation and reactivity of platinum group elements during estuarine mixing'. *Environmental Science & Technology*, 42(4): 1096-1101.

**Codling, E. A. and C. J. Kelly** (2006). 'F-PRESS: a stochastic simulation tool for developing fisheries management advice and evaluating management strategies'. *Irish Fisheries Investigations (New Series)*, No. 17: 7-34.

**Cofaigh, C. O. and D. J. A. Evans** (2007). 'Radiocarbon constraints on the age of the maximum advance of the British-Irish Ice Sheet in the Celtic Sea'. *Quaternary Science Reviews*, 26(9-10): 1197-1203.

**Collery, M. M., D. S. Smyth, et al.** (2008). 'Molecular typing of nasal carriage isolates of *Staphylococcus aureus* from an Irish university student population based on toxin gene PCR, agr locus types and multiple locus, variable number tandem repeat analysis'. *Journal of Medical Microbiology*, 57(3): 348-358.

**Colten, C. E.** (2006). 'Vulnerability and place: Flat land and uneven risk in New Orleans'. *American Anthropologist*, 108(4): 731-734.

**Cook, G. T., A. B. MacKenzie, et al.** (2004). 'Sellafield-derived anthropogenic C-14 in the marine intertidal environment of the NE Irish Sea'. *Radiocarbon*, 46(2): 877-883.

**Cooney, G.** (2007). 'Parallel worlds or multi-stranded identities? Considering the process of 'going over' in Ireland and the Irish Sea zone'. *Proceedings-British Academy*: 543-566.

**Copplestone, D., D. Jackson, et al.** (2004). 'Seasonal variations in activity concentrations of Tc-99 and Cs-137 in the edible meat fraction of crabs and lobsters from the central Irish Sea'. *Journal of Environmental Radioactivity*, 73(1): 29-48.

**Costa, L., V. Tekken, et al.** (2009). 'Threat of Sea Level Rise: Costs and Benefits of Adaptation in European Union Coastal Countries'. 10th International Coastal Symposium (ICS 2009), Lisbon, Poland.

**Cotter, E., S. Culloty, et al.** (2003). 'An investigation into the causes of summer mortalities in the Pacific oyster *Crassostrea gigas* in the Irish Sea'. 11th International Conference of the EAAP "Diseases of Fish and Shellfish". 21-26 September. Malta: 120.

**Cowan, G. and T. Boycott-Brown** (2003). 'The North Morecambe Field, Block 110/2a, East Irish Sea'. *Memoirs- Geological Society of London*, 20: 97-106.

**Craig, G., D. Paynter, et al.** (2008). 'Settlement of gilthead sea bream *Sparus aurata* L. in a southern Irish Sea coastal habitat'. *Journal of Fish Biology*, 72(1): 287-291.

**Dabrowski, T. and M. Hartnett** (2008). 'Modelling travel and residence times in the eastern Irish Sea'. *Marine Pollution Bulletin*, 57(1-5): 41-46.

**Dabrowski, T., M. Hartnett, et al.** (2003). 'Modelling hydrodynamics of Irish Sea'. Book section from *Computational Fluid and Solid Mechanics 2003*. K. J. Bathe (ed.). Cambridge (MA), Elsevier: 877-881.

**Darecki, M., A. Weeks, et al.** (2003). 'Optical characteristics of two contrasting Case 2 waters and their influence on remote sensing algorithms'. *Continental Shelf Research*, 23(3-4): 237-250.

**Davies, A. M. and P. Hall** (2002). 'Numerical problems associated with coupling hydrodynamic models in shelf edge regions: the surge event of February 1994'. *Applied Mathematical Modelling*, 26(8): 807-831.

**Davies, A. M., P. Hall, et al.** (2002). 'Modelling and measuring the wind forced inflow to the Irish Sea through the North Channel'. *Continental Shelf Research*, 22(5): 749-777.

**Davies, A. M., P. Hall, et al.** (2004). 'Tidal currents, energy flux and bottom boundary layer thickness in the Clyde Sea and North Channel of the Irish Sea'. *Ocean Dynamics*, 54(2): 108-125.

**Davies, A. M. and J. Xing** (2003). 'The influence of wind direction upon flow along the west coast of Britain and in the north channel of the Irish Sea'. *Journal of Physical Oceanography*, 33(1): 57-74.

**Davies, A. M. and J. Xing** (2006). 'Effect of topography and mixing parameterisation upon the circulation in cold water domes'. *Journal of Geophysical Research*, 111(C3): C03018.

**Davies, B. J., D. H. Roberts, et al.** (2009). 'Interlobate ice-sheet dynamics during the Last Glacial Maximum at Whitburn Bay, County Durham, England'. *Boreas*, 38(3): 555-578.

**Davis, C. D., G. M. Cailliet, et al.** (2007). 'Age and growth of the roughtail skate *Bathyraja trachura* (Gilbert 1892) from the eastern North Pacific'. *Environmental Biology of Fishes*, 80(2-3): 325-336.

**Davis, M. H. and M. E. Davis** (2007). 'The distribution of *Styela clava* (Tunicata, Ascidiacea) in European waters'. *Journal of Experimental Marine Biology and Ecology*, 342(1): 182-184.

**Figueiredo, G. M. de, R. D. M. Nash, et al.** (2005). 'The role of the generally unrecognised microprey source as food for larval fish in the Irish Sea'. *Marine Biology*, 148(2): 395-404.

**Figueiredo, G. M. de, R. D. M. Nash, et al.** (2007). 'Do protozoa contribute significantly to the diet of larval fish in the Irish Sea?' *Journal of the Marine Biological Association of the United Kingdom*, 87(4): 843-850.

**Juan, S. de, J. E. Cartes, et al.** (2007). 'Effects of commercial trawling activities in the diet of the flat fish *Citharus linguatula* (Osteichthyes: Pleuronectiformes) and the starfish *Astropecten irregularis* (Echinodermata : Asteroidea)'. *Journal of Experimental Marine Biology and Ecology*, 349(1): 152-169.

**Heras, L. A. de las, E. Hrncsek, et al.** (2002). 'Neptunium determination by dc glow discharge mass spectrometry (dc-GDMS) in Irish Sea sediment samples'. *Journal of Analytical Atomic Spectrometry*, 17(9): 1011-1014.

**Demestre, M., S. de Juan, et al.** (2008). 'Seasonal closures as a measure of trawling effort control in two Mediterranean trawling grounds: Effects on eplibenthic communities'. *Marine Pollution Bulletin*, 56(10): 1765-1773.

**Dennis, R. L. H., L. Dapporto, et al.** (2008). 'Butterflies of European islands: the implications of the geography and ecology of rarity and endemism for conservation'. *Journal of Insect Conservation*, 12(3-4): 205-236.

**Sea Fish Industry Authority Kingfisher Department** (2004). 'Kingfisher cable awareness chart: Irish Sea. (January 2004 Issue 6)'. Hull, Sea Fish Industry Authority.

**Devlin, M. J., J. Barry, et al.** (2009). 'Estimating the diffuse attenuation coefficient from optically active constituents in UK marine waters'. *Estuarine Coastal and Shelf Science*, 82(1): 73-83.

**Devlin, M. J., J. Barry, et al.** (2008). 'Relationships between suspended particulate material, light attenuation and Secchi depth in UK marine waters'. *Estuarine Coastal and Shelf Science*, 79(3): 429-439.

**Diaz, P., J. Santos, et al.** (2008). 'Anglerfish discard estimates and patterns in Spanish Northeast Atlantic trawl fisheries'. ICES Science Conference on Monkfish/Angelfish Across the World - Common Problems and Common Solutions, Helsinki, Finland.

**Dickey-Collas, M., C. J. Fox, et al.** (2003). 'Plaice egg mortality: can we determine survivorship?' *Journal of Sea Research*, 50(2-3): 211-225.

**Donard, O. F. X., F. Bruneau, et al.** (2007). 'Multi-isotopic determination of plutonium (Pu-239, Pu-240, Pu-241 and Pu-242) in marine sediments using sector-field inductively coupled plasma mass spectrometry'. *Analytica Chimica Acta*, 587(2): 170-179.

**Douve, F. and C. N. Ehler** (2009). 'New perspectives on sea use management: Initial findings from European experience with marine spatial planning'. *Journal of Environmental Management*, 90(1): 77-88.

**Doyle, T. K., H. De Haas, et al.** (2008). 'Widespread occurrence of the jellyfish *Pelagia noctiluca* in Irish coastal and shelf waters'. *Journal of Plankton Research*, 30(8): 963-968.

**Doyle, T. K., J. D. R. Houghton, et al.** (2007). 'The broad-scale distribution of five jellyfish species across a temperate coastal environment'. *Hydrobiologia*, 579: 29-39.

**Dudek, A. V., A. Cunningham, et al.** (2004). 'Regional validation of SeaDAS algorithms and remote sensing of a complex frontal structure in the southern Irish Sea'. Book section in *Remote Sensing of the Ocean and Sea Ice 2003*. C. R. Bostater and R. Santoleri (eds.). Washington, SPIE: 69-76.

**Dumont, C. P., J. S. Roy, et al.** (2008). 'Predation by the sea urchin *Strongylocentrotus droebachiensis* on capsular egg masses of the whelk *Buccinum undatum*'. *Journal of the Marine Biological Association of the United Kingdom*, 88(5): 1025-1031.

**Durazo, R., X. Flores, et al.** (2007). 'Subtidal circulation in San Quintin Bay, Mexico, a Mediterranean coastal lagoon. Science and management: observations/syntheses/solutions'. 19th biennial conference of the Estuarine Research Federation, November 4-8, 2007, Providence, Rhode Island. Conference abstracts. Port Republic, MD, Estuarine Research Foundation: Abstract.

**Edwards, M., D. G. Johns, et al.** (2006). 'Regional climate change and harmful algal blooms in the northeast Atlantic'. *Limnology and Oceanography*, 51(2): 820-829.

**Edwards, R., A. Brooks, et al.** (2008). 'Postglacial relative sea-level observations from Ireland and their role in glacial rebound modelling Reply'. *Journal of Quaternary Science*, 23(8): 821-825.

**Elliott, A. J.** (2002). 'The boundary layer character of tidal currents in the eastern Irish Sea'. *Estuarine Coastal and Shelf Science*, 55(3): 465-480.

**Elliott, A. J.** (2004). 'A probabilistic description of the wind over Liverpool Bay with application to oil spill simulations'. *Estuarine Coastal and Shelf Science*, 61(4): 569-581.

**Elliott, A. J. and S. P. Neill** (2007). 'Simulating storm waves in the Irish sea'. *Proceedings of the Institution of Civil Engineers-Maritime Engineering*, 160(2): 57-64.

**Ellis, J., S. Greenstreet, et al.** (2004). 'Distribution and structure of faunal assemblages and their associated physical conditions on the Atlantic continental shelf of the British Isles'. ICES Council Meeting Papers: P03.

**Ellis, J. R. and J. Keable** (2008). 'Fecundity of Northeast Atlantic spurdog (*Squalus acanthias*)'. *ICES Journal of Marine Science*, 65(6): 979-981.

**Ellis, J. R., T. Maxwell, et al.** (2007). 'Small-scale heterogeneity in the mobile macro-epifauna associated with mud, sand and coarse habitats'. ICES Council Meeting Papers: A07.

**Ellis, J. R. and J. Keable** (2008). 'Fecundity of Northeast Atlantic spurdog (*Squalus acanthias*)'. *ICES Journal of Marine Science*, 65(6): 979-981.

**Ellis, K. M., C. E. Binding, et al.** (2008). 'A model of turbidity maximum maintenance in the Irish Sea'. *Estuarine Coastal and Shelf Science*, 76(4): 765-774.

**Ellis, K. M., D. G. Bowers, et al.** (2004). 'A study of the temporal variability in particle size in a high-energy regime'. *Estuarine, Coastal and Shelf Science*, 61(2): 311-315.

**Emmanouil, C. and J. K. Chipman** (2007). 'Excision of an oxidative DNA lesion (8-oxo-deoxyguanosine) in *Mytilus edulis* populations from two sites in the eastern Irish Sea'. 1st International Conference on Environmental Management, Engineering, Planning and Economics (CEMEPE), Skiathos Isl., Greece.

**Emmanouil, C., R. M. Green, et al.** (2008). 'Oxidative damage in gill of *Mytilus edulis* from Merseyside, UK, and reversibility after depuration'. *Environmental Pollution*, 151(3): 663-668.

**Emsley, S. M., G. A. Tarling, et al.** (2005). 'The effect of vertical migration strategy on retention and dispersion in the Irish Sea during spring-summer'. *Fisheries Oceanography*, 14(3): 161-174.

**Enever, R., A. Revill, et al.** (2007). 'Discarding in the English Channel, Western approaches, Celtic and Irish seas (ICES subarea VII)'. *Fisheries Research*, 86(2-3): 143-152.

**Englund, E., A. Aldahan, et al.** (2008). 'Modeling Fallout of Anthropogenic I-129'. *Environmental Science & Technology*, 42(24): 9225-9230.

**Eric Jones, J. and A. M. Davies** (2006). 'Application of a finite element model (TELEMAC) to computing the wind induced response of the Irish Sea'. *Continental Shelf Research*, 26(12-13): 1519-1541.

**Evans, D. J. A. and C. Cofaigh** (2003). 'Depositional evidence for marginal oscillations of the Irish Sea ice stream in southeast Ireland during the last glaciation'. *Boreas*, 32(1): 76-101.

**Evans, D. J. A. and C. O. Cofaigh** (2008). 'The sedimentology of the Late Pleistocene Bannow Till stratotype, County Wexford, southeast Ireland'. *Proceedings of the Geologists Association*, 119: 329-338.

**Evans, D. J. A., S. J. Livingstone, et al.** (2009). 'The palaeoglaciology of the central sector of the British and Irish Ice Sheet: reconciling glacial geomorphology and preliminary ice sheet modelling'. *Quaternary Science Reviews*, 28(7-8): 739-757.

**Evans, G. L., P. J. L. B. Williams, et al.** (2003). 'Physical and anthropogenic effects on observed long-term nutrient changes in the Irish Sea'. *Estuarine, Coastal and Shelf Science*, 57(5-6): 1159-1168.

**Exadactylos, A., M. J. Rigby, et al.** (2007). 'Conservation aspects of natural populations and captive-bred stocks of turbot (*Scophthalmus maximus*) and Dover sole (*Solea solea*) using estimates of genetic diversity'. *ICES Journal of Marine Science*, 64(6): 1173-1181.

- Eynaud, F., S. Zaragosi, et al.** (2007). 'Deglacial laminated facies on the NW European continental margin: The hydrographic significance of British-Irish Ice Sheet deglaciation and Fleuve Manche paleoriver discharges'. *Geochemistry Geophysics Geosystems*, 8: Q06019.
- Fahy, E.** (2008). 'Performance of an inshore fishery in the absence of regulatory enforcement'. *Marine Policy*, 32(6): 1037-1042.
- Fahy, E. and J. Carroll** (2007). 'Consequences of hydraulic dredging for a razor clam *Ensis siliqua* (L.) bed in the north-west Irish sea'. *Biology and Environment-Proceedings of the Royal Irish Academy*, 107B(3): 115-128.
- Fahy, E., J. Carroll, et al.** (2004). 'The Dundalk Cockle *Cerastoderma edule* fishery in 2003-2004'. *Irish Fisheries Investigations* (New Series), No. 14: 1-16.
- Fahy, E., J. Carroll, et al.** (2005). 'Fishery-associated changes in the whelk *Buccinum undatum* stock in the southwest Irish Sea, 1995-2003'. *Irish Fisheries Investigations* (New Series), No. 15: 1-26.
- Fahy, E., J. Carroll, et al.** (2008). 'Ireland's velvet crab (*Necora puber* (L.)) pot fishery'. *Biology and Environment-Proceedings of the Royal Irish Academy*, 108B(3): 157-175.
- Fard, A. M. and B. Gruszka** (2007). 'Subglacial conditions in a branching Saalian esker in north-central Poland'. *Sedimentary Geology*, 193(1-4): 33-46.
- Farina, A. C., M. Azevedo, et al.** (2008). 'Lophius in the world: a synthesis on the common features and life strategies'. ICES Science Conference on Monkfish/Angelfish Across the World - Common Problems and Common Solutions, Helsinki, Finland.
- Fernand, L., G. D. Nolan, et al.** (2006). 'The Irish coastal current: a seasonal jet-like circulation'. *Continental Shelf Research*, 26(15): 1775-1793.
- Fialkowski, W., P. Calosi, et al.** (2009). 'The sandhopper *Talitrus saltator* (Crustacea: Amphipoda) as a biomonitor of trace metal bioavailabilities in European coastal waters'. *Marine Pollution Bulletin*, 58(1): 39-44.
- Figueiredo, G. M., D. J. S. Montagnes, et al.** (2009). 'The importance of protozooplankton as prey for copepods in the coastal areas of the central Irish Sea'. *Hydrobiologia*, 628(1): 227-239.
- Flather, R. A.** (2002). 'Modelling extreme events'. Irish Sea Forum: seminar on Coastal Modelling, Foresight Centre, University of Liverpool, 4 October 2002. H. Davies. Liverpool, Liverpool University Press: 12-13.

**Flather, R. A.** (2002). 'Note on the storm surge and floods on 1 February 2002 in the Irish Sea'. Birkenhead, Proudman Oceanographic Laboratory: 24pp.

**Fletcher, S.** (2007). 'Representing stakeholder interests in partnership approaches to coastal management: experiences from the United Kingdom'. *Ocean & Coastal Management*, 50(8): 606-622.

**Flynn, K. J. and J. M. Pajala** (2003). 'Noctiluca: a new research catamaran'. *Ocean Challenge*, 13(2): 11.

**Foden, J., D. B. Sivy, et al.** (2008). 'Spatial and temporal distribution of chromophoric dissolved organic matter (CDOM) fluorescence and its contribution to light attenuation in UK waterbodies'. *Estuarine Coastal and Shelf Science*, 79(4): 707-717.

**DEFRA, et al.** (2003). *Estuaries Database 2003: a spatio-temporal GIS database of environmental data for 6 UK estuaries*. London, DEFRA/Environment Agency (CD-ROM).

**Fox, C. J., A. J. Geffen, et al.** (2003). 'Temperature-dependent development rates of plaice (*Pleuronectes platessa* L.) eggs from the Irish Sea'. *Journal of Plankton Research*, 25(11): 1319-1329.

**Fox, C. J., A. J. Geffen, et al.** (2007). 'Birth-date selection in early life stages of plaice *Pleuronectes platessa* in the eastern Irish Sea (British Isles)'. *Marine Ecology-Progress Series*, 345: 255-269.

**Fox, C. J., P. McCloghrie, et al.** (2009). 'Potential transport of plaice eggs and larvae between two apparently self-contained populations in the Irish Sea'. *Estuarine Coastal and Shelf Science*, 81(3): 381-389.

**Fox, C. J., P. McCloghrie, et al.** (2006). 'The importance of individual behaviour for successful settlement of juvenile plaice (*Pleuronectes platessa* L.): a modelling and field study in the eastern Irish Sea'. *Fisheries Oceanography*, 15(4): 301-313.

**Fox, C. J., M. Taylor, et al.** (2008). 'Mapping the spawning grounds of North Sea cod (*Gadus morhua*) by direct and indirect means'. *Proceedings of the Royal Society B-Biological Sciences*, 275(1642): 1543-1548.

**Fox, C. J., M. I. Taylor, et al.** (2005). 'TaqMan DNA technology confirms likely overestimation of cod (*Gadus morhua* L.) egg abundance in the Irish Sea: implications for the assessment of the cod stock and mapping of spawning areas using egg-based methods'. *Molecular Ecology*, 14(3): 879-884.



- Franco, A., M. Elliott, et al.** (2008). 'Life strategies of fishes in European estuaries: the functional guild approach'. *Marine Ecology Progress Series*, 354: 219-228.
- Frederiksen, M., M. Edwards, et al.** (2007). 'Regional and annual variation in black-legged kittiwake breeding productivity is related to sea surface temperature'. *Marine Ecology Progress Series*, 350: 137-143.
- Fretwell, P. T., D. E. Smith, et al.** (2008). 'The Last Glacial Maximum British-Irish Ice Sheet: a reconstruction using digital terrain mapping'. *Journal of Quaternary Science*, 23(3): 241-248.
- Frieman, C.** (2008). 'Islandscapes and "islandness": The prehistoric Isle of Man in the Irish seascape'. *Oxford Journal of Archaeology*, 27(2): 135-151.
- Friend, P. L.** (2002). *Erosion thresholds of intertidal sediments near the mouth of the River Mersey, UK*. Southampton, Southampton Oceanography Centre: 7.
- Friend, P. L.** (2002). *Erosion thresholds of intertidal sediments near the Runcorn-Widnes Bridge, Mersey Estuary, UK*. Southampton, Southampton Oceanography Centre: 26.
- Fritsch, M., Y. Morizur, et al.** (2007). 'Assessment of sea bass (*Dicentrarchus labrax*, L.) stock delimitation in the Bay of Biscay and the English Channel based on mark-recapture and genetic data'. *Fisheries Research*, 83(2-3): 123-132.
- Fujimoto, K. and T. Morita** (2006). 'Aerobic removal of technetium by a marine *Halomonas* strain'. *Applied and Environmental Microbiology*, 72(12): 7922-7924.
- Gallagher, M. J., C. P. Nolan, et al.** (2004). 'Age, Growth and Maturity of the Commercial Ray Species from the Irish Sea'. *Journal of Northwest Atlantic Fishery Science*, 35: 47-66.
- Gao, Y., H. Drange, et al.** (2005). 'Tracer-derived transit time of the waters in the eastern Nordic Seas'. *Tellus B*, 57B(4): 332-340.
- Gao, Y. Q., H. Drange, et al.** (2009). 'Sources and pathways of Sr-90 in the North Atlantic-Arctic region: present day and global warming'. *Journal of Environmental Radioactivity*, 100(5): 375-395.
- Gargan, P., R. Poole, et al.** (2004). 'A Review of the Status of Irish Sea Trout Stocks'. *Proceedings of the International sea trout symposium; biology, conservation and management, Cardiff*. Oxford, Blackwell: 25-44.

- Gargan, P. G., O. Tully, et al.** (2003). 'Relationship between sea lice infestation, sea lice production and sea trout survival in Ireland, 1992-2001'. Book section in *Salmon at the Edge*. D. Mills (ed.). Oxford, Blackwell: 119-135.
- Gburski, C. M., S. K. Gaichas, et al.** (2007). 'Age and growth of big skate (*Raja binoculata*) and longnose skate (*R. rhina*) in the Gulf of Alaska'. *Environmental Biology of Fishes*, 80(2-3): 337-349.
- Geffen, A. J., K. Jarvis, et al.** (2003). 'Spatial differences in the trace element concentrations of Irish Sea plaice *Pleuronectes platessa* and whiting *Merlangius merlangus* otoliths'. *Journal of Sea Research*, 50(2-3): 245-254.
- Gelting, M. H.** (2009). 'Manx Kingship in its Irish Sea Setting, 1187-1229: King Rognvaldr and the Crovan Dynasty'. *Scottish Historical Review*, 88(225): 156-158.
- Gerritsen, H. D., M. Allen, et al.** (2004). 'Variability in maturity and growth in a heavily exploited stock: cod (*Gadus morhua* L.) in the Irish Sea'. *ICES Journal of Marine Science*, 61(1): 98-112.
- Gerritsen, H. D., M. J. Armstrong, et al.** (2003). 'Variability in maturity and growth in a heavily exploited stock: whiting (*Merlangius merlangus* L.) in the Irish Sea'. *Journal of Sea Research*, 49(1): 69-82.
- Gluyas, J. G. and H. M. Hichens** (2002). *The United Kingdom oil and gas fields commemorative Millennium volume*. London, Geological Society of London.
- Goddijn-Murphy, L., D. Dailloux, et al.** (2009). 'Fundamentals of in Situ Digital Camera Methodology for Water Quality Monitoring of Coast and Ocean'. *Sensors*, 9(7): 5825-5843.
- Golding, N., M. A. Vincent, et al.** (2004). "The Irish Sea Pilot Report on the development of a Marine Landscape classification for the Irish Sea." Report-Joint Nature Conservation Committee, (346).
- Gomez, A., R. N. Hughes, et al.** (2007). 'Mitochondrial DNA phylogeography and mating compatibility reveal marked genetic structuring and speciation in the NE Atlantic bryozoan *Celleporella hyalina*'. *Molecular Ecology*, 16(10): 2173-2188.
- Gonzalez, S. and R. W. Cowell** (1999). 'Neolithic Coastal Archaeology and Environment around Liverpool Bay'. Book section in *Intertidal archaeology; Neolithic archaeology in the intertidal zone*. E.J. Sidell and F. Haughey (eds.). Oxford, Oxbow Books: 11-25.

- Goodsir, F., M. J. Armstrong, et al.** (2008). 'The use of species-specific TaqMan probes for identifying early stage gadoid eggs following formaldehyde fixation'. *ICES Journal of Marine Science*, 65(9): 1573-1577.
- Goodwin, C. E., J. T. A. Dick, et al.** (2009). 'A preliminary assessment of the distribution of the sea lamprey (*petromyzon marinus* L.), river lamprey (*lampetra fluviatilis* (L.)) and brook lamprey (*lampetra planeri* (bloch)) in Northern Ireland'. *Biology and Environment-Proceedings of the Royal Irish Academy*, 109B(1): 47-52.
- Gosling, E., I. Astanei, et al.** (2008). 'Genetic variability in Irish populations of the invasive zebra mussel, *Dreissena polymorpha*: discordant estimates of population differentiation from allozymes and microsatellites'. *Freshwater Biology*, 53(7): 1303-1315.
- Gosling, E., S. Doherty, et al.** (2008). 'Genetic characterization of hybrid mussel (*Mytilus*) populations on Irish coasts'. *Journal of the Marine Biological Association of the United Kingdom*, 88(2): 341-346.
- Gowen, R. J., D. J. Hydes, et al.** (2002). 'Assessing trends in nutrient concentrations in coastal shelf seas: a case study in the Irish Sea'. *Estuarine Coastal and Shelf Science*, 54(6): 927-939.
- Gowen, R. J. and B. M. Stewart** (2005). 'The Irish Sea: Nutrient status and phytoplankton'. *Journal of Sea Research*, 54(1): 36-50.
- Gowen, R. J., P. Tett, et al.** (2008). 'The Irish Sea: Is it eutrophic?' *Estuarine Coastal and Shelf Science*, 76(2): 239-254.
- Graham, A. G. C., L. Lonergan, et al.** (2007). 'Evidence for Late Pleistocene ice stream activity in the Witch Ground Basin, central North Sea, from 3D seismic reflection data'. *Quaternary Science Reviews*, 26(5-6): 627-643.
- Grandgeorge, M., S. Wanless, et al.** (2008). 'Resilience of the British and Irish seabird Community in the twentieth century'. *Aquatic Biology*, 4(2): 187-199.
- Greenwood, N., D. K. Mills, et al.** (2006). 'High frequency monitoring in Liverpool bay: variability of suspended matter, nutrients and phytoplankton'. Book section from *European operational oceanography: present and future. Proceedings of the Fourth International Conference on EuroGOOS, 6-9 June 2005*. H. Dahlin, Flemming, N.C., Marchand, P., Petersson, S.E. (eds.). Luxembourg, Office for Official Publications of the European Communities: 413-417.

- Greenwood, R. O. and J. D. Orford** (2008). 'Temporal patterns and processes of retreat of drumlin coastal cliffs - Strangford Lough, Northern Ireland'. *Geomorphology*, 94(1-2): 153-169.
- Greenwood, S. L. and C. D. Clark** (2008). 'Subglacial bedforms of the Irish Ice Sheet'. Annual Discussion Meeting of the Quaternary-Research-Association, England.
- Gribble, K. E., G. Nolan, et al.** (2007). 'Biodiversity, biogeography and potential trophic impact of *Protoperidinium* spp. (Dinophyceae) off the southwestern coast of Ireland'. *Journal of Plankton Research*, 29(11): 931-947.
- Guilford, T. C., J. Meade, et al.** (2008). 'GPS tracking of the foraging movements of Manx Shearwaters *Puffinus puffinus* breeding on Skomer Island, Wales'. *Ibis*, 150(3): 462-473.
- Guinan, J., C. Brown, et al.** (2009). 'Ecological niche modelling of the distribution of cold-water coral habitat using underwater remote sensing data'. *Ecological Informatics*, 4(2): 83-92.
- Gulliver, P., G. T. Cook, et al.** (2001). 'Transport of Sellafield-derived C-14 from the Irish Sea through the North Channel'. *Radiocarbon*, 43(2B): 869-877.
- Gulliver, P., G. T. Cook, et al.** (2004). 'Sources of anthropogenic C-14 to the North Sea'. *Radiocarbon*, 46(2): 869-875.
- Hall, P. and A. M. Davies** (2002). 'Analysis of time-varying wind-induced currents in the North Channel of the Irish Sea, using empirical orthogonal functions and harmonic decomposition'. *Continental Shelf Research*, 22(9): 1269-1300.
- Hall, P. and A. M. Davies** (2004). 'Modelling tidally induced sediment-transport paths over the northwest European shelf: the influence of sea-level reduction'. *Ocean Dynamics*, 54(2): 126-141.
- Hall, R. A., J. M. Huthnance, et al.** (2008). 'Mixing and dissipation of internal wave energy on a slope shelf'. ALSO/AUG/TOS Ocean sciences meeting 2008: from the watershed to the global ocean, 7 March 2008. Orlando, Florida, USA, American Society of Limnology and Oceanography: 166 (abstract).
- Hammons, T. J.** (2008). 'Tidal Power in the United Kingdom'. 43rd International-Universities-Power-Engineering Conference, Padova, Italy.
- Harino, H., S. C. O'Hara, et al.** (2005). 'Accumulation of butyltin compounds in benthic biota of the Mersey Estuary'. *Marine Pollution Bulletin*, 50(2): 222-225.

**Harrington, J. J., J. M. Semmens, et al.** (2007). 'Spatial distribution of commercial dredge fishing effort: application to survey design and the spatial management of a patchily distributed benthic bivalve species'. *Marine and Freshwater Research*, 58(8): 756-764.

**Hartnett, M. and A. Berry** (2007). 'Modelling Tide-Induced Transport of Lead in the Mersey Estuary'. *Proceedings of the International Conference on Civil Structural and Environmental Engineering Computing*. 82.

**Hartnett, M., A. Berry, et al.** (2005). 'Modelling transport of cohesive and non-cohesive sediments in the Mersey Estuary'. International Conference on River Basin Management, Bologna, Italy. Southampton, WIT Press: 547-554.

**Hartnett, M., A. Berry, et al.** (2007). 'Investigations into the transport and pathways of scallop larvae - the use of numerical models for managing fish stocks'. *Journal of Environmental Monitoring*, 9(5): 403-410.

**Hartnett, M., B. Lin, et al.** (2006). 'Modelling the Fate and Transport of Nickel in the Mersey Estuary'. *Journal of Environmental Science and Health Part a Toxic Hazardous Substances and Environmental Engineering*, 41: 825-848.

**Harvey, M. M., J. D. Hansom, et al.** (2007). 'Constraints on the use of anthropogenic radionuclide-derived chronologies for saltmarsh sediments'. *Journal of Environmental Radioactivity*, 95(2-3): 126-148.

**Hastie, L. C., M. Nyegaard, et al.** (2009). 'Reproductive biology of the loliginid squid, *Alloteuthis subulata*, in the north-east Atlantic and adjacent waters'. *Aquatic Living Resources*, 22(1): 35-44.

**Hatfield, E. M. C.** (2007) 'The scientific implications of the EU Project WESTHER (Q5RS - 2002 - 01056) to the assessment and management of the herring stocks to the west of the British Isles'. ICES Council Meeting Papers, CM 2007/Q:17, 23p.

**Heatlie, F., J. Drake, et al.** (2007). 'Modelling the Manchester Ship Canal'. *Water and Environment Journal*, 21(2): 100-107.

**Heffernan, O., D. Righton, et al.** (2004). 'Use of data storage tags to quantify vertical movements of cod: effects on acoustic measures'. *ICES Journal of Marine Science*, 61(7): 1062-1070.

**Heffernan, O. A., B. S. Danilowicz, et al.** (2004). 'Determination of species-specific spawning distributions of commercial finfish in the Irish Sea using a biochemical protein-based method'. *Marine Ecology-Progress Series*, 284: 279-291.

**Heras, L. A. D., E. Hrncsek, et al.** (2002). 'Neptunium determination by dc glow discharge mass spectrometry (dc-GDMS) in Irish Sea sediment samples'. *Journal of Analytical Atomic Spectrometry*, 17(9): 1011-1014.

**Herraiza, I. G., M. A. Torres, et al.** (2009). 'The NAO index and the long-term variability of *Nephrops norvegicus* population and fishery off West of Ireland'. *Fisheries Research*, 98(1-3): 1-7.

**Hessner, K. G., J. C. Nieto-Borge, et al.** (2008). 'Nautical radar measurements in Europe - applications of WaMoS II as sea state, current and bathymetry sensor'. Book section in *Remote sensing of the European seas*. V. Barale and M. Gade (eds.). Dordrecht, Springer, Geosciences: 435-446.

**Hiemstra, J. F., D. J. Evans, et al.** (2006). 'New evidence for a grounded Irish Sea glaciation of the Isles of Scilly, UK'. *Quaternary Science Reviews*, 25(3-4): 299-309.

**Hiemstra, J. F., K. F. Rijdsdijk, et al.** (2005). 'Integrated micro- and macro-scale analyses of Last Glacial Maximum Irish Sea Diamicts from Abermawr and Traeth y Mwnt, Wales, UK'. *Boreas*, 34(1): 61-74.

**Hill, A. E., J. Brown, et al.** (2008). 'Thermohaline circulation of shallow tidal seas'. *Geophysical Research Letters*, 35(11): Art. No. L11605.

**Hill, D. C., S. E. Jones, et al.** (2003). 'Derivation of sediment resuspension rates from acoustic backscatter time-series in tidal waters'. *Continental Shelf Research*, 23(1): 19-40.

**Hinz, H., J. G. Hiddink, et al.** (2008). 'Large-scale responses of nematode communities to chronic otter-trawl disturbance'. *Canadian Journal of Fisheries and Aquatic Sciences*, 65(4): 723-732.

**Hinz, H., V. Prieto, et al.** (2009). 'Trawl disturbance on benthic communities: chronic effects and experimental predictions'. *Ecological Applications*, 19(3): 761-773.

**Hogg, A. M., M. Meredith, et al.** (2008). 'Eddy heat flux in the Southern Ocean: response to variable wind forcing'. *Journal of Climate*, 21(4): 608-620.

**Holford, S. P., P. F. Green, et al.** (2005). 'Palaeothermal and compaction studies in the Mochras borehole (NW Wales) reveal early Cretaceous and Neogene exhumation and argue against regional Palaeogene uplift in the southern Irish Sea'. *Journal of the Geological Society*, 162: 829-840.

**Holford, S. P., J. P. Turner, et al.** (2003). 'Reconstructing the Mesozoic-Cenozoic exhumation history of the Irish Sea basin system using apatite fission track analysis and vitrinite reflectance data'. *Petroleum geology*

conference; Petroleum geology: north-west Europe and global perspectives. London, Geological Society: 1095-1108.

**Holford, S. P., J. P. Turner, et al.** (2009). 'Signature of cryptic sedimentary basin inversion revealed by shale compaction data in the Irish Sea, western British Isles'. *Tectonics*, 28: TC4011.

**Holgate, S., P. R. Foden, et al.** (2008). 'Real time sea level data transmission from tide gauges for tsunami monitoring and long term sea level rise observations'. *Journal of Operational Oceanography*, 1(1): 3-8.

**Holgate, S. J., P. L. Woodworth, et al.** (2008). 'A study of delays in making tide gauge data available to tsunami warning centers'. *Journal of Atmospheric and Oceanic Technology*, 25(3): 475-481.

**Holliday, D. W., N. S. Jones, et al.** (2008). 'Lithostratigraphical subdivision of the Sherwood Sandstone Group (Triassic) of the northeastern part of the Carlisle Basin, Cumbria and Dumfries and Galloway, UK'. *Scottish Journal of Geology*, 44: 97-110.

**Holm, M., J. C. Holst, et al.** (2003). 'Migration and distribution of Atlantic salmon post-smolts in the North Sea and north-east Atlantic'. Book section in *Salmon at the Edge*. D. Mills (ed.). Oxford, Blackwell: 7-23.

**Holovachov, O., I. T. De Ley, et al.** (2008). 'Nematodes from the Gulf of California. part 1. The genera *Ceramonema* Cobb, 1920, *Pselionema* Cobb in Cobb, 1933 and *Pterygonema* Gerlach, 1954 (Nematoda : Ceramonematidae)'. *Nematology*, 10: 347-373.

**Holt, J. and R. Proctor** (2008). 'The seasonal circulation and volume transport on the northwest European continental shelf: A fine-resolution model study'. *Journal of Geophysical Research-Oceans*, 113(C6): Art. No. C06021.

**Holt, J. and L. Umlauf** (2008). 'Modelling the tidal mixing fronts and seasonal stratification of the Northwest European Continental shelf'. *Continental Shelf Research*, 28(7): 887-903.

**Holt, J. T. and I. D. James** (2006). 'An assessment of the fine-scale eddies in a high-resolution model of the shelf seas west of Great Britain'. *Ocean Modelling*, 13(3-4): 271-291

**Holt, J. T. and R. Proctor** (2003). 'The role of advection in determining the temperature structure of the Irish Sea'. *Journal of Physical Oceanography*, 33(11): 2288-2306.

**Holt, J. T. and R. Proctor** (2008). 'The seasonal circulation and volume transport on the northwest European continental shelf: a fine-resolution

model study'. *Journal of Geophysical Research-Oceans*, 113(C6): Art. No. C06021.

**Holt, J. T., R. Proctor, et al.** (2002). 'Towards 3-D ecosystem modelling of the Irish Sea'. EOS, Transactions, American Geophysical Union 83(4) Suppl. 2002 Ocean Science Meeting, 11-15 February 2002, Honolulu, Hawaii. ASLO/AGU.: OS149.

**Holt, J. T., R. Proctor, et al.** (2003). 'Eddy resolved ecosystem modelling in the Western Irish Sea'. Realizing teracomputing : proceedings of the tenth ECMWF workshop on the use of high performance computers in meteorology, Reading, UK, 4-8 November. W. Zweifelhofer and N. Kreitz (eds.). London, World Scientific: 268-278.

**Holt, J. T., R. Proctor, et al.** (2004). 'Advective controls on primary production in the stratified western Irish Sea: An eddy-resolving model study'. *Journal of Geophysical Research-Oceans*, 109(C5): Art. No. C05024.

**Holt, J. T. and L. Umlauf** (2008). 'Modelling the tidal mixing fronts and seasonal stratification of the Northwest European Continental shelf'. *Continental Shelf Research*, 28(7): 887-903.

**Holt, J. T., S. Wakelin, et al.** (2008). 'Modelling the carbon fluxes and budgets on the northwest European continental shelf ... and beyond'. Liverpool marine science symposium, climate change: the science and the impacts - a Liverpool perspective, January 8th - January 9th, 2008 Liverpool, University of Liverpool: 29 p.

**Holt, M., Z. H. Li, et al.** (2003). 'Real-time forecast modelling for the NW European shelf seas'. Book section in *Building the European Capacity in Operational Oceanography, Proceedings*. H. Dahlin, N. C. Flemming, S. E. Petersson and K. Nittis (eds.). Oxford, Elsevier Oceanography Series, 69: 484-489.

**Horsburgh, K. J. and A. E. Hill** (2003). 'A three-dimensional model of density-driven circulation in the Irish Sea'. *Journal of Physical Oceanography*, 33(2): 343-365.

**Horsburgh, K. J., C. Wilson, et al.** (2008). 'Impact of a Lisbon-type tsunami on the U.K. coastline and the implications for tsunami propagation over broad continental shelves'. *Journal of Geophysical Research-Oceans*, 113(C4): C04007.

**Hosseini, A., H. Thorning, et al.** (2008). 'Transfer of radionuclides in aquatic ecosystems - Default concentration ratios for aquatic biota in the Erica Tool'. *Journal of Environmental Radioactivity*, 99(9): 1408-1429.



**Hou, X. L., C. L. Fogh, et al.** (2003). 'Chemical fractionation of iodine-129 and cesium-137 in Chernobyl contaminated soil and Irish Sea sediment'. Book section from *Environmental Radiochemical Analysis II*. P. Warwick (ed.). London, Royal Society of Chemistry: 410-417.

**Houghton, J. D. R., T. K. Doyle, et al.** (2006). 'Developing a simple, rapid method for identifying and monitoring jellyfish aggregations from the air'. *Marine Ecology Progress Series*, 314: 159-170.

**Houghton, J. D. R., T. K. Doyle, et al.** (2007). 'Stranding events provide indirect insights into the seasonality and persistence of jellyfish medusae (Cnidaria : Scyphozoa)'. *Hydrobiologia*, 589: 1-13.

**Howarth, J. and R. Proctor** (2006). 'The Liverpool Bay Coastal Observatory'. US/EU Baltic international symposium; integrated Ocean observation systems (IOOS) for managing global & regional ecosystems: using marine research, monitoring & technologies, Klaipeda, Lithuania, IEEE: 10 p.

**Howarth, M. and A. Souza** (2005). 'Reynolds stress observations in continental shelf seas'. *Deep-Sea Research Part II-Topical Studies in Oceanography*, 52(9-10): 1075-1086.

**Howarth, M. J.** (2002). 'Estimates of Reynolds and bottom stress from fast sample ADCPs deployed in continental shelf seas'. Hydraulic measurements and experimental methods, 2002. Proceedings of the speciality conference. T. L. Wahl, C. A. Pugh, K. A. Oberg and T. B. Vermeyen (eds.). Estes Park, Colorado, ASCE: 10 p.

**Howarth, M. J.** (2008). 'The residual dynamics of a hypertidal coastal sea'. Proceedings of the IEEE/OES ninth working conference on current measurement technology, March 17-19, 2008. Charleston, South Carolina, IEEE: 273-278.

**Howarth, M. J., R. J. Player, et al.** (2007). 'HF radar measurements in Liverpool Bay, Irish Sea'. Oceans '07 IEEE Aberdeen, conference proceedings. Marine challenges: coastline to deep sea. Aberdeen, Scotland, IEEE: 6 p.

**Howarth, M. J., R. Proctor, et al.** (2008). 'The Liverpool Bay Coastal Observatory'. PECS 2008: Physics of Estuaries and Coastal Seas. Liverpool, UK.

**Howarth, M. J., R. Proctor, et al.** (2006). 'The Liverpool Bay Coastal Observatory: towards the goals'. Proceedings of Oceans '06, MTS/IEEE, Boston: conference and exhibition. Boston, IEEE: 6 p.

- Howarth, M. J., R. Proctor, et al.** (2005). 'The Liverpool Bay Coastal Observatory'. Proceedings of the IEEE/OES Eighth Working Conference on Current Measurement Technology - Proceedings: 132-136.
- Howarth, M. J., J. Wolf, et al.** (2006). 'Surface currents and waves in Liverpool Bay'. Eos, Transactions, American Geophysical Union 87(36 (Supplement)): OS251-10 [abstract].
- Howlett, E. R., M. J. Howarth, et al.** (2008). 'Liverpool Bay: a coastal sea's responses to winds, waves, tides and freshwater'. PECS 2008: Physics of Estuaries and Coastal Seas. Liverpool, UK.
- Hubbard, A., T. Bradwell, et al.** (2009). 'Dynamic cycles, ice streams and their impact on the extent, chronology and deglaciation of the British-Irish ice sheet'. *Quaternary Science Reviews*, 28(7-8): 758-776.
- Hughes, C. W.** (2008). 'A form of potential vorticity equation for depth-integrated flow with a free surface'. *Journal of Physical Oceanography*, 38(5): 1131-1136.
- Hughes, C. W.** (2008). 'Ocean conveyor belt - is it changing or not?' Liverpool marine science symposium, climate change: the science and the impacts - a Liverpool perspective, January 8th - January 9th, 2008. Liverpool, University of Liverpool: 36 p.
- Hughes, C. W. and R. J. Bingham** (2008). 'An oceanographer's guide to GOCE and the geoid'. *Ocean Science*, 4(1): 15-29.
- Hughes, C. W. and C. Wilson** (2008). 'Wind work on the geostrophic ocean circulation: an observational study of the effect of small scales in the wind stress'. *Journal of Geophysical Research-Oceans*, 113(2): C02016.
- Huthnance, J. M.** (2004). 'Forecasts for coastal seas'. *Planet Earth*, (Spring 2004): 20-21.
- Hydes, D. J., R. J. Gowen, et al.** (2004). 'External and internal control of winter concentrations of nutrients (N, P and Si) in north-west European shelf seas'. *Estuarine, Coastal and Shelf Science*, 59(1): 151-161.
- Inall, M., P. Gillibrand, et al.** (2006). 'On the oceanographic variability of the North-West European Shelf to the West of Scotland'. Workshop on Coastal Observatories - Best Practice in the Synthesis of Long-Term Observations and Models, Liverpool, England.
- Inomata, Y., M. Aoyama, et al.** (2009). 'Analysis of 50-y record of surface Cs-137 concentrations in the global ocean using the HAM-global database'. *Journal of Environmental Monitoring*, 11(1): 116-125.

**Irigoien, X., D. V. P. Conway, et al.** (2004). 'Flexible diel vertical migration behaviour of zooplankton in the Irish Sea'. *Marine Ecology-Progress Series*, 267: 85-97.

**Jaeschke, A., C. Rooks, et al.** (2009). 'Comparison of ladderane phospholipid and core lipids as indicators for anaerobic ammonium oxidation (anammox) in marine sediments'. *Geochimica Et Cosmochimica Acta*, 73(7): 2077-2088.

**Jago, C. F., G. M. Kennaway, et al.** (2007). 'Size and settling velocity of suspended flocs during a *Phaeocystis* bloom in the tidally stirred Irish Sea, NW European shelf'. *Marine Ecology-Progress Series*, 345: 51-62.

**Jansson, K. N. and N. F. Glasser** (2008). 'Modification of peripheral mountain ranges by former ice sheets: The Brecon beacons, southern UK'. *Geomorphology*, 97(1-2): 178-189.

**Janzen, C. D., J. H. Simpson, et al.** (2005). 'Across-sill circulation near a tidal mixing front in a broad fjord'. *Continental Shelf Research*, 25(15): 1805-1824.

**Jernstrom, J., M. Eriksson, et al.** (2004). 'Non-destructive characterisation of low radioactive particles from Irish Sea sediment by micro X-ray synchrotron radiation techniques: micro X-ray fluorescence ( $\mu$ -XRF) and micro X-ray absorption near edge structure ( $\mu$ -XANES) spectroscopy'. *Journal of Analytical Atomic Spectrometry*, 19(11): 1428-1433.

**Jevrejeva, S., J. Moore, et al.** (2008). 'Climate change and number of Atlantic tropical cyclones'. Liverpool marine science symposium, climate change: the science and the impacts - a Liverpool perspective, January 8th - January 9th, 2008 Liverpool, University of Liverpool: 31 p.

**Jevrejeva, S., J. C. Moore, et al.** (2008). 'Relative importance of mass and volume changes to global sea level rise'. *Journal of Geophysical Research-Oceans*, 113(D8): Art. No: D08105.

**Jevrejeva, S., J. C. Moore, et al.** (2008). 'Recent global sea level acceleration started over 200 years ago?' *Geophysical Research Letters*, 35(8): Art. No. L08715

**Johannessen, J. A., P.-Y. L. Traon, et al.** (2006). 'Marine environment and security for the European area: toward operational oceanography'. *Bulletin of the American Meteorological Society*, 87(8): 1081-1090.

**Johnk, K. D., J. Huisman, et al.** (2008). 'Summer heatwaves promote blooms of harmful cyanobacteria'. *Global Change Biology*, 14(3): 495-512.

**Jones, D. G., P. J. Kershaw, et al.** (2005). 'Changing patterns of radionuclide distribution in Irish Sea subtidal sediments'. Radioactivity in the environment (including Arctic and Antarctic), the international conference 2005, Nice, France, Elsevier.

**Jones, D. G., P. J. Kershaw, et al.** (2007). 'Changing patterns of radionuclide distribution in Irish Sea subtidal sediments'. *Journal of Environmental Radioactivity*, 96(1-3): 63-74.

**Jones, D. G. and M. H. Strutt** (2003). 'Where is the 'missing' plutonium: Intertidal radionuclide inventories, NE Irish Sea, UK'. Abstracts of Papers of the American Chemical Society 226: U75-U76.

**Jones, J. E. and A. M. Davies** (2003). 'On combining current observations and models to investigate the wind induced circulation of the eastern Irish Sea'. *Continental Shelf Research*, 23(5): 415-434.

**Jones, J. E. and A. M. Davies** (2003). 'Processes influencing storm-induced currents in the Irish Sea'. *Journal of Physical Oceanography*, 33(1): 88-104.

**Jones, J. E. and A. M. Davies** (2004). 'Influence of wind field and open boundary input upon computed negative surges in the Irish Sea'. *Continental Shelf Research*, 24(17): 2045-2064.

**Jones, J. E. and A. M. Davies** (2004). 'On the sensitivity of computed surges to open-boundary formulation'. *Ocean Dynamics*, 54(2): 142-162.

**Jones, J. E. and A. M. Davies** (2005). 'An intercomparison between finite difference and finite element (TELEMAC) approaches to modelling west coast of Britain tides'. *Ocean Dynamics*, 55(3-4): 178-198.

**Jones, J. E. and A. M. Davies** (2006). 'Application of a finite element model (TELEMAC) to computing the wind induced response of the Irish Sea'. *Continental Shelf Research*, 26(12-13): 1519-1541.

**Jones, J. E. and A. M. Davies** (2007). 'A high-resolution finite element model of the M2, M4 M6, S2, N2, K1 and O1 tides off the west coast of Britain'. *Ocean Modelling*, 19(1-2): 70-100.

**Jones, J. E. and A. M. Davies** (2007). 'Influence of non-linear effects upon surge elevations along the west coast of Britain'. *Ocean Dynamics*, 57(4-5): 401-416.

**Jones, J. E. and A. M. Davies** (2007). 'On the sensitivity of computed higher tidal harmonics to mesh size in a finite element model'. *Continental Shelf Research*, 27(14): 1908-1927.

- Jones, J. E. and A. M. Davies** (2007). 'On the sensitivity of tidal residuals off the west coast of Britain to mesh resolution'. *Continental Shelf Research*, 27(1): 64-81.
- Jones, J. E. and A. M. Davies** (2008). 'On the modification of tides in shallow water regions by wind effects'. *Journal of Geophysical Research-Oceans*, 113(C5): Art. No. C05014.
- Jones, J. E. and A. M. Davies** (2008). 'Storm surge computations for the west coast of Britain using a finite element model (TELEMAC)'. *Ocean Dynamics*, 58(5-6): 337-363.
- Jones, P. D.** (2006). 'Water quality and fisheries in the Mersey estuary, England: A historical perspective'. *Marine Pollution Bulletin*, 53(1-4): 144-154.
- Jones, P. D., A. O. Tyler, et al.** (2002). 'Decision-support systems: Do they have a future in estuarine management?' *Estuarine, Coastal and Shelf Science*, 55(6): 993-1008.
- Jovanovic, B., C. Longmore, et al.** (2007). 'Fish community structure and distribution in a macro-tidal inshore habitat in the Irish Sea'. *Estuarine Coastal and Shelf Science*, 75(1-2): 135-142.
- Judd, A., P. Croker, et al.** (2007). 'Extensive methane-derived authigenic carbonates in the Irish Sea'. *Geo-Marine Letters*, 27(2-4): 259-267.
- Jullien, E., F. E. Grousset, et al.** (2006). 'Contrasting conditions preceding MIS3 and MIS2 Heinrich events'. *Global and Planetary Change*, 54(3-4): 225-238.
- Kaiser, M. J., M. Bergmann, et al.** (2004). 'Demersal fish and epifauna associated with sandbank habitats'. *Estuarine, Coastal and Shelf Science*, 60(3): 445-456.
- Kaiser, M. J., M. Galanidi, et al.** (2006). 'Distribution and behaviour of Common Scoter *Melanitta nigra* relative to prey resources and environmental parameters'. *Ibis*, 148: 110-128.
- Kaiser, M. J., H. Hinz, et al.** (2005). 'Resource degradation: a subtle effect of bottom fishing'. *Marine Biology*, 146(2): 401-408.
- Kasai, A., T. Yamada, et al.** (2007). 'Flow structure and hypoxia in Hiuchinada, Seto Inland Sea, Japan'. *Estuarine Coastal and Shelf Science*, 71(1-2): 210-217.
- Kelly, C. J., E. A. Codling, et al.** (2006). 'The Irish Sea cod recovery plan: some lessons learned'. *ICES Journal of Marine Science*, 63(4): 600-610.

- Kelly-Gerreyn, B. A., T. R. Anderson, et al.** (2004). 'Phytoplankton community structure at contrasting sites in the Irish Sea: a modelling investigation'. *Estuarine Coastal and Shelf Science*, 59(3): 363-383.
- Kenirons, M., O. Curran, et al.** (2009). 'The MarineGrid project in Ireland with Webcom'. *Computers & Geosciences*, 35(2): 205-213.
- Kenirons, M. P., J. L. Ryan, et al.** (2005). 'Grid enabled data mining on the Irish National Seabed Survey'. Book section in *GCA '05: Proceedings of the 2005 International Conference on Grid Computing and Applications*. H. R. Arabnia and J. Ni (eds.). Heidelberg, Springer-Verlag: 191-195.
- Kennedy, J., A. J. Geffen, et al.** (2007). 'Maternal influences on egg and larval characteristics of plaice (*Pleuronectes platessa* L.)'. *Journal of Sea Research*, 58(1): 65-77.
- Kennedy, J., P. R. Witthames, et al.** (2007). 'The concept of fecundity regulation in plaice (*Pleuronectes platessa*) tested on three Irish Sea spawning populations'. *Canadian Journal of Fisheries and Aquatic Sciences*, 64(4): 587-601.
- Kennedy, J., P. R. Witthames, et al.** (2008). 'Is fecundity in plaice (*Pleuronectes platessa* L.) down-regulated in response to reduced food intake during autumn?' *Journal of Fish Biology*, 72(1): 78-92.
- Kennington, K., J. Waniek, et al.** (2005). 'The effect of the North Atlantic Oscillation on the biogeochemical signature of the Irish Sea'. Dynamic Planet 2005, Cairns, Australia 22-26 August 2005: Monitoring and understanding a dynamic planet with geodetic and oceanographic tools. Program and abstract book. (A joint meeting of the IAG, IAPSO and IABO): 125, Abs. 237.
- Kennington, K., A. Wither, et al.** (2002). 'Nutrient inputs to the Irish Sea: temporal and spatial perspectives'. *Hydrobiologia*, 475(1): 29-38.
- Kenyon, N. H. and B. Cooper** (2005). 'Sand banks, sand transport and offshore wind farms'. Teddington, Kenyon MarineGeo: 106pp.
- Keogh, S. M., A. Aldahan, et al.** (2007). 'Trends in the spatial and temporal distribution of I-129 and Tc-99 in coastal waters surrounding Ireland using *Fucus vesiculosus* as a bio-indicator'. *Journal of Environmental Radioactivity*, 95(1): 23-38.
- Keogh, S. M., E. J. McGee, et al.** (2004). 'Spatial and temporal impacts of C-14 releases from the sellafield nuclear complex on the Irish coastline'. *Radiocarbon*, 46(2): 885-892.

- Kershaw, P. J., H. E. Haldal, et al.** (2004). 'Variability in the supply, distribution and transport of the transient tracer <sup>99</sup>Tc in the NE Atlantic'. *Journal of Marine Systems*, 44(1-2): 55-81.
- Ketterer, M. E., K. M. Hafer, et al.** (2003). 'Anthropogenic U-236 at Rocky Flats, Ashtabula river harbor, and Mersey estuary: three case studies by sector inductively coupled plasma mass spectrometry'. *Journal of Environmental Radioactivity*, 67(3): 191-206.
- Kilgallen, N. M., A. A. Myers, et al.** (2006). 'Re-establishment of *Orchomenella crenata* (Crustacea : Amphipoda) as a distinct species, with a first record of its occurrence in the British Isles'. *Journal of the Marine Biological Association of the United Kingdom*, 86(6): 1389-1399.
- King, A. J., J. W. Readman, et al.** (2007). 'Behaviour of polycyclic aromatic hydrocarbons in dissolved, colloidal, and particulate phases in sedimentary cores'. *International Journal of Environmental Analytical Chemistry*, 87(3): 211-225.
- King, T. R., M. Wannell, et al.** (2003). 'Cross-flow to enhance gas recovery in the Dalton Field, East Irish Sea'. Petroleum geology conference; Petroleum geology: north-west Europe and global perspectives, London, Geological Society: . 687-694
- Kleinkauf, A., A. P. Scott, et al.** (2004). 'Abnormally elevated VTG concentrations in flounder (*Platichthys flesus*) from the Mersey Estuary (UK) - a continuing problem'. *Ecotoxicology and Environmental Safety*, 58(3): 356-364.
- Knight, J.** (2006). 'Sub-ice shelf deposition during the late Devensian glaciation in western Ireland'. *Marine Geology*, 235(1-4): 229-240.
- Knight, P.** (2003). 'Towards a UK real-time coastal prediction system'. *Marine Scientist*, 4: 20-22.
- Knights, A. M., T. P. Crowe, et al.** (2006). 'Mechanisms of larval transport: vertical distribution of bivalve larvae varies with tidal conditions'. *Marine Ecology-Progress Series*, 326: 167-174.
- Kobayashi, T., S. Otsuka, et al.** (2007). 'Development of a non-conservative radionuclides dispersion model in the ocean and its application to, surface cesium-137 dispersion in the Irish Sea'. *Journal of Nuclear Science and Technology*, 44(2): 238-247.
- Kratzer, S., S. Buchan, et al.** (2003). 'Testing long-term trends in turbidity in the Menai Strait, North Wales'. *Estuarine Coastal and Shelf Science*, 56(2): 221-226.

- Krivtsov, V., M. J. Howarth, et al.** (2009). 'Characterising observed patterns of suspended particulate matter and relationships with oceanographic and meteorological variables: Studies in Liverpool Bay'. *Environmental Modelling & Software*, 24(6): 677-685.
- Krivtsov, V., M. J. Howarth, et al.** (2005). 'Monitoring and modelling of the Irish Sea and Liverpool Bay: An overview and an SPM case study'. European conference on ecological modelling; ECEM, Pushchino, Russia, Elsevier.
- Krivtsov, V., M. J. Howarth, et al.** (2008). 'Monitoring and modelling of the Irish Sea and Liverpool Bay: An overview and an SPM case study'. *Ecological Modelling*, 212(1-2): 37-52.
- Krom, M. D., P. Carbo, et al.** (2009). 'Sources and timing of trace metal contamination to sediments in remote sealochs, NW Scotland'. *Estuarine Coastal and Shelf Science*, 83(2): 239-251.
- Kuhn, W., M. A. Peck, et al.** (2008). 'Defining habitats suitable for larval fish in the German Bight (southern North Sea): An IBM approach using spatially- and temporally-resolved, size-structured prey fields'. *Journal of Marine Systems*, 74(1-2): 329-342.
- Kurita, Y. and O. S. Kjesbu** (2009). 'Fecundity estimation by oocyte packing density formulae in determinate and indeterminate spawners: Theoretical considerations and applications'. *Journal of Sea Research*, 61(3): 188-196.
- Kusmierczyk-Michulec, J. and A. M. J. van Eijk** (2007). 'Angstrom coefficient as a tracer of the continental aerosols'. Atmospheric Optics: Models, Measurements, and Target-in-the Loop Propagation. S. M. Hammel, A. M. J. VanEijk, M. T. Valley and M. A. Vorontsov (eds.). Washington, SPIE: 6708 OP.
- Mesa, M. and F. De Rossi** (2008). 'Early life history of the black anglerfish *Lophius budegassa* Spinola, 1807 in the Mediterranean Sea using otolith microstructure'. *Fisheries Research*, 93(1-2): 234-239.
- Laglera, L. M., G. Battaglia, et al.** (2007). 'Determination of humic substances in natural waters by cathodic stripping voltammetry of their complexes with iron'. *Analytica Chimica Acta*, 599(1): 58-66.
- Laglera, L. M. and C. M. G. van den Berg** (2009). 'Evidence for geochemical control of iron by humic substances in seawater'. *Limnology and Oceanography*, 54(2): 610-619.
- Lamb, A. L., C. H. Vane, et al.** (2007). 'Assessing delta C-13 and C/N ratios from organic material in archived cores as Holocene sea level and



palaeoenvironmental indicators in the Humber Estuary, UK'. *Marine Geology*, 244(1-4): 109-128.

**Lane, A.** (2003). 'Dynamics, sediment transport and bathymetry in the Mersey estuary'. Symposium on river, coastal and estuarine morphodynamics; RCEM 2003, Barcelona, Spain, IAHR Secretariat.

**Lane, A.** (2004). 'Bathymetric evolution of the Mersey Estuary, UK, 1906-1997: causes and effects'. *Estuarine Coastal and Shelf Science*, 59(2): 249-263.

**Lane, A.** (2004). 'The Dee, Mersey and Ribble estuaries (UK) - so near, yet so different'. PECS 2004: 12th international conference on physics of estuaries and coastal seas: hydrodynamics and morphodynamics in estuaries and coastal seas. Mérida, Yuc, México, October 18-22, 2004, s.n.: 4 p.

**Lane, A.** (2005). 'Development of a Lagrangian sediment model to reproduce the bathymetric evolution of the Mersey Estuary'. *Ocean Dynamics*, 55(5-6): 541-548.

**Lane, A.** (2008). 'A 3-D numerical model of Liverpool Bay for the Coastal Observatory'. PECS 2008: Physics of Estuaries and Coastal Seas. Liverpool, UK.

**Lane, A., M. J. Howarth, et al.** (2006). 'The POL Coastal Observatory - the early years. European operational oceanography: present and future'. Proceedings of the Fourth International Conference on EuroGOOS. 6-9 June 2005, Brest, France. H. Dahlin, Flemming, N.C., Marchand, P., Petersson, S.E. Luxembourg, Office for Official Publications of the European Communities: 17-23.

**Lane, A. and D. Prandle** (2004). 'Contributions of the Proudman Oceanographic Laboratory to EstProc (Estuary Processes Research Project)'. Proudman Oceanographic Laboratory, Internal Documents. Liverpool, Proudman Oceanographic Laboratory: 10 p.

**Lane, A. and D. Prandle** (2006). 'Random-walk particle modelling for estimating bathymetric evolution of an estuary'. *Estuarine Coastal and Shelf Science*, 68(1-2): 175-187.

**Lane, A. and D. Prandle** (2007). 'Changing flood risks in estuaries due to global climate change: forecasts from observations, theory and models'. *International Journal of Applied Mathematics and Engineering Sciences*, 1(1): 69-88.

**Large, P. A., N. G. Graham, et al.** (2009). 'Lost and abandoned nets in deep-water gillnet fisheries in the Northeast Atlantic: retrieval exercises and outcomes'. *ICES Journal of Marine Science*, 66(2): 323-333.

- Larmuseau, M. H. D., J. K. J. van Houdt, et al.** (2009). 'Distributional and demographic consequences of Pleistocene climate fluctuations for a marine demersal fish in the north-eastern Atlantic'. *Journal of Biogeography*, 36(6): 1138-1151.
- Lazure, P., F. Dumas, et al.** (2008). 'Circulation on the Armorican shelf (Bay of Biscay) in autumn'. *Journal of Marine Systems*, 72(1-4): 218-237.
- Le Boyer, A., G. Cambon, et al.** (2009). 'Observations of the Ushant tidal front in September 2007'. *Continental Shelf Research*, 29(8): 1026-1037.
- Leakey, C. D. B., M. J. Attrill, et al.** (2008). 'Stable isotopes in juvenile marine fishes and their invertebrate prey from the Thames Estuary, UK, and adjacent coastal regions'. *Estuarine Coastal and Shelf Science*, 77(3): 513-522.
- Lee, O., B. S. Danilowicz, et al.** (2006). 'Temporal and spatial variability in growth and condition of dab (*Limanda limanda*) and sprat (*Sprattus sprattus*) larvae in the Irish Sea'. *Fisheries Oceanography*, 15(6): 490-507.
- Lee, O., B. S. Danilowicz, et al.** (2007). 'Small-scale variability in growth and condition of dab *Limanda limanda* (L.) larvae in relation to an Irish Sea tidal-mixing front off the west coast of the Isle of Man'. *Journal of Fish Biology*, 71(4): 1056-1068.
- Lee, O., R. D. Nash, et al.** (2005). 'Small-scale spatio-temporal variability in ichthyoplankton and zooplankton distribution in relation to a tidal-mixing front in the Irish Sea'. *ICES Journal of Marine Science*, 62(6): 1021-1036.
- Lee, S. H., P. P. Povinec, et al.** (2008). 'Ultra-low-level determination of U-236 in IAEA marine reference materials by ICPMS and AMS'. *Applied Radiation and Isotopes*, 66(6-7): 823-828.
- Lees, K. and S. Mackinson** (2007). 'An Ecopath model of the Irish Sea: ecosystems properties and sensitivity analysis'. Science Series Technical Report. CEFAS, (138): 49 p.
- Legrand, S., E. Deleersnijder, et al.** (2007). 'Unstructured, anisotropic mesh generation for the Northwestern European continental shelf, the continental slope and the neighbouring ocean'. *Continental Shelf Research*, 27(9): 1344-1356.
- Lenham, J. W., R. McDonald, et al.** (2005). 'Integrated seismic investigations across the Mersey Estuary, Halton District, UK'. *Quarterly Journal of Engineering Geology and Hydrogeology*, 38: 7-22.

**Leonard, K. S., D. McCubbin, et al.** (2004). 'Accumulation of technetium-99 in the Irish sea?' *Science of the Total Environment*, 322(1-3): 255-270.

**Leone, A., S. Shams, et al.** (2006). 'An Object-Oriented and OpenGIS supported hydro information system (3O-HIS) for upper Mersey river basin management'. *International Journal of River Basin Management*, 4: 99-108.

**Lieberknecht, L. M., J. Carwardine, et al.** (2004). 'The Irish Sea Pilot: Report on the identification of nationally important marine areas in the Irish Sea'. Report- Joint Nature Conservation Committee.

**Lieberknecht, L. M., M. A. Vincent, et al.** (2004). 'Report on the identification of nationally important marine features in the Irish Sea'. Report- Joint Nature Conservation Committee.

**Lilley, M. K. S., J. D. R. Houghton, et al.** (2009). 'Distribution, extent of inter-annual variability and diet of the bloom-forming jellyfish *Rhizostoma* in European waters'. *Journal of the Marine Biological Association of the United Kingdom*, 89(1): 39-48.

**Lindenbaum, C., J. D. Bennell, et al.** (2008). 'Small-scale variation within a *Modiolus modiolus* (Mollusca : Bivalvia) reef in the Irish Sea: I. Seabed mapping and reef morphology'. *Journal of the Marine Biological Association of the United Kingdom*, 88(1): 133-141.

**Liu, C. L., J. Zhang, et al.** (2008). 'Preliminary comparison of trace metals in coastal aerosols between Qingdao and Liverpool'. *Chinese Journal of Oceanology and Limnology*, 26(2): 203-214.

**Livingstone, S. J., C. O. Cofaigh, et al.** (2008). 'Glacial geomorphology of the central sector of the last British-Irish Ice Sheet'. Annual Discussion Meeting of the Quaternary-Research-Association, England.

**Logutov, O. G. and P. F. J. Lermusiaux** (2008). 'Inverse barotropic tidal estimation for regional ocean applications'. *Ocean Modelling*, 25(1-2): 17-34.

**Longshaw, M., M. J. Green, et al.** (2004). 'Histopathology of parasitic infections in greater pipefish, *Syngnathus acus* L., from an estuary in the UK'. *Journal of Fish Diseases*, 27(4), 245-248.

**ABP Marine Environmental Research Ltd., Meteorological Office, et al.** (2004). Atlas of UK marine renewable energy resources: atlas pages. Southampton, ABP Marine Environmental Research for Department of Trade and Industry: 34 pp. & CD-ROM.

**Lucey, J. A., A. Gouzy, et al.** (2004). 'Geochemical fractionation of plutonium in anoxic Irish Sea sediments using an optimised sequential extraction protocol'. *Applied Radiation and Isotopes*, 60(2-4): 379-385.

**Lucey, J. A., L. L. Vintro, et al.** (2007). 'A novel approach to the sequential extraction of plutonium from oxic and anoxic sediment using sodium citrate to inhibit post-extraction resorption'. *Journal of Environmental Radioactivity*, 93(2): 63-73.

**Lumb, C. M., S. L. Fowler, et al.** (2004). 'The Irish Sea Pilot: Developing Marine Nature Conservation Objectives for the Irish Sea'. Report- Joint Nature Conservation Committee.

**Lumb, C. M., M. Webster, et al.** (2004). 'The Irish Sea Pilot Report on Collation and Mapping of Data'. Report- Joint Nature Conservation Committee.

**MacKenzie, A. B., G. T. Cook, et al.** (2004). 'C-14 and delta C-13 characteristics of organic matter and carbonate in saltmarsh sediments from south west Scotland'. *Journal of Environmental Monitoring*, 6(5): 441-447.

**Mackenzie, D.** (2003). 'Misplaced optimism has delayed recovery of cod'. *New Scientist*, 179(2414): 9.

**Mackie, A. S. Y., P. G. Oliver, et al.** (2005). 'Shallow marine benthic invertebrates of the Seychelles Plateau: high diversity in a tropical oligotrophic environment'. *Philosophical Transactions of the Royal Society of London A*, 363(1826): 203-228.

**Magnussen, E. and M. D. Magnussen** (2009). 'Ecology of poor-cod (*Trisopterus minutus*) on the Faroe Bank'. *Marine Biology Research*, 5(2): 133-142.

**Maguire, J. A.** (2007). 'Management recommendations for the sustainable exploitation of mussel seed in the Irish Sea'. *Marine Environment and Health Series*, 31(3), 83 p.

**Makarynsky, O.** (2004). 'Improving wave predictions with artificial neural networks'. *Ocean Engineering*, 31(5-6): 709-724.

**Malham, S. K., E. Cotter, et al.** (2009). 'Summer mortality of the Pacific oyster, *Crassostrea gigas*, in the Irish Sea: The influence of temperature and nutrients on health and survival'. *Aquaculture*, 287(1-2): 128-138.

**Malone, J.** (2007). 'The Rivers of Southeast Ireland and the Sands of the Irish Sea: Heavy Minerals Show that Proximity does not Always Predetermine Provenance'. *Developments in Sedimentology*. 547-568.

**Malone, J. and A. M. a. D. T. W. Maria** (2007). 'The Rivers of Southeast Ireland and the Sands of the Irish Sea: Heavy Minerals Show that Proximity does not Always Predetermine Provenance'. *Developments in Sedimentology*, 58: 547-568.

**Mange, M. A., P. Turner, et al.** (2007). 'High-Resolution Heavy Mineral- and Magnetostratigraphy; a Powerful Tool for Subdivision and Correlation of Barren Successions: An Example from the Sherwood Sandstone Group (Triassic) of the East Irish Sea Basin and Surrounding Areas'. *Developments in Sedimentology*, 58: 1073-1098.

**Maoileidigh, N. O., P. McGinnity, et al.** (2004). 'Application of pre-fishery abundance modelling and Bayesian hierarchical stock and recruitment analysis to the provision of precautionary catch advice for Irish salmon (*Salmo salar* L.) fisheries'. *ICES Journal of Marine Science*, 61(8): 1370-1378.

**Maqueda, M. A. M.** (2008). 'Eruptions linked to sea-level rise'. *Planet Earth*, (Spring 2008): 5.

**Maqueda, M. A. M. and S. Jevrejeva** (2008). 'The impact of volcanic eruptions on mean sea level'. Liverpool marine science symposium, climate change: the science and the impacts - a Liverpool perspective, January 8th - January 9th, 2008. Liverpool, University of Liverpool: 17 pp.

**Marine Ecological Surveys Limited Plymouth Marine Laboratory** (2007). 'Predictive framework for assessment of recoverability of marine benthic communities following cessation of aggregate dredging'. London, Defra: 115 pp.

**Marta-Almeida, M., J. Dubert, et al.** (2008). 'A modelling study of Norway lobster (*Nephrops norvegicus*) larval dispersal in southern Portugal: predictions of larval wastage and self-recruitment in the Algarve stock'. *Canadian Journal of Fisheries and Aquatic Sciences*, 65(10): 2253-2268.

**Martino, M., A. Turner, et al.** (2002). 'Resuspension, reactivity and recycling of trace metals in the Mersey Estuary, UK'. *Marine Chemistry*, 77(2-3): 171-186.

**Martino, M., A. Turner, et al.** (2004). 'Distribution, speciation and particle-water interactions of nickel in the Mersey Estuary, UK'. *Marine Chemistry*, 88(3-4): 161-177.

**Mattias Green, J. A., J. H. Simpson, et al.** (2008). 'Internal waves, baroclinic energy fluxes and mixing at the European shelf edge'. *Continental Shelf Research*, 28(7): 937-950.

**Maxwell, D. L., V. Stelzenmuller, et al.** (2009). 'Modelling the spatial distribution of plaice (*Pleuronectes platessa*), sole (*Solea solea*) and thornback ray (*Raja clavata*) in UK waters for marine management and planning'. *Journal of Sea Research*, 61(4): 258-267.

**McBreen, F., J. G. Wilson, et al.** (2008). 'Seabed mapping in the southern Irish Sea: predicting benthic biological communities based on sediment characteristics'. *Hydrobiologia*, 606: 93-103.

**McCabe, A. M.** (2008). 'Comment: Postglacial relative sea-level observations from Ireland and their role in glacial rebound modelling'. *Journal of Quaternary Science*, 23(8): 817-820.

**McCabe, A. M., P. U. Clark, et al.** (2005). 'AMS C-14 dating of deglacial events in the Irish Sea Basin and other sectors of the British-Irish ice sheet'. *Quaternary Science Reviews*, 24(14-15): 1673-1690.

**McCabe, A. M., P. U. Clark, et al.** (2007). 'Radiocarbon constraints on the history of the western Irish ice sheet prior to the Last Glacial Maximum'. *Geology*, 35(2): 147-150.

**McCabe, A. M., P. U. Clark, et al.** (2007). 'Radiocarbon constraints on readvances of the British-Irish Ice Sheet in the northern Irish Sea Basin during the last deglaciation'. *Quaternary Science Reviews*, 26(9-10): 1204-1211.

**McCabe, A. M., P. U. Clark, et al.** (2007). 'A revised model for the last deglaciation of eastern Scotland'. *Journal of the Geological Society*, 164: 313-316.

**McCabe, A. M., J. A. G. Cooper, et al.** (2007). 'Relative sea-level changes from NE Ireland during the last glacial termination'. *Journal of the Geological Society*, 164: 1059-1063.

**McCullin, T., A. M. Shanks, et al.** (2008). 'Changes in zooplankton abundance and diversity after ballast water exchange in regional seas'. *Marine Pollution Bulletin*, 56(5): 834-844.

**McCubbin, D., K. S. Leonard, et al.** (2002). 'Further studies of the distribution of technetium-99 and caesium-137 in UK and European coastal waters'. *Continental Shelf Research*, 22(10): 1417-1445.

**McCubbin, D., K. S. Leonard, et al.** (2002). 'Influence of thermal and photochemical reactions upon the redox cycling of pu between solid and solution phases in seawater'. *Marine Chemistry*, 80(1): 61-77.

**McCubbin, D., K. S. Leonard, et al.** (2006). 'Distribution of Technetium-99 in sub-tidal sediments of the Irish Sea'. *Continental Shelf Research*, 26(4): 458-473.

**McDonald, R. A.** (2008). 'Irish Sea Studies, 900-1200'. *Irish Historical Studies*, 36(142): 266-267.

**McErlean, T. C.** (2007). 'Archaeology of the strangford lough kelp industry in the eighteenth- and early-nineteenth centuries'. *Historical Archaeology*, 41(3): 76-93.

**McGovern, E. and et al.** (2002). 'Winter nutrient monitoring of the Western Irish Sea - 1990 to 2000'. Marine Environment and Health Series, Marine Institute, Dublin No. 4: 1-73.

**McHugh, B., R. J. Law, et al.** (2007). 'Bioaccumulation and enantiomeric profiling of organochlorine pesticides and persistent organic pollutants in the killer whale (*Orcinus orca*) from British and Irish waters'. *Marine Pollution Bulletin*, 54(11): 1724-1731.

**McKee, D. and A. Cunningham** (2006). 'Identification and characterisation of two optical water types in the Irish Sea from in situ inherent optical properties and seawater constituents'. *Estuarine Coastal and Shelf Science*, 68(1-2): 305-316.

**McKee, D., A. Cunningham, et al.** (2007). 'Optical water type discrimination and tuning remote sensing band-ratio algorithms: Application to retrieval of chlorophyll and  $K_d(490)$  in the Irish and Celtic Seas'. *Estuarine, Coastal and Shelf Science*, 73(3-4): 827-834.

**McKeown, M.** (2007). 'IDS40: Reflections from across the Irish Sea'. *Ids Bulletin-Institute of Development Studies*, 38(2): 91-+.

**Meadows, N. S.** (2006). 'The correlation and sequence architecture of the Ormskirk Sandstone Formation in the Triassic Sherwood Sandstone Group of the east Irish sea basin, NW England'. *Geological Journal*, 41(1): 93-122.

**Metcalfe, R., M. B. Crawford, et al.** (2007). 'Characteristics of deep groundwater flow in a basin marginal setting at Sellafield, Northwest England: Cl-36 and halide evidence'. *Applied Geochemistry*, 22(1): 128-151.

**Mitchell, N. C. and J. M. Huthnance** (2008). 'Oceanographic currents and the convexity of the uppermost continental slope'. *Journal of Sedimentary Research*, 78(1-2): 29-44.

**Mohn, C. and M. White** (2007). 'Remote sensing and modelling of bio-physical distribution patterns at Porcupine and Rockall Bank, Northeast Atlantic'. *Continental Shelf Research*, 27(14): 1875-1892.

**Moore, J. C., A. Grinsted, et al.** (2008). 'Gulf stream and ENSO increase the temperature sensitivity of Atlantic tropical cyclones'. *Journal of Climate*, 21(7): 1523-1531.

**Moore, R. D., J. Wolf, et al.** (2007). 'The morphology and tidal propagation of the Dee Estuary, UK. Science and management:

observations/synthese/solutions'. 19th biennial conference of the Estuarine Research Federation, November 4-8, 2007, Providence, Rhode Island. Conference abstracts. Port Republic, MD, Estuarine Research Federation: Abstract, p. 148.

**Moore, R. D., J. Wolf, et al.** (2009). 'Morphological evolution of the Dee Estuary, Eastern Irish Sea, UK: A tidal asymmetry approach'. *Geomorphology*, 103(4): 588-596.

**Morgan, M. J. and R. M. Rideout** (2008). 'The impact of intrapopulation variability in reproductive traits on population reproductive potential of Grand Bank American plaice (*Hippoglossoides platessoides*) and yellowtail flounder (*Limanda ferruginea*)'. *Journal of Sea Research*, 59(3): 186-197.

**Mouhri, A., A. Motelay-Massei, et al.** (2008). 'Polycyclic aromatic hydrocarbon transport processes on the scale of a flood event in the rural watershed of Le Bebec, France'. *Chemosphere*, 73(4): 443-450.

**Murton, J. B., M. Frechen, et al.** (2007). 'Luminescence dating of mid- to Late Wisconsinan aeolian sand as a constraint on the last advance of the Laurentide Ice Sheet across the Tuktoyaktuk Coastlands, western Arctic Canada'. *Canadian Journal of Earth Sciences*, 44(6): 857-869.

**Nash, G.** (2008). 'The Heysham labyrinth, Morecambe Bay, northern England'. *Rock Art Research*, 25(2): 227-229.

**Nash, R. D. M. and A. J. Geffen** (2004). 'Seasonal and interannual variation in abundance of *Calanus finmarchicus* (Gunnerus) and *Calanus helgolandicus* (Claus) in inshore waters (west coast of the Isle of Man) in the central Irish Sea'. *Journal of Plankton Research*, 26(3): 265-273.

**Nash, R. D. M., A. J. Geffen, et al.** (2007). 'Dynamics of shallow-water juvenile flatfish nursery grounds: application of the self-thinning rule'. *Marine Ecology-Progress Series*, 344: 231-244.

**Nawakowski, C., M. D. Nicholson, et al.** (2004). 'Modelling Tc-99 concentrations in *Fucus vesiculosus* from the north-east Irish Sea'. *Journal of Environmental Radioactivity*, 77(2): 159-173.

**Neill, S. P., A. J. Elliott, et al.** (2008). 'A model of inter-annual variability in beach levels'. *Continental Shelf Research*, 28(14): 1769-1781.

**Neill, S. P., M. R. Hashemi, et al.** (2007). 'An enhanced depth-averaged tidal model for morphological studies in the presence of rotary currents'. *Continental Shelf Research*, 27(1): 82-102.



**Neill, S. P., J. D. Scourse, et al.** (2009). 'Changes in wave climate over the northwest European shelf seas during the last 12,000 years'. *Journal of Geophysical Research-Oceans*, 114(C4): Art. No. C04007 .

**Nicholson, M. and R. Fryer** (2002). 'Developing effective environmental indicators--does a new dog need old tricks?' *Marine Pollution Bulletin*, 45(1-12): 53-61.

**Nicolle, A. and M. Karpytchev** (2007). 'Evidence for spatially variable friction from tidal amplification and asymmetry in the Pertuis Breton (France)'. *Continental Shelf Research*, 27(18): 2346-2356.

**Nygaard, C. A. and M. J. Dring** (2008). 'Influence of salinity, temperature, dissolved inorganic carbon and nutrient concentration on the photosynthesis and growth of *Fucus vesiculosus* from the Baltic and Irish Seas'. *European Journal of Phycology*, 43(3): 253-262.

**Ó Cofaigh, C. and D. J. A. Evans** (2007). 'Radiocarbon constraints on the age of the maximum advance of the British-Irish Ice Sheet in the Celtic Sea'. *Quaternary Science Reviews*, 26(9-10): 1197-1203.

**O'Boyle, S. and R. Raine** (2007). 'The influence of local and regional oceanographic processes on phytoplankton distribution in continental shelf waters off north-western Ireland'. *Biology and Environment-Proceedings of the Royal Irish Academy*, 107B(2): 95-109.

**O'Brien, S. H., L. J. Wilson, et al.** (2008). 'Revised estimate of numbers of wintering Red-throated Divers *Gavia stellata* in Great Britain'. *Bird Study*, 55: 152-160.

**O'Dea, A.** (2005). 'Zooid size parallels contemporaneous oxygen isotopes in a large colony of *Pentapora foliacea* (Bryozoa)'. *Marine Biology*, 146(6): 1075-1081.

**Oh, C. W. and R. G. Hartnoll** (2004). 'Reproductive biology of the common shrimp *Crangon crangon* (Decapoda : Crangonidae) in the central Irish Sea'. *Marine Biology*, 144(2): 303-316.

**Oh, J. S., P. E. Warwick, et al.** (2008). 'Spatial distribution of Am-241, Cs-137, Pu-238, Pu-239, Pu-240 and Pu-241 over 17 year periods in the Ravenglass saltmarsh, Cumbria, UK'. 6th International Conference on Isotopes, Seoul, South Korea.

**O'Hare, M. R., D. Hodgson, et al.** (2008). 'Tank storm: the development and influences of bedforms on a sandy bed under waves'. Post-graduate poster day, 7th March, at Liverpool University. University of Liverpool: poster.

**O'Higgins, T. G. and J. G. Wilson** (2005). 'Impact of the river Liffey discharge on nutrient and chlorophyll concentrations in the Liffey estuary and Dublin Bay (Irish Sea)'. *Estuarine Coastal and Shelf Science*, 64(2-3): 323-334.

**Oliver, L. R., W. T. Perkins, et al.** (2006). 'Detection of technetium-99 in *Ascophyllum nodosum* from around the Welsh coast'. *Chemosphere*, 65(11): 2297-2303.

**O'Neill, A. J., T. S. Galloway, et al.** (2004). 'Evaluation of toxicity in tributaries of the Mersey estuary using the isopod *Asellus aquaticus* (L.)'. *Marine Environmental Research*, 58(2-5): 327-331.

**Oppenheimer, A.** (2003). 'Britain: Sellafield, salmon, and the Irish Sea'. *Bulletin- Atomic Scientists*, 59(5): 11-13.

**Oppenheimer, A.** (2003). 'Sellafield, salmon, and the Irish Sea'. *Bulletin of the Atomic Scientists*, 59(5): 11-13.

**Orford, J. D., J. Murdy, et al.** (2006). 'Developing constraints on the relative sea-level curve for the northeast of Ireland from the mid-Holocene to the present day'. *Philosophical Transactions of the Royal Society of London A*, 364(1841): 857-866.

**Orre, S., Y. Gao, et al.** (2007). 'A reassessment of the dispersion properties of Tc-99 in the North Sea and the Norwegian Sea'. *Journal of Marine Systems*, 68(1-2): 24-38.

**Orre, S., Y. Q. Gao, et al.** (2008). 'Diagnosing Ocean Tracer Transport from Sellafield and Dounreay by Equivalent Diffusion and Age'. *Advances in Atmospheric Sciences*, 25(5): 805-814.

**Osuna, P., A. J. Souza, et al.** (2007). 'Effects on the deep-water wave breaking dissipation on the wind-wave modelling in the Irish Sea'. *Journal of Marine Systems*, 67(1-2): 59-72.

**Osuna, P. and J. Wolf** (2005). 'A numerical study on the effect of wave-current interaction processes in the hydrodynamics of the Irish Sea'. Proceedings of the 5th International Conference on Ocean Wave Measurement and Analysis: WAVES 2005, 3rd to 7th July, 2005, Paper No. 93. [Book of Abstracts]. Madrid, Spain, CEDEX, COPRI, ASCE.

**Osuna, P., J. Wolf, et al.** (2004). 'Implementation of a wave-current interaction module for the POLCOMS system'. Internal Documents. Liverpool, Proudman Oceanographic Laboratory: 34 pp.

**Osvath, I., P. P. Povinec, et al.** (2005). 'Monitoring of radioactivity in NW Irish Sea water using a stationary underwater gamma-ray spectrometer with

satellite data transmission'. *Journal of Radioanalytical and Nuclear Chemistry*, 263(2): 437-440.

**Painting, S. J., M. J. Devlin, et al.** (2007). 'Assessing the impact of nutrient enrichment in estuaries: Susceptibility to eutrophication'. *Marine Pollution Bulletin*, 55(1-6): 74-90.

**Pampoulie, C., M. O. Stefansson, et al.** (2008). 'Recolonization history and large-scale dispersal in the open sea: the case study of the North Atlantic cod, *Gadus morhua* L'. *Biological Journal of the Linnean Society*, 94(2): 315-329.

**Parker-Humphreys, M.** (2004). 'Distribution and relative abundance of demersal fishes from beam trawl surveys in the Irish Sea (ICES division VIIa) 1993-2001'. Lowestoft, Centre for Environment Fisheries and Aquaculture Science (CEFAS): 68.

**Pearce, N. J. G. and V. L. Mann** (2006). 'Trace metal variations in the shells of *Ensis siliqua* record pollution and environmental conditions in the sea to the west of mainland Britain'. *Marine Pollution Bulletin*, 52(7): 739-755.

**Peltier, P. E. R.** (2007). 'Burbo bank offshore wind farm, Liverpool Bay, UK'. *Power*, 151(12): 30-33.

**Perdiguero-Alonso, D., F. E. Montero, et al.** (2008). 'Composition and structure of the parasite faunas of cod, *Gadus morhua* L. (Teleostei: Gadidae), in the North East Atlantic', *Parasites & Vectors*, 1.

**Perez-Romero, D. M., R. Bolanos, et al.** (2008). 'Evaluation of wave generation induced by two hurricanes on the Mexican coast of the Gulf of Mexico. Hydraulic engineering in Mexico'. *Ingenieria Hidraulica en Mexico*, 23(2): 5-20.

**Perianez, R.** (2002). 'Modelling the physico-chemical speciation of plutonium in the eastern Irish Sea: a further development'. *Journal of Environmental Radioactivity*, 62(3): 263-276.

**Perianez, R.** (2002). 'Modelling the suspended matter dynamics in a marine environment using a three dimensional sigma coordinate model: application to the eastern Irish Sea'. *Applied Mathematical Modelling*, 26(5): 583-601.

**Perianez, R.** (2003). 'Kinetic modelling of the dispersion of plutonium in the eastern Irish Sea: two approaches'. *Journal of Marine Systems*, 38(3-4): 259-275.

**Perianez, R.** (2008). 'A modelling study on Cs-137 and Pu-239, Pu-240 behaviour in the Alboran Sea, western Mediterranean'. *Journal of Environmental Radioactivity*, 99(4): 694-715.

**Perianez, R.** (2009). 'Environmental modelling in the Gulf of Cadiz: Heavy metal distributions in water and sediments'. *Science of the Total Environment*, 407(10): 3392-3406.

**Perna, L., J. Jernstrom, et al.** (2005). 'Characterization of an Irish Sea radioactively contaminated marine sediment core by radiometric and mass spectrometric techniques'. *Journal of Radioanalytical and Nuclear Chemistry*, 263(2): 367-373.

**Petereit, C., H. Haslob, et al.** (2008). 'The influence of temperature on the development of Baltic Sea sprat (*Sprattus sprattus*) eggs and yolk sac larvae'. *Marine Biology*, 154(2): 295-306.

**Peyronnet, A., K. D. Friedland, et al.** (2008). 'Different ocean and climate factors control the marine survival of wild and hatchery Atlantic salmon *Salmo salar* in the north-east Atlantic Ocean'. *Journal of Fish Biology*, 73(4): 945-962.

**Pham, M. K., J. A. Sanchez-Cabeza, et al.** (2006). 'Certified reference material for radionuclides in fish flesh sample IAEA-414 (mixed fish from the Irish Sea and North Sea)'. *Applied Radiation and Isotopes*, 64(10-11): 1253-1259.

**Pham, M. K., J. A. Sanchez-Cabeza, et al.** (2007). 'A new Certified Reference Material for radionuclides in Irish sea sediment (IAEA-385)'. International Conference on Environmental Radioactivity - From Measurements and Assessments to Regulation, Vienna, Austria.

**Phillips, E., J. R. Lee, et al.** (2008). 'Progressive proglacial to subglacial deformation and syntectonic sedimentation at the margins of the Mid-Pleistocene British Ice Sheet: evidence from north Norfolk, UK'. *Quaternary Science Reviews*, 27(19-20): 1848-1871.

**Phillips, E., J. Merritt, et al.** (2007). 'Microstructures in subglacial and proglacial sediments: understanding faults, folds and fabrics, and the influence of water on the style of deformation'. *Quaternary Science Reviews*, 26(11-12): 1499-1528.

**Phillips, W. M., A. M. Hall, et al.** (2008). 'Extent of the last ice sheet in northern Scotland tested with cosmogenic Be-10 exposure ages'. *Journal of Quaternary Science*, 23(2): 101-107.

**Pierce, G. J., G. Stowasser, et al.** (2008). 'Geographic, seasonal and ontogenetic variation in cadmium and mercury concentrations in squid (Cephalopoda : Teuthoidea) from UK waters'. *Ecotoxicology and Environmental Safety*, 70(3): 422-432.

**Piper, J. D. A.** (2007). 'Palaeomagnetism of the Loch Doon Granite Complex, Southern Uplands of Scotland: The Late Caledonian palaeomagnetic record and an Early Devonian episode of True Polar Wander'. *Tectonophysics*, 432(1-4): 133-157.

**Piper, J. D. A., N. J. McArdle, et al.** (2007). 'Palaeomagnetic study of the cairnsmoor of fleet granite and criffel-dalbeattie granodiorite contact aureoles: Caledonian tectonics of the southern uplands of Scotland and devonian palaeogeography'. *Geological Magazine*, 144(5): 811-835.

**Plummer, R.** (2008). 'Blue is the colour: The story of Norfolkline, which can trace its ferry origins back almost half a century, and now runs in the Channel and Irish Sea'. *Ships Monthly*, 43: 16-21.

**Pochelon, P. N., R. Calado, et al.** (2009). 'Feeding Ability of Early Zoal Stages of the Norway Lobster *Nephrops norvegicus* (L.)'. *Biological Bulletin*, 216(3): 335-343.

**Poole, W. R., C. J. Byrne, et al.** (2002). 'The Irish sea trout enhancement programme: a review of the broodstock and ova production programmes'. *Fisheries Management and Ecology*, 9(6): 315-328.

**Portilla, E., E. McKenzie, et al.** (2007). 'Estimating natural interstage egg mortality of Atlantic mackerel (*Scomber scombrus*) and horse mackerel (*Trachurus trachurus*) in the Northeast Atlantic using a stochastic model'. *Canadian Journal of Fisheries and Aquatic Sciences*, 64(12): 1656-1668.

**Povinec, P. P., C. Badie, et al.** (2002). 'Certified reference material for radionuclides in seawater IAEA-381 (Irish Sea Water)'. *Journal of Radioanalytical and Nuclear Chemistry*, 251(3): 369-374.

**Povinec, P. P., M. Betti, et al.** (2008). 'New isotope technologies in environmental physics'. *Acta Physica Slovaca*, 58(1): 1-154.

**Povinec, P. P., P. B. D. Bois, et al.** (2003). 'Temporal and spatial trends in the distribution of <sup>137</sup>Cs in surface waters of Northern European Seas--a record of 40 years of investigations'. *Deep-Sea Research II*, 50(17-21): 2785-2801.

**Povinec, P. P., M. K. Pham, et al.** (2007). 'Reference material for radionuclides in sediment IAEA-384 (Fangataufa Lagoon sediment)'. *Journal of Radioanalytical and Nuclear Chemistry*, 273(2): 383-393.

**Praeg, D.** (2004). 'Diachronous Variscan late-orogenic collapse as a response to multiple detachments: a view from the internides in France to the foreland in the Irish Sea'. Book section in *Permo-carboniferous magmatism and rifting in Europe*. M. Wilson, E.-R. Neumann, et al. (eds.). London, Geological Society: 89-138.

**Prandle, D. and A. Lane** (2005). 'Sediment modelling in estuaries - applications for bathymetric evolution'. 40th DEFRA Flood & Coastal Management Conference, 2005, the University of York, Tuesday 5th to 7th July 2005. DEFRA: 06A.1.1 - 06A.1.12.

**Proctor, M. C. F.** (2008). 'Water analyses from some Irish bogs and fens, with thoughts on "The Schoenus Problem"'. *Biology and Environment- Proceedings of the Royal Irish Academy*, 108B(2): 81-95.

**Proctor, R. and J. T. Holt** (2002). 'Modelling shelf seas for nearshore-coast exchange studies'. Irish Sea Forum: seminar on Coastal Modelling, Foresight Centre, University of Liverpool, 4 October 2002. H. Davies. Liverpool, Liverpool University Press: 3-6.

**Proctor, R., J. T. Holt, et al.** (2002). 'Towards 3-D ecosystem modelling of the Irish Sea'. Estuarine and coastal modeling: proceedings of the seventh international conference. M. L. Spaulding (ed.). St. Petersburg, Florida, ASCE: 929-948.

**Proctor, R., J. T. Holt, et al.** (2004). 'The POL Coastal Observatory, monitoring a tidal coastal/estuarine environment'. PECS 2004: 12th international conference on physics of estuaries and coastal seas: hydrodynamics and morphodynamics in estuaries and coastal seas. Mérida, Yuc, México, October 18-22, 2004, s.n.: 3 p.

**Proctor, R., J. Howarth, et al.** (2005). 'The Liverpool Bay Coastal Observatory: Analysis of Seasonal Cycles'. International conference on estuarine and coastal modeling, Charleston, SC, American Society of Civil Engineers.

**Proctor, R., J. Howarth, et al.** (2004). 'The Pol Coastal Observatory - Methodology and some first results'. Estuarine and Coastal Modeling, Proceedings. M. L. Spaulding (ed.): 273-287.

**Proctor, R. and M. J. Howarth** (2003). 'The POL Coastal Observatory'. Building the European Capacity in Operational Oceanography, Proceedings. H. Dahlin, N. C. Flemming, S. E. Petersson and K. Nittis (eds.). 69: 548-553.

**Proctor, R. and M. J. Howarth** (2008). 'Coastal observatories and operational oceanography: a european perspective'. *Marine Technology Society Journal*, 42(3): 10-13.

**Pronker, A. E., N. M. Nevejan, et al.** (2008). 'Hatchery broodstock conditioning of the blue mussel *Mytilus edulis* (Linnaeus 1758). Part I. Impact of different micro-algae mixtures on broodstock performance'. *Aquaculture International*, 16(4): 297-307.

- Pugh, J. P. and M. A. M. Maqueda** (2008). 'RRS James Clark Ross Cruise JR196, November 28th-December 26th, 2007. ACCLAIM: sea level measurements in the Drake passage'. POL Cruise Reports. Liverpool, Proudman Oceanographic Laboratory: 14 pp.
- Pullen, T., N. Tozer, et al.** (2008). 'Use of field measurements to improve probabilistic wave overtopping forecasts'. 31st International Conference on Coastal Engineering, Hamburg, Germany.
- Pybus, C.** (2007). 'Pre-bloom phytoplankton in the surface waters of the Celtic Sea and some adjacent waters'. *Biology and Environment-Proceedings of the Royal Irish Academy*, 107B(1): 43-53.
- Pye, K. and S. J. Blott** (2008). 'Decadal-scale variation in dune erosion and accretion rates: An investigation of the significance of changing storm tide frequency and magnitude on the Sefton coast, UK'. *Geomorphology*, 102(3-4): 652-666.
- Quigley, D. T. G., K. Flannery, et al.** (2005). 'Kroyer's deep sea angler fish *Ceratias holboelli* Kroyer, 1845 (Pisces, Lophiiformes, Ceratioidei, Ceratiidae) in Irish waters'. *Irish Naturalists Journal*, 28: 29-30.
- Quin, J. G.** (2008). 'The evolution of a thick shallow marine succession, the South Munster Basin, Ireland'. *Sedimentology*, 55(4): 1053-1082.
- Race, J. M., P. N. Seevam, et al.** (2007). 'Challenges for offshore transport of anthropogenic carbon dioxide'. Proceedings of the 26th International Conference on Offshore Mechanics and Arctic Engineering, Vol 3: 589-602.
- Ramage, L., A. Cunningham, et al.** (2007). 'The influence of dissolved and particulate materials on underwater light fields in shelf seas: implications for primary production modelling'. Book section in *Oceans 2007 - Europe*, Vols 1-3. Piscataway, IEEE: 275-280.
- Randon, N. J., J. Lawry, et al.** (2008). 'Fuzzy Bayesian modelling of sea-level along the east coast of Britain'. *IEEE Transaction on Fuzzy Systems*, 16(3): 725-738.
- Rees, E. I. S., W. G. Sanderson, et al.** (2008). 'Small-scale variation within a *Modiolus modiolus* (Mollusca : Bivalvia) reef in the Irish Sea. III. Crevice, sediment infauna and epifauna from targeted cores'. *Journal of the Marine Biological Association of the United Kingdom*, 88(1): 151-156.
- Rees, E. I. S., W. G. Sanderson, et al.** (2008). 'Small-scale variation within a *Modiolus modiolus* [Mollusca: Bivalvia] reef in the Irish Sea. III: Crevice, sediment infauna and epifauna from targeted cores'. *Journal of the Marine Biological Association of the United Kingdom*, 88(1): 151-156.

**Remerie, T., A. Vierstraete, et al.** (2009). 'Phylogeography of an estuarine mysid, *Neomysis integer* (Crustacea, Mysida), along the north-east Atlantic coasts'. *Journal of Biogeography*, 36(1): 39-54.

**Richardson, S., R. Musson, et al.** (2007). 'Tsunami - assessing the hazard for the UK and Irish coast'. Proceedings of the 41st Defra Flood and Coastal Management conference 2006, 4th July to 6th July 2006, University of York. London, Defra: 10.1.1-10.1.11.

**Ridgway, J., N. Breward, et al.** (2003). 'Distinguishing between natural and anthropogenic sources of metals entering the Irish Sea'. *Applied Geochemistry*, 18(2): 283-309.

**Ridgway, J. and G. Shimmield** (2002). 'Estuaries as Repositories of Historical Contamination and their Impact on Shelf Seas'. *Estuarine, Coastal and Shelf Science*, 55(6): 903-928.

**Righton, D. and J. Metcalfe** (2002). 'Multi-torsking: simultaneous measurements of cod behaviour show differences between North Sea and Irish Sea stocks'. *Hydrobiologia*, 483(1-3): 193-200.

**Rippeth, T. P., J. H. Simpson, et al.** (2003). 'Measurement of the rates of production and dissipation of turbulent kinetic energy in an energetic tidal flow: Red Wharf Bay revisited'. *Journal of Physical Oceanography*, 33(9): 1889-1901.

**Rippeth, T. P., P. Wiles, et al.** (2009). 'The diapycnal nutrient flux and shear-induced diapycnal mixing in the seasonally stratified western Irish Sea'. *Continental Shelf Research*, 29(13): 1580-1587.

**Rivera, N. A., S. Ray, et al.** (2004). 'Detection of cyclic patterns using wavelets: An example study in the Ormskirk Sandstone, Irish Sea'. *Mathematical Geology*, 36(5): 529-543.

**Roberts, D. H., R. C. Chiverrell, et al.** (2006). 'Holocene sea levels, last glacial maximum glaciomarine environments and geophysical models in the northern Irish Sea Basin, UK'. *Marine Geology*, 231(1-4): 113-128.

**Roberts, D. H., R. V. Dackombe, et al.** (2007). 'Palaeo-ice streaming in the central sector of the British-Irish Ice Sheet during the Last Glacial Maximum: evidence from the northern Irish Sea Basin'. *Boreas*, 36(2): 115-129.

**Romano, C. P. R.** (2007). 'Commission of the European Communities v. Ireland European Court of Justice judgment regarding Irish submission of MOX plant dispute with United Kingdom to arbitration under the UN Convention on the Law of the Sea'. *American Journal of International Law*, 101(1): 171-178.



- Rose, E.** (2007). 'Re-enchantment and reclamation: new perceptions of Morecambe Bay through dance, film and sound'. *Zivot Umjetnosti*, (81): 68-75.
- Ross, O. N. and J. Sharples** (2008). 'Swimming for survival: a role of phytoplankton motility in a stratified turbulent environment'. *Journal of Marine Systems*, 70(3-4): 248-262.
- Rowlands, W. L., M. Dickey-Collas, et al.** (2004). 'Abundances of *Metridia lucens* in the western Irish Sea'. *Journal of the Marine Biological Association of the United Kingdom*, 84(3): 617-618.
- Rowlands, W. L., M. Dickey-Collas, et al.** (2006). 'Gape morphology of cod *Gadus morhua* L., haddock *Melanogrammus aeglefinus* (L.) and whiting *Merlangius merlangus* (L.) through metamorphosis from larvae to juveniles in the western Irish Sea'. *Journal of Fish Biology*, 69(5): 1379-1395.
- Rowlands, W. L., M. Dickey-Collas, et al.** (2008). 'Diet overlap and prey selection through metamorphosis in Irish Sea cod (*Gadus morhua*), haddock (*Melanogrammus aeglefinus*), and whiting (*Merlangius merlangus*)'. *Canadian Journal of Fisheries and Aquatic Sciences*, 65(7): 1297-1306.
- Ruggeberg, A., C. Dullo, et al.** (2007). 'Environmental changes and growth history of a cold-water carbonate mound (Propeller Mound, Porcupine Seabight)'. *International Journal of Earth Sciences*, 96(1): 57-72.
- Russo, T., D. Pulcini, et al.** (2008). 'Relationship between body shape and trophic niche segregation in two closely related sympatric fishes'. *Journal of Fish Biology*, 73(4): 809-828.
- Ryan, J., C. N. Aonghusa, et al.** (2007). 'SmartBay, Ireland: Design and planning for a cabled ocean observatory off the West coast of Ireland'. *Oceans 2007 - Europe*, Vols 1-5. Piscataway, IEEE: 775-778.
- Sahlin, E. A. U. and N. F. Glasser** (2008). 'A geomorphological map of Cadair Idris, Wales'. Annual Discussion Meeting of the Quaternary-Research-Association, England.
- Salaun, P., B. Planer-Friedrich, et al.** (2007). 'Inorganic arsenic speciation in water and seawater by anodic stripping voltammetry with a gold microelectrode'. *Analytica Chimica Acta*, 585(2): 312-322.
- Salbu, B.** (2009). 'Fractionation of radionuclide species in the environment'. *Journal of Environmental Radioactivity*, 100(4): 283-289.

- Salim, A. and Y. Pawitan** (2007). 'Model-based maximum covariance analysis for irregularly observed climatological data'. *Journal of Agricultural Biological and Environmental Statistics*, 12(1): 1-24.
- Sandberg, J., L. Kumblad, et al.** (2007). 'Can ECOPATH with ECOSIM enhance models of radionuclide flows in food webs? - an example for C-14 in a coastal food web in the Baltic Sea'. *Journal of Environmental Radioactivity*, 92(2): 96-111.
- Sanderson, W. G., R. H. F. Holt, et al.** (2008). 'Small-scale variation within a *Modiolus modiolus* (Mollusca : Bivalvia) reef in the Irish Sea. II. Epifauna recorded by divers and cameras'. *Journal of the Marine Biological Association of the United Kingdom*, 88(1): 143-149.
- Scholthof, K. B. G.** (2007). 'The disease triangle: pathogens, the environment and society'. *Nature Reviews Microbiology*, 5(2): 152-156.
- Schratzberger, M., T. A. D. Maxwell, et al.** (2008). 'Spatial variability of infaunal nematode and polychaete assemblages in two muddy subtidal habitats'. *Marine Biology*, 153(4): 621-642.
- Scott, A. P., I. Katsiadaki, et al.** (2006). 'Relationship between sex steroid and vitellogenin concentrations in flounder (*Platichthys flesus*) sampled from an estuary contaminated with estrogenic endocrine-disrupting compounds'. *Environmental Health Perspectives*, 114: 27-31.
- Scott, A. P., M. Sanders, et al.** (2007). 'Evidence for estrogenic endocrine disruption in an offshore flatfish, the dab (*Limanda limanda* L.)'. *Marine Environmental Research*, 64(2): 128-148.
- Scott, T. R., P. J. Smith, et al.** (2008). 'Data assimilation for morphodynamic prediction and predictability'. 31st International Conference on Coastal Engineering, Hamburg, Germany.
- Scourse, J., K. Uehara, et al.** (2009). 'Celtic Sea linear tidal sand ridges, the Irish Sea Ice Stream and the Fleuve Manche: Palaeotidal modelling of a transitional passive margin depositional system'. *Marine Geology*, 259(1-4): 102-111.
- Scourse, J. D., W. E. N. Austin, et al.** (2002). 'Holocene evolution of seasonal stratification in the Celtic Sea: refined age model, mixing depths and foraminiferal stratigraphy'. *Marine Geology*, 191(3-4): 119-145.
- Segers, F., M. Dickey-Collas, et al.** (2007). 'Prey selection by North Sea herring (*Clupea harengus*), with special reference to fish eggs'. *ICES Journal of Marine Science*, 64(1): 60-68.

- Shammon, T. M. and R. G. Hartnoll** (2002). 'The winter and summer partitioning of dissolved nitrogen and phosphorus. Observations across the Irish Sea during 1997 and 1998'. *Hydrobiologia*, 475(1): 173-184.
- Sharples, J.** (2008). 'Potential impacts of the spring-neap tidal cycle on shelf sea primary production'. *Journal of Plankton Research*, 30(2): 183-197.
- Shaw, J.** (2007). 'A Gaelic eschatological folktale, Celtic cosmology and Dumezil's "Three Realms"'. *Journal of Indo-European Studies*, 35(3-4): 249-273.
- Shepherd, D., D. Burgess, et al.** (2007). 'Modelling the effects and economics of managed realignment on the cycling and storage of nutrients, carbon and sediments in the Blackwater estuary UK'. *Estuarine Coastal and Shelf Science*, 73(3-4): 355-367.
- Siddorn, J. R., J. I. Allen, et al.** (2007). 'Modelling the hydrodynamics and ecosystem of the North-West European continental shelf for operational oceanography'. *Journal of Marine Systems*, 65(1-4): 417-429
- Siegel, V., U. Damm, et al.** (2008). 'Sex-ratio, seasonality and long-term variation in maturation and spawning of the brown shrimp *Crangon crangon* (L.) in the German Bight (North Sea)'. *Helgoland Marine Research*, 62(4): 339-349.
- Simms, M. J.** (2007). 'Uniquely extensive soft-sediment deformation in the Rhaetian of the UK: Evidence for earthquake or impact?' *Palaeogeography Palaeoclimatology Palaeoecology*, 244(1-4): 407-423.
- Simpson, J. H., B. Berx, et al.** (2007). 'The interaction of tidal advection, diffusion and mussel filtration in a tidal channel'. *Journal of Marine Systems*, 68(3-4): 556-568.
- Simpson, J. H., B. Burchard, et al.** (2002). 'The semi-diurnal cycle of dissipation in a ROFI: model-measurement comparisons'. *Continental Shelf Research*, 22(11-13): 1615-1628.
- Simpson, J. H., J. A. M. Green, et al.** (2009). 'The structure of dissipation in the western Irish Sea front'. Joint Conference of the 39th Liege Colloquium on Marine Turbulence/3rd Warnemunde Turbulence Days, Warnemunde, Germany.
- Simpson, M. G., P. Walker, et al.** (2002). 'Histopathological observations on liver, kidney and gonad of plaice (*Pleuronectes platessa*) taken from the Mersey estuary'. *Marine Environmental Research*, 54(3-5): 543-546.

- Sleeman, D. P., J. Davenport, et al.** (2009). 'The effectiveness of barriers to badger *Meles meles* immigration in the Irish Four Area project'. *European Journal of Wildlife Research*, 55(3): 267-278.
- Smith, C. J., B. S. Danilowicz, et al.** (2007). 'Characterization of the bacterial community associated with the surface and mucus layer of whiting (*Merlangius merlangus*)'. *Fems Microbiology Ecology*, 62(1): 90-97.
- Smith, C. N., J. A. Goshawk, et al.** (2003). 'MEAD (part II) - Predictions of radioactivity concentrations in the Irish Sea'. *Journal of Environmental Radioactivity*, 68(3): 193-214.
- Smith, C. N., T. H. Stewart, et al.** (2003). 'Results from an intensive measurement programme for suspended particulate matter in a region of the Irish Sea between Anglesey and the Isle of Man'. *Continental Shelf Research*, 23(10): 1005-1018.
- Southall, E. J., D. W. Sims, et al.** (2005). 'Spatial distribution patterns of basking sharks on the European shelf: preliminary comparison of satellite-tag geolocation, survey and public sightings data'. *Journal of the Marine Biological Association of the United Kingdom*, 85(5): 1083-1088.
- Souza, A. J., N. R. Fisher, et al.** (2008). 'Effects of tidal straining on the semidiurnal cycle of dissipation in the Rhine region of freshwater influence: comparison of model and measurements'. *Journal of Geophysical Research-Oceans*, 113(C1): Art. No. C01011.
- Souza, A. J. and A. E. Hill** (2006). 'Tidal dynamics in channels: single channels'. *Journal of Geophysical Research-Oceans*, 111(C9): Art. No. C09037.
- Souza, A. J., S. E. Jones, et al.** (2004). 'Observations of turbulence and suspended sediment in the Irish Sea'. PECS 2004: 12 International conference on physics of estuaries and coastal seas, Mérida, Yuc, México, October 18-22, 2004 : hydrodynamics and morphodynamics in estuaries and coastal seas: 3 p.
- Spanou, M. and D. Chen** (2002). 'Integrated management of the Upper Mersey river basin using the SMILE object-oriented software system'. *Water Science and Technology*, 46(6/7): 105-112.
- Spares, A. D., J. M. Reader, et al.** (2007). 'Inferring marine distribution of Canadian and Irish Atlantic salmon (*Salmo salar* L.) in the North Atlantic from tissue concentrations of bio-accumulated caesium 137'. *ICES Journal of Marine Science*, 64(2): 394-404.
- Stavn, R. H., H. J. Rick, et al.** (2009). 'Correcting the errors from variable sea salt retention and water of hydration in loss on ignition analysis:

Implications for studies of estuarine and coastal waters'. *Estuarine Coastal and Shelf Science*, 81(4): 575-582.

**Stentiford, G. D., J. P. Bignell, et al.** (2009). 'Site-specific disease profiles in fish and their use in environmental monitoring'. *Marine Ecology-Progress Series*, 381: 1-15.

**Steward, J. A., C. White, et al.** (2008). 'Leukaemia incidence in Welsh children linked with low level radiation - making sense of some erroneous results published in the media'. *Journal of Radiological Protection*, 28(1): 33-43.

**Sundberg, P. and M. Strand** (2007). 'Genetics do not reflect habitat differences in *Riseriellus occultus* (Heteronemertea, Nemertea) from Spain and Wales'. *Marine Biology Research*, 3(2): 117-122.

**Svensson, C. J., H. Pavia, et al.** (2009). 'Robustness in life history of the brown seaweed *Ascophyllum nodosum* (Fucales, Phaeophyceae) across large scales: effects of spatially and temporally induced variability on population growth'. *Marine Biology*, 156(6): 1139-1148.

**Tattersall, G.** (2008). 'A Svalbard summer: tales from the Arctic'. *Ocean Challenge*, 15(3): 12-13.

**Taylor, A.** (2008). 'Manx Kingship in its Irish Sea Setting, 1187-1229: King Rognvaldr and the Crovan Dynasty'. *Medium Aevum*, 77(2): 378-378.

**Taylor, V. F., R. D. Evans, et al.** (2008). 'Preliminary evaluation of Cs-135/Cs-117 as a forensic tool for identifying source of radioactive contamination'. *Journal of Environmental Radioactivity*, 99(1): 109-118.

**Teacher, A. G. F., T. W. J. Garner, et al.** (2009). 'European phylogeography of the common frog (*Rana temporaria*): routes of postglacial colonization into the British Isles, and evidence for an Irish glacial refugium'. *Heredity*, 102(5): 490-496.

**Teal, L. R., J. J. de Leeuw, et al.** (2008). 'Effects of climate change on growth of 0-group sole and plaice'. *Marine Ecology-Progress Series*, 358: 219-230.

**Teferle, F. N., S. D. P. Williams, et al.** (2008). 'A continuous GPS coordinate time series analysis strategy for high-accuracy vertical land movements'. *Physics and Chemistry of the Earth*, 33(3-4): 205-216.

**Tett, P., C. Carreira, et al.** (2008). 'Use of a Phytoplankton Community Index to assess the health of coastal waters'. *ICES Journal of Marine Science*, 65(8): 1475-1482.

**Tett, P., R. Gowen, et al.** (2007). 'Defining and detecting undesirable disturbance in the context of marine eutrophication'. *Marine Pollution Bulletin*, 55(1-6): 282-297.

**Tett, P., C. Carreira, et al.** (2008). 'Use of a phytoplankton community index to assess the health of coastal waters'. *ICES Journal of Marine Science*, 65(8): 1475-1482.

**Thakker, A. and R. Abdulhadi** (2008). 'The performance of Wells turbine under bi-directional airflow'. *Renewable Energy*, 33(11): 2467-2474.

**Thomas, C. G., J. R. Spearman, et al.** (2002). 'Historical morphological change in the Mersey Estuary'. *Continental Shelf Research*, 22(11-13): 1775-1794.

**Thomas, G. S. P. and R. C. Chiverrell** (2006). 'A model of subaqueous sedimentation at the margin of the Late Midlandian Irish Ice Sheet, Connemara, Ireland, and its implications for regionally high isostatic sea-levels'. *Quaternary Science Reviews*, 25(21-22): 2868-2893.

**Thomas, G. S. P. and R. C. Chiverrell** (2007). 'Structural and depositional evidence for repeated ice-marginal oscillation along the eastern margin of the Late Devensian Irish Sea Ice Stream'. *Quaternary Science Reviews*, 26(19-21): 2375-2405.

**Thomson, J., F. M. Dyer, et al.** (2002). 'Records of radionuclide deposition in two salt marshes in the United Kingdom with contrasting redox and accumulation conditions'. *Geochimica et Cosmochimica Acta*, 66(6): 1011-1023.

**Thorne, P. D.** (2005). 'Instrumentation for measuring suspended sediment transport'. Irish Sea Forum: Irish Sea Sediments, 21st October 2004. University of Liverpool, Liverpool University Press: 13-18.

**Thorne, P. D.** (2008). 'Global warming, coastal erosion, vortices and sound'. Widening horizons in acoustics, spring conference 2008, 10-11 April, University of Reading.

**Thorne, P. D. and R. Meral** (2008). 'Formulations for the scattering properties of suspended sandy sediments for use in the application of acoustics to sediment transport processes'. *Continental Shelf Research*, 28(2): 309-317.

**Thorne, P. D. and R. Meral** (2008). 'A review of the scattering properties of suspended sandy sediments for the application of acoustics to sediment transport studies'. Proceedings of the 9th European conference on underwater acoustics: ECUA 2008, organised in the framework of the

Acoustics '08 Paris conference. M. E. Zakharia, D. Cassereau and F. Luppe (eds.). Paris, France, Societe Francaise d'Acoustique, 2: 645-650.

**Thorpe, S. A., J. A. M. Green, et al.** (2008). 'Boils and turbulence in a weakly stratified shallow tidal sea'. *Journal of Physical Oceanography*, 38(8): 1711-1730.

**Thorsen, A., C. T. Marshall, et al.** (2006). 'Comparison of various potential fecundity models for north-east Arctic cod *Gadus morhua*, L. using oocyte diameter as a standardizing factor'. *Journal of Fish Biology*, 69(6): 1709-1730.

**Tilstone, G. H., T. J. Smyth, et al.** (2005). 'Inherent optical properties of the Irish Sea and their effect on satellite primary production algorithms'. *Journal of Plankton Research*, 27(11): 1127-1148.

**Tolba, O., A. Loughrey, et al.** (2008). 'Survival of epidemic strains of healthcare (HA-MRSA) and community-associated (CA-MRSA) meticillin-resistant *Staphylococcus aureus* (MRSA) in river-, sea- and swimming pool water'. *International Journal of Hygiene and Environmental Health*, 211(3-4): 398-402.

**Tonks, D. M., R. Howells, et al.** (2002). 'Woolston New Weir and River Mersey Diversion'. *Proceedings- Institution of Civil Engineers Water and Maritime Engineering*, 154(1): 51-62.

**Tornos, F. and C. A. Heinrich** (2008). 'Shale basins, sulfur-deficient ore brines and the formation of exhalative base metal deposits'. *Chemical Geology*, 247(1-2): 195-207.

**Toucanne, S., S. Zaragosi, et al.** (2008). 'Activity of the turbidite levees of the Celtic-Armorican margin (Bay of Biscay) during the last 30,000 years: Imprints of the last European deglaciation and Heinrich events'. *Marine Geology*, 247(1-2): 84-103.

**Touzet, N., J. M. Franco, et al.** (2006). 'Inter- and intra-specific variability in morphogenetics and toxin composition of *Alexandrium* spp. in Irish coastal waters'. *African Journal of Marine Science*, 28(2): 181-184.

**Traykovski, P., P. L. Wiberg, et al.** (2007). 'Observations and modeling of wave-supported sediment gravity flows on the Po prodelta and comparison to prior observations from the Eel shelf'. *Continental Shelf Research*, 27(3-4): 375-399.

**Trimmer, M., R. J. Gowen, et al.** (2003). 'Changes in sediment processes across the western Irish Sea Front'. *Estuarine Coastal and Shelf Science*, 56(5-6): 1011-1019.

**Trimmer, M. and J. C. Nicholls** (2009). 'Production of nitrogen gas via anammox and denitrification in intact sediment cores along a continental shelf to slope transect in the North Atlantic'. *Limnology and Oceanography*, 54(2): 577-589.

**Turner, A., M. Martino, et al.** (2002). 'Trace metal distribution coefficients in the Mersey estuary, UK: Evidence for salting out of metal complexes'. *Environmental Science & Technology*, 36(21): 4578-4584.

**Turner, A., G. E. Millward, et al.** (2004). 'Significance of oxides and particulate organic matter in controlling trace metal partitioning in a contaminated estuary'. *Marine Chemistry*, 88(3/4), 179-192.

**Tyler-Walters, H., S. I. Rogers, et al.** (2009). 'A method to assess the sensitivity of sedimentary communities to fishing activities'. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 19(3): 285-300.

**Ueda, S., K. Kondo, et al.** (2007). 'Background concentration of C-14 in aquatic samples from Brackish Lake Obuchi, Rokkasho, Japan, adjacent to nuclear fuel reprocessing facilities'. *Radiocarbon*, 49(1): 161-171.

**Uehara, K., J. D. Scourse, et al.** (2006). 'Tidal evolution of the northwest European shelf seas from the Last Glacial Maximum to the present'. *Journal of Geophysical Research-Oceans*, 111(C9): Art. No. C09025.

**Upadhyay, S.** (2008). 'Sorption model for dissolved and particulate aluminium in the Conway estuary, UK'. *Estuarine, Coastal and Shelf Science*, 76(4): 914-919.

**Lee, E. M. van der, D. G. Bowers, et al.** (2009). 'Remote sensing of temporal and spatial patterns of suspended particle size in the Irish Sea in relation to the Kolmogorov microscale'. *Continental Shelf Research*, 29(9): 1213-1225.

**Molen, J. van der, S. I. Rogers, et al.** (2007). 'Dispersal patterns of the eggs and larvae of spring-spawning fish in the Irish Sea, UK'. *Journal of Sea Research*, 58(4): 313-330.

**Wegen, M. van der, Z. B. Wang, et al.** (2008). 'Long-term morphodynamic evolution and energy dissipation in a coastal plain, tidal embayment'. *Journal of Geophysical Research-Earth Surface*, 113(F3): Art. No. F03001.

**Landeghem, K. J. J. van, A. J. Wheeler, et al.** (2009). 'Seafloor evidence for palaeo-ice streaming and calving of the grounded Irish Sea Ice Stream: Implications for the interpretation of its final deglaciation phase'. *Boreas*, 38(1): 119-131.



- Landeghem, K. J. J. van, A. J. Wheeler, et al.** (2009). 'Variations in sediment wave dimensions across the tidally dominated Irish Sea, NW Europe'. *Marine Geology*, 263(1-4): 108-119.
- Landeghem, K. J. J. van, A. J. Wheeler, et al.** (2009). 'Seafloor evidence of palaeo-ice streaming and calving of the grounded Irish Sea Ice Stream: Implications for the interpretation of its final deglaciation phase'. *Boreas*, 38(1): 119-131.
- Vane, C. H., I. Harrison, et al.** (2007). 'Polycyclic aromatic hydrocarbons (PAHs) and polychlorinated biphenyls (PCBs) in sediments from the Mersey Estuary, UK'. *Science of the Total Environment*, 374(1): 112-126.
- Vane, C. H., I. Harrison, et al.** (2008). 'Status of organic pollutants in surface sediments of Barnegat Bay-Little Egg Harbor Estuary, New Jersey, USA'. *Marine Pollution Bulletin*, 56(10): 1802-1808.
- Vane, C. H., D. G. Jones, et al.** (2009). 'Mercury contamination in surface sediments and sediment cores of the Mersey Estuary, UK'. *Marine Pollution Bulletin*, 58(6): 940-946.
- Varga, Z.** (2007). 'Application of inductively coupled plasma sector field mass spectrometry for low-level environmental americium-241 analysis'. *Analytica Chimica Acta*, 587(2): 165-169.
- Vause, B. J., B. D. Beukers-Stewart, et al.** (2007). 'Fluctuations and forecasts on the fishery for queen scallops (*Aequipecten opercularis*) around the isle of man'. *ICES Journal of Marine Science*, 64(6): 1124-1135.
- Vaz, S., A. Carpentier, et al.** (2007). 'Eastern English Channel fish assemblages: measuring the structuring effect of habitats on distinct sub-communities'. *ICES Journal of Marine Science*, 64(2): 271-287.
- Velasco, F., J. Landa, et al.** (2008). 'Distribution, abundance, and growth of anglerfish (*Lophius piscatorius*) on the Porcupine Bank (west of Ireland)'. ICES Science Conference on Monkfish/Angelfish Across the World - Common Problems and Common Solutions, Helsinki, Finland.
- Verspecht, F. I., T. P. Rippeth, et al.** (2008). 'Residual circulation and horizontal density gradients in the Liverpool Bay region of freshwater influence'. PECS 2008: Physics of Estuaries and Coastal Seas. Liverpool, UK.
- Viegas, I., F. Martinho, et al.** (2007). 'Population dynamics, distribution and secondary production of the brown shrimp *Crangon crangon* (L.) in a southern European estuary. Latitudinal variations'. *Scientia Marina*, 71(3): 451-460.

**Vincent, M. A., S. M. Atkins, et al.** (2004). 'Marine nature conservation and sustainable development: the Irish Sea pilot: report to DEFRA by the Joint Nature Conservation Committee'. Peterborough, Joint Nature Conservation Committee: 172 pp.

**Vives i Batlle, J., S. Bryan, et al.** (2008). 'A process-based model for the partitioning of soluble, suspended particulate and bed sediment fractions of plutonium and caesium in the eastern Irish Sea'. *Journal of Environmental Radioactivity*, 99(1): 62-80.

**Wakelin, S. L., J. T. Holt, et al.** (2007). 'The influence of initial conditions and open boundary conditions on shelf circulation in a 3D ocean-shelf model of the North East Atlantic'. Conference on Global Ocean Data Assimilation Experiment Products in Coastal and Shelf Seas, Liverpool, England.

**Wakelin, S. L. and J. Wolf** (2004). 'Modelling waves and currents in shallow water in Liverpool Bay and the Bristol Channel'. European Geosciences Union: General Assembly 2004, Nice, France, 25 - 30 April 2004. European Geosciences Union: 1 p.

**Wang, S. Y., R. McGrath, et al.** (2008). 'The impact of climate change on storm surges over Irish waters'. *Ocean Modelling*, 25(1-2): 83-94.

**Wang, Y. H., Z. G. Yu, et al.** (2009). 'Discrimination in magnetic properties of different-sized sediments from the Changjiang and Huanghe Estuaries of China and its implication for provenance of sediment on the shelf'. *Marine Geology*, 260(1-4): 121-129.

**Ward, R. M.** (2006). 'Ben Hudson, Irish Sea Studies, 900-1200'. *International Journal of Maritime History*, 18: 482-483.

**Ware, P. D. and J. P. Turner** (2002). 'Sonic velocity analysis of the Tertiary denudation of the Irish Sea basin'. Special Publication- Geological Society of London 196: 355-370.

**Watts, P. C., R. D. M. Nash, et al.** (2004). 'Genetic structure of juvenile plaice *Pleuronectes platessa* on nursery grounds within the Irish Sea'. *Journal of Sea Research*, 51(3-4): 191-197.

**Wedyan, M. and M. R. Preston** (2005). 'Isomer-selective adsorption of amino acids by components of natural sediments'. *Environmental Science and Technology*, 39(7), 2115-2119.

**Weetman, D., A. Ruggiero, et al.** (2007). 'Hierarchical population genetic structure in the commercially exploited shrimp *Crangon crangon* identified by AFLP analysis'. *Marine Biology*, 151(2): 565-575.

- Westgate, A. J.** (2007). 'Geographic variation in cranial morphology of short-beaked common dolphins (*Delphinus delphis*) from the North Atlantic'. *Journal of Mammalogy*, 88(3): 678-688.
- Weston, K., N. Greenwood, et al.** (2008). 'Environmental controls on phytoplankton community composition in the Thames plume, UK'. *Journal of Sea Research*, 60(4): 262-270.
- White, M., S. Gaffney, et al.** (2003). 'Interannual variability in Irish Sea turbidity and relation to wind strength'. *Biology and Environment*, 103(2): 83-90.
- Whomersley, P., M. Schratzberger, et al.** (2007). 'The use of time-series data in the assessment of macrobenthic community change after the cessation of sewage-sludge disposal in Liverpool Bay (UK)'. *Marine Pollution Bulletin*, 54(1): 32-41.
- Whomersley, P., S. Ware, et al.** (2008). 'Biological indicators of disturbance at a dredged-material disposal site in Liverpool Bay, UK: an assessment using time-series data'. *ICES Journal of Marine Science*, 65(8): 1414-1420.
- Widdows, J., A. J. Bale, et al.** (2007). 'An assessment of the potential impact of dredging activity on the Tamar Estuary over the last century: II. Ecological changes and potential drivers'. *Hydrobiologia*, 588: 97-108.
- Widdows, J., P. Donkin, et al.** (2002). 'Measurement of stress effects (scope for growth) and contaminant levels in mussels (*Mytilus edulis*) collected from the Irish Sea'. *Marine Environmental Research*, 53(4): 327-356.
- Wilkinson, M., P. Wood, et al.** (2007). 'Using attached macroalgae to assess ecological status of British estuaries for the European Water Framework Directive'. *Marine Pollution Bulletin*, 55(1-6): 136-150.
- Williams, G. A., J. P. Turner, et al.** (2004). 'Inversion and exhumation of the St. George's Channel basin, offshore Wales, UK'. *Journal of the Geological Society*, 162(1): 97-110.
- Williams, J. A., C. Wilson, et al.** (2008). 'Data assimilation tests using NISE10 Storm Surge Model'. Proudman Oceanographic Laboratory, Internal Document. Liverpool, Proudman Oceanographic Laboratory: 29 pp.
- Williams, J. J., P. S. Bell, et al.** (2005). 'Unifying large and small wave-generated ripples'. *Journal of Geophysical Research-Oceans*, C 110(C2): Art. No. C02008.
- Williams, J. J., P. S. Bell, et al.** (2001). 'Field measurements of flow and sediment transport over complex bed morphology'. *Coastal Engineering 2000*.

R. J. Edge (ed.). Sydney, Australia, American Society of Civil Engineers, 4: 3384-3394.

**Williams, S. D. P.** (2008). 'CATS: GPS coordinate time series analysis software'. *GPS Solutions*, 12(1): 1521-1886.

**Wilson, G. P., A. L. Lamb, et al.** (2005). ' $\delta^{13}\text{C}$  and C/N as potential coastal palaeoenvironmental indicators in the Mersey Estuary, UK'. *Quaternary Science Reviews*, 24(18-19): 2015-2029.

**Wilson, G. P., A. L. Lamb, et al.** (2005). 'Variability of organic delta C-13 and C/N in the Mersey Estuary, UK and its implications for sea-level reconstruction studies'. *Estuarine Coastal and Shelf Science*, 64(4): 685-698.

**Wilson, R. C., S. J. Watts, et al.** (2009). 'Laboratory and field studies of polonium and plutonium in marine plankton'. *Journal of Environmental Radioactivity*, 100(8): 665-669.

**Wolf, J.** (2003). 'Parametric modelling of waves in Liverpool Bay and Dee Estuary'. Liverpool, Proudman Oceanographic Laboratory: 13 pp.

**Wolf, J.** (2004). 'Coupling waves and currents in POLCOMS with measurements from the coastal observatory'. *Annales Hydrographiques*, 6th Ser. 3(772): 9-1 - 9-3.

**Wolf, J.** (2008). 'Climate change effects on waves in UK waters'. Liverpool marine science symposium, climate change: the science and the impacts - a Liverpool perspective, January 8th - January 9th, 2008 Liverpool, University of Liverpool: 24 pp.

**Wolf, J.** (2008). 'Coupled wave and surge modeling and implications for coastal flooding'. *Advances in Geosciences*, 17: 19-22.

**Wolf, J.** (2009). 'Coastal flooding: impacts of coupled wave-surge-tide models'. *Natural Hazards*, 49(2): 241-260.

**Wolf, J., P. Osuna, et al.** (2007). 'Coupled wave and current modelling in the MARIE project'. *Geophysical Research Abstracts*, 9(07248): 1 p.

**Wolf, J., A. J. Souza, et al.** (2008). 'In-situ measurements of waves, tides, bedforms and sediment transport in the nearshore zone'. ALSO/AUG/TOS ocean sciences meeting 2008: from the watershed to the global ocean, 7 March 2008. Orlando, Florida, USA, American Society of Limnology and Oceanography: pp. 499-500 (poster).

**Wolf, J. and S. L. Wakelin** (2003). 'BNSC Earth Observation Link Project: R5/002. The influences of environmental processes on shallow water

bathymetry. Technical Note 2: Wave-current modelling (WP 20): phase 1'. Birkenhead, Proudman Oceanographic Laboratory: 24 pp., ill., col.; maps.

**Wolf, J., S. L. Wakelin, et al.** (2002). 'Preliminary wave model results of climate change effects at the coast'. Proceedings of the Twelfth (2002) International Offshore and Polar Engineering Conference held in Kitakyushu, Japan, May 26–31, 2002 . J. S. Chung, W. Koterayama, C. H. Kim and Y. Li (eds.). International Society of Offshore and Polar Engineers: 135-142.

**Wolf, J., S. L. Wakelin, et al.** (2002). 'A coupled model of waves and currents in the Irish Sea'. Proceedings of the Twelfth (2002) International Offshore and Polar Engineering Conference held in Kitakyushu, Japan, May 26–31, 2002 . J. S. Chung, W. Koterayama, C. H. Kim and Y. Li (eds.). International Society of Offshore and Polar Engineers: 108-114.

**Woodworth, P. L.** (2008). 'Sea level change past and future'. Liverpool marine science symposium, climate change: the science and the impacts - a Liverpool perspective, January 8th - January 9th, 2008 Liverpool, University of Liverpool: 39 pp.

**Woodworth, P. L. and D. L. Blackman** (2002). 'Changes in extreme high waters at Liverpool since 1768'. *International Journal of Climatology*, 22(6): 697-714.

**Woodworth, P. L., F. N. Teferle, et al.** (2009). 'Trends in UK mean sea level revisited'. *Geophysical Journal International*, 176(1): 19-30.

**Wright, A. and J. Harris** (2004). 'Morphological Modelling of the River Mersey'. Book section in *Advances in Hydro-Science and Engineering*. University of Mississippi, 6: 344-345.

**Wu, Y., R. Falconer, et al.** (2005). 'Modelling trace metal concentration distributions in estuarine waters'. *Estuarine, Coastal and Shelf Science*, 64(4): 699-709.

**Xing, J. and A. Davies** (2005). 'A model study of spin-down and circulation in a cold water dome'. *Ocean Dynamics*, 55(3-4): 199-212.

**Xing, J. and A. M. Davies** (2006). 'Internal wave trapping and mixing in a cold water dome'. *Journal of Geophysical Research-Oceans*, 111(C7): Art. No. C07002.

**Xing, J. X. and A. M. Davies** (2005). 'A model study of spin-down and circulation in a cold water dome'. *Ocean Dynamics*, 55(3-4): 199-212.

**Yaliz, A. and T. Chapman** (2003). 'The Lennox Oil and Gas Field, Block 110/15, East Irish Sea'. *Memoirs- Geological Society of London*, 20: 87-96.

**Yaliz, A. and N. McKim** (2003). 'The Douglas Oil Field, Block 110/13b, East Irish Sea'. *Memoirs- Geological Society of London*, 20: 63-76.

**Yaliz, A. and P. Taylor** (2003). 'The Hamilton and Hamilton North Gas Fields, Block 110/13a, East Irish Sea'. *Memoirs- Geological Society of London*, 20: 77-86.

**Young, A. K., D. McCubbin, et al.** (2003). 'Po concentrations in UK seafood'. Environmental Radiochemical Analysis II. Proceedings of the 9th International Symposium on..., Maidstone, Kent, 18-20 September 2002: 143-149.

**Young, E. B., M. J. Dring, et al.** (2007). 'Seasonal variations in nitrate reductase activity and internal N pools in intertidal brown algae are correlated with ambient nitrate concentrations'. *Plant Cell and Environment*, 30(6): 764-774.

**Young, E. F., J. Brown, et al.** (2004). 'Development and application of a three-dimensional baroclinic model to the study of the seasonal circulation in the Celtic Sea'. *Continental Shelf Research*, 24(1): 13-36.

**Young, E. F., J. Brown, et al.** (2004). 'Erratum to "Development and application of a three-dimensional baroclinic model to the study of the seasonal circulation in the Celtic Sea" Shelf Research 24 (2004) 13-36]'. *Continental Shelf Research*, 24(9): 1047-1051.

**Young, E. F. and J. T. Holt** (2007). 'Prediction and analysis of long-term variability of temperature and salinity in the Irish Sea'. *Journal of Geophysical Research-Oceans*, 112(C1): C01008.

**Young, E. F., J. T. Holt, et al.** (2004). 'Physical versus anthropogenic control of nutrient concentrations in the Irish Sea'. Estuarine and Coastal Modeling, Proceedings. M. L. Spaulding (ed.): 256-272.

**Yuan, D., B. Lin, et al.** (2007). 'A modelling study of residence time in a macro-tidal estuary'. *Estuarine, Coastal and Shelf Science*, 71(3/4), 401-411.

**Yvon-Durocher, G., J. M. Montoya, et al.** (2008). 'Macroecological patterns and niche structure in a new marine food web'. *Central European Journal of Biology*, 3(1): 91-103.

**Zhang, W. G., L. Z. Yu, et al.** (2007). 'Magnetic approach to normalizing heavy metal concentrations for particle size effects in intertidal sediments in the Yangtze Estuary, China'. *Environmental Pollution*, 147(1): 238-244.

**Zheng, J. and M. Yamada** (2007). 'Precise determination of put isotopes in a Seawater reference material using ID-SF-ICP-MS combined with two-stage anion-exchange chromatography'. *Analytical Sciences*, 23(5): 611-615.